

## ARC COMPLIANT S/SHIRT NAVY SML



SPECIFICATION

**Product Code:** 

CARC3NS

Selling UOM:

Each

Pack Size:



Anti Static



**Arc Flash Protection** 



Cat 3 - High Risk



Fire Retardant

- Fire Retardant, Anti-Static, ARC Flash sweatshirt.
- 300gsm 60/40 Modacrylic/Cotton blend fabric.
- Inherently flame retardant.
- Fire Retardant properties will not diminish with repeated laundering.
- Ribbed cuffs.
- Ribbed waistband.
- For industrial workers exposed to heat.
- Not suitable for fire fighters.

EN ISO 13688:2013 - General requirements for protective clothing EN 1149-3:2004 - Anti Static - Test methods for measurements of charge decay EN 1149-5:2008 - Anti Static - Material

performance and design requirements EN ISO 11612:2015 (Ă1 B1 C2) - Protection

against heat and flame

## ARC FLASH

IEC 61482-2:2009 - Performance requirements and design requirements

EN 61482-1-2:2007 (Class 1 = 4kA) - Box Arc testina

EN 61482-1-1:2009 (ATPV = 12.6 Cal/cm2) -Open Arc testing

- Each garment style is independently tested to both box and open ARC standards.
- Click ARC production is covered by article 11B certification.



Packaging Waste	Туре	Units	Weight(g)	Length(mm)	Width(mm)	Height(mm)
Cardboard	Outer	1	920.00	580.00	392.00	272.00
Plastic	Inner	20	27.22			
Tissue Paper	Inner	20	0.73			
Paper	Inner	20	7.09			
Cardboard	Inner	20	1 40			

10.12ka

Carton Weight: