

Product Code:

CARC3N4XL

Selling UOM:

Each

Pack Size:

1

| Z | Anti Static |
|------------------------|----------------------|
| $\widehat{\mathbb{A}}$ | Arc Flash Protection |
| CAT. III | Cat 3 - High Risk |
| ۲ | Fire Retardant |

SPECIFICATION SHEET

ARC COMPLIANT S/SHIRT NAVY 4XL



- Fire Retardant, Anti-Static, ARC Flash sweatshirt.
- 300gsm 60/40 Modacrylic/Cotton blend fabric.
- Inherently flame retardant.
- Fire Retardant properties will not diminish with repeated laundering.
- Ribbed cuffs.
- Ribbed waistband.
- For industrial workers exposed to heat.
- Not suitable for fire fighters.

EN ISO 13688:2013 - General requirements for protective clothing EN 1149-3:2004 - Anti Static - Test methods for measurements of charge decay EN 1149-5:2008 - Anti Static - Material performance and design requirements EN ISO 11612:2015 (A1 B1 C2) - Protection against heat and flame

ARC FLASH IEC 61482-2:2009 - Performance requirements and design requirements EN 61482-1-2:2007 (Class 1 = 4kA) - Box Arc testing EN 61482-1-1:2009 (ATPV = 12.6 Cal/cm2) -Open Arc testing

• Each garment style is independantly tested to both box and open ARC standards.

• Click ARC production is covered by article 11B certification.



| Packaging Waste | | Туре | Units | Weight(g) | Length(mm) | Width(mm) | Height(mm) |
|-----------------|---------|-------|-------|-----------|------------|-----------|------------|
| Cardboard | | Outer | 1 | 1.000.00 | 612.00 | 396.00 | 330.00 |
| Plastic | I | Inner | 20 | 27.00 | 012.00 | 000.00 | 000.00 |
| Tissue Paper | I | Inner | 20 | 0.72 | | | |
| Paper | I | Inner | 20 | 1.46 | | | |
| Carton Weight: | 13.00kg | | | | | | |