

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 05/03/2020 Version: 2.0

SECTION 1: Identification of t	he substance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixture
Product name	: Purely Protect Antibacterial & Virucidal Wipes PP5016/ PP5015
	e substance or mixture and uses advised against WIPE
	e substance of mixture and uses devised against wir E
1.2.1. Relevant identified uses	
Use of the substance/mixture	: Disinfectant wipes
1.2.2. Uses advised against	
No additional information available	
1.3. Details of the supplier of the	safety data sheet
Techniclean Supply Ltd	
Unit 8a	
Hopkinson Way, Andover	
SP10 3ZE - United Kingdom	
T +44(0)1264 313560 hello@techniclean.co.uk	
1.4. Emergency telephone numbe	·
Emergency number	: +44(0)1264 313560
SECTION 2: Hazards identification	
2.1. Classification of the substant	
Classification according to Regulation	n (EC) No. 1272/2008 [CLP]
Serious eye damage/eye irritation, Categ	gory 2 H319
Hazardous to the aquatic environment -	- Chronic Hazard, Category 3 H412 Full
text of H statements : see section 16	
Adverse physicochemical, human hea	alth and environmental effects
Causes serious eye irritation. Harmful to	
2.2. Label elements	
Labelling according to Regulation (E0	C) No. 1272/20
Hazard pictograms (CLP)	
	· · ·
	GHS07
Signal word (CLP)	: Warning
Hazard statements (CLP)	: H319 - Causes serious eye irritation.
	H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P273 - Avoid release to the environment.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P337+P313 - If eye irritation persists: Get medical advice/attention.
	P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
EUH-statements	: EUH208 - Contains POLYMERIC BIGUANIDE HYDROCHLORIDE(27083-27-8). May
	produce an allergic reaction.
2.3. Other hazards	
Other hazards not contributing to the cla	ssification : None under normal conditions.
5	
SECTION 3: Composition/info	rmation on ingradiants

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 3.2. Mixtures

2000.	·····	09	 ()	•
3.2.	Mix	tures		

3.2. Wixtures			
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Propan-2-ol	(CAS-No.) 67-63-0 (EC-No.) 200-661-7 (EC Index-No.) 603-117-00-0 (REACH-no) 01-2119457558-25	1 - 10	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
QUATERNARY AMMONIUM COMPOUNDS	(CAS-No.) 68424-85-1	0.1 - 1	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
POLYMERIC BIGUANIDE HYDROCHLORIDE	(CAS-No.) 27083-27-8 (EC Index-No.) 616-207-00-X	0.1 - 1	Carc. 2, H351 Acute Tox. 2 (Inhalation), H330 Acute Tox. 4 (Oral), H302 STOT RE 1, H372 Eye Dam. 1, H318 Skin Sens. 1B, H317 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)
N-ALKYL AMINOPROPYL GLYCINE	CAS 139734-65-9	<1	Acute Tox. 4: H302; Skin Corr. 1C: H314; Aquatic Acute 1: H400

Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Get medical advice/attention if you feel unwell. If medical advice is needed, have product container or label at hand.
First-aid measures after inhalation	: Move to fresh air in case of accidental inhalation of vapours and keep comfortable for breathing.
First-aid measures after skin contact	: Take off contaminated clothing. Wash skin with plenty of water. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: As the substrate is a wipe material ingestion is highly unlikely but in the event do not induce vomiting and wash mouth out with water. Get medical advice/attention.
4.2. Most important symptoms and effects,	both acute and delayed
Symptoms/effects	: Causes eye irritation.
Symptoms/effects after inhalation	: There may be irritation of the throat with a feeling of tightness in the chest and cough.
Symptoms/effects after skin contact	: May cause skin irritation.
Symptoms/effects after eye contact	: Eye irritation. redness, itching, tears.
Symptoms/effects after ingestion	: May cause irritation to the digestive tract.
4.3. Indication of any immediate medical at	tention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: Do not use water jet to extinguish.
5.2. Special hazards arising from the substa	ance or mixture
Fire hazard	: The product is not flammable. In accordance with EU Directive 1272/2008/EC this product will not sustain combustion and is not regarded as requiring a flammable warning.
Explosion hazard	: Product is not explosive.
Reactivity in case of fire	: None known.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Advice for firefighters	
Precautionary measures fire	: No special measures required.
01/07/2019 (Version: 1.0)	EN (English) 2/8

Methods for cleaning up : Place in a suitable container for disposal in accordance with the waste regulations (see Section 13). Wash the spillage site with large amounts of water. Other information : Dispose in a suitable container for disposal of solid materials or residues refer to section 13 : "Disposel considerations". 64. Reference to other sections : Ensure there is adequate ventilation. Avoid contact with eyes. Smoking is forbidden. 7.1. Precautions for safe handling : Ensure there is adequate ventilation. Avoid contact with eyes. Smoking is forbidden. 7.2. Conditions for safe storage, including any incompatibilities : Storage conditions of reade storage including any incompatibilities Technical measures : Provide good ventilation in process area to prevent formation of flammable vapour. Storage conditions : Store in a well-ventilated place. Keep container closed when not in use. Incompatible products : Oxidising agents. Storage area : Store in a well-ventilated place. Keep container closed when not in use. Incompatible materials : Store in a well-ventilated place. Keep container closed when not in use. Storage area : Store in a well-ventilated place. Keep container closed when not in use. Incompatible materials : Store in a well-ventilated place. Keep container closed when not in use. Incompatible products : Oxidising agents. Storage area	Firefighting instructions Protection during firefighti		i its amendment Regulation (EU) 2015/830 : Use extinguishing media approp : Do not attempt to take action wi breathing apparatus. Complete p	riate for surrounding fire. ithout suitable protective equipment. Self-contained
General measures : Ensure adequate ventilation. Avoid contact with skin and eyes. 6.1. For one-mergency personnel Protective equipment : Not required for normal conditions of use. Energency procedures : Ventilate spillage area. 6.1. For one-metal process : Ventilate area. 6.2. Environmental process : Ventilate area. 6.3. Methods and material for containment and cleaning upp 6.4. Environmental process : Clean spillage. Withouts for cleaning up : Clean in a suicible container for disposal in accordance with the waste regulations (see Section 13). Wash the spillage site with large amounts of water. 7.1. Process : Clean spillage. Withouts for cleaning up : Clean in a suicible container for disposal in accordance with the waste regulations (see Section 13). Wash the spillage site with large amounts of water. 7.1. Process : Section 13, Wash the spillage site with large amounts of water. 7.2. Conditions for safe handling Precautions for safe handling Precautions for safe handling Precautions for safe handling Precautions for safe handling 7.3. Conditions for safe handling Precautions for safe handling Precautions for safe handling Precautions for safe handling 7.3. Specific end uses[3. Store in a well-ventilation in process are to prevent formation of fammable vapour. 3. Store in a well-ventilation gates. 5. Store in a well-ventilation gate. 5. Store in a well-ventilation gates. 5. Store in a well-ventilation gate. 5. Store in a well-ventilation gater. 5. Store in a well-ventilation gate. 5. St				
6.1.1. For non-energency personnel Protective equipment : Not required for normal conditions of use. Energency recedures : Not required for normal conditions of use. Energency recedures : Not required for normal conditions of use. Energency recedures : Ventilate area. 6.2. Environmental precautions : Ventilate area. 6.3. Methods and material for containment and cleaning up For containment : Collect spilage. Per containment : Collect spilage. Methods for cleaning up : Place in a suitable container for disposal in accordance with the waste regulations (see Section 13). Wash the spilage set with large amounts of water. Other information : Disposal consider store other sections For further information for safe handling : Place there is adequate ventilation. Avoid contact with eyes. Smoking is forbidden. 7.1. Precautions for safe handling : Provide godd ventilation in process area to prevent formation of filammable vapour. 7.3. Specific end use(s) : Store in a well-ventilated place. Keep container closed when not in use. Incompatible materials Storeg area : Store in a well-ventilated place. 7.3. Specific end use(s) : Store in a well-ventilated place. 7.4. Specific end use(s) : Store in a well-ventilated place. 7.5. Specific end use(s) <td< td=""><td></td><td>tions, protective equip</td><td></td><td></td></td<>		tions, protective equip		
Protective equipment Not required for normal conditions of use. Emergency procedures Not required for normal conditions of use. Energency procedures Not Not required for normal conditions of use. Energency procedures Not Not Required for normal conditions of use. Energency procedures Not Not Required for normal conditions of use. Energency procedures Not Not Required for Not		cv personnel	. Ensure adequate ventilation. Ave	on contact with skin and cycs.
Emergency procedures i Ventilate spillage area. 6.1.2. For amergency responders Frederive equipment Subtrace area. 6.2. Environmental precautions C.3. Methods and material or containment and cleaning up For containment C.3. Methods and material or containment and cleaning up For containment C.3. Methods and material or containment and cleaning up For containment C.3. Methods and material or containment and cleaning up For containment C.3. Methods and material or containment and cleaning up For containment C.3. Methods and material or containment and cleaning up For containment C.3. Methods and material or containment and cleaning up For containment C.3. Methods and material or containment and cleaning up For containment C.3. Methods and material or containment and cleaning up For containment C.3. Methods and materials or resultations C.3. Methods and materials or containment and cleaning up For containment C.3. Methods and materials or containment and cleaning up For containment C.3. Methods and materials or containment and cleaning up For containment C.3. Methods and materials or resultations C.3. Methods for clean and in graphene in accordance with local/national regulations C.3. Methods for clean AndIng Procautions for safe handling C.2. Conditions for safe handling C.2. Conditions for safe handling C.3. Opport or soft of safe handling C.3. Store in a well-ventilated place.	-		· Not required for normal condition	ns of use
Protective equipment : Not required for normal conditions of use. Emergency procedures : Ventilate area. 6.2. Environmental precautions	Emergency procedures		•	
Emergency procedures i Venilate area.		sponders		
Avoid release to the environment.			•	ns of use.
As detailed and material for containment and cleaning up For containment Collect spillage. Methods for cleaning up Collect spillage. Collect spielage.		recautions		
For containment : Collect spillage. Methods for cleaning up : Place in a suitable container for disposal in accordance with the waste regulations (see Section 13). Wash the spillage site with large amounts of water. Other information : Dispose in a safe manner in accordance with local/national regulations. 6.4. Reference to other sections For further information refer to section 8: "Exposure controls/personal protection". For disposal of solid materials or residues refer to section 13 : "Dispose considerations". Section 17. Precautions for safe handling : Ensure there is adequate ventilation. Avoid contact with eyes. Smoking is forbidden. 7.2. Conditions for safe handling : Ensure there is adequate ventilation. Avoid contact with eyes. Smoking is forbidden. 7.2. Conditions for safe storage, including any incompatibilities : Ensure there is adequate ventilation in process area to prevent formation of flammable vapour. Storage conditions : Store in a well-ventilated place. Keep container closed when not in use. Incompatible products : Oxidising agents. Strong acids. Strong bases. Incompatible materials : Store in a well-ventilated place. 7.3. Specific end use(s) : Cleaning and disinfecting surfaces. : Storage conditions United Kingdom Local name Propan-2-ol Propan-2-ol (67-63-0) : <td>Avoid release to the envir</td> <td>ronment.</td> <td></td> <td></td>	Avoid release to the envir	ronment.		
For containment : Collect spillage. Methods for cleaning up : Place in a suitable container for disposal in accordance with the waste regulations (see Section 13). Wash the spillage site with large amounts of water. Other information : Dispose in a safe manner in accordance with local/national regulations. 6.4. Reference to other sections For further information refer to section 8: "Exposure controls/personal protection". For disposal of solid materials or residues refer to section 13 : "Dispose considerations". Section 17. Precautions for safe handling : Ensure there is adequate ventilation. Avoid contact with eyes. Smoking is forbidden. 7.2. Conditions for safe handling : Ensure there is adequate ventilation. Avoid contact with eyes. Smoking is forbidden. 7.2. Conditions for safe storage, including any incompatibilities : Ensure there is adequate ventilation in process area to prevent formation of flammable vapour. Storage conditions : Store in a well-ventilated place. Keep container closed when not in use. Incompatible products : Oxidising agents. Strong acids. Strong bases. Incompatible materials : Store in a well-ventilated place. 7.3. Specific end use(s) : Cleaning and disinfecting surfaces. : Storage conditions United Kingdom Local name Propan-2-ol Propan-2-ol (67-63-0) : <td>6.3. Methods and mat</td> <td>terial for containment</td> <td>and cleaning up</td> <td></td>	6.3. Methods and mat	terial for containment	and cleaning up	
Section 13). Wash the spillage site with large amounts of water. Other information refer to sections For further information refer to sections. For further information refer to section 8: "Exposure controls/personal protection". For disposal of solid materials or residues refer to section 13 : "Disposal considerations". SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling Precautions for safe handling Precautions for safe storage, including any incompatibilities Technical measures : Provide good ventilation in process area to prevent formation of flammable vapour. Storage conditions : Store in a well-ventilated place. Keep container closed when not in use. Incompatible products : Oxidising agents. Strong acids. Strong bases. Incompatible materials : Store in a well-ventilated place. Keep container closed when not in use. Storage conditions : Store in a well-ventilated place. Keep container closed when not in use. Incompatible products : Store in a well-ventilated place. Keep container closed when not in use. Incompatible materials : Store in a well-ventilated place. Keep container closed when not in use. Incompatible materials : Store in a well-ventilated place. Keep container closed when not in use. Storage conditions : Store in a well-	For containment		: Collect spillage.	
64. Reference to other sections For further information refer to section 8: "Exposure controls/personal protection". For disposal of solid materials or residues refer to section 13 : "Disposal considerations". SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling Essure there is adequate ventilation. Avoid contact with eyes. Smoking is forbidden. 7.2. Conditions for safe storage, including any incompatibilities Technical measures : Provide good ventilation in process area to prevent formation of flammable vapour. Storage conditions : Store in a well-ventilated place. Keep container closed when not in use. Incompatible products : Oxidising agents. Storage area Storage controls/personal protection 8.1. Control parameters Propan-2-ol (67-63-0) Germany United Kingdom Uccal name WeL TWA (mg/m ³) 1250 mg/m ³ United Kingdom WEL TFL (ppm) United Kingdom WEL STEL (ppm) United Kingdom WEL STEL (ppm) United Kingdom WEL STEL (ppm) United Kingdom Regulatory reference	Methods for cleaning up			
For further information refer to section 8: "Exposure controls/personal protection". For disposal of solid materials or residues refer to section 13: "bisposal considerations". SECTION 7: Handling and storage 7.1. Precautions for safe handling : Ensure there is adequate ventilation. Avoid contact with eyes. Smoking is forbidden. 7.2. Conditions for safe handling : Ensure there is adequate ventilation. Avoid contact with eyes. Smoking is forbidden. 7.2. Conditions for safe handling : Provide good ventilation in process area to prevent formation of flammable vapour. Storage conditions : Store in a well-ventilated place. Keep container closed when not in use. Incompatible products : Oxidising agents. Incompatible products : Store in a well-ventilated place. 7.3. Specific end use(s) Cleaning and disinfecting surfaces. SECTION 8: Exposure controls/personal protection Store propan-2-ol 8.1. Control parameters Fropan-2-ol Propan-2-ol (67-63-0) Germany TRGS 910 Acceptance concentration notes United Kingdom WEL TWA (mg/m ³) 999 mg/m ³ United Kingdom WEL STEL (mg/m ³) 1250 mg/m ³ United Kingdom WEL STEL (mg/m ³) 1250 mg/m ³ United Kingdom WEL STEL (ppm) 500 ppm United Kin	Other information		: Dispose in a safe manner in acco	ordance with local/national regulations.
7.1. Precautions for safe handling : Ensure there is adequate ventilation. Avoid contact with eyes. Smoking is forbidden. 7.2. Conditions for safe handling : Ensure there is adequate ventilation. Avoid contact with eyes. Smoking is forbidden. 7.2. Conditions for safe handling : Provide good ventilation in process area to prevent formation of flammable vapour. Storage conditions : Store in a well-ventilated place. Keep container closed when not in use. Incompatible products : Oxidising agents. Strong acids. Strong bases. Incompatible materials : Store in a well-ventilated place. 7.3. Specific end use(s)	For further information ref	fer to section 8: "Exposure	controls/personal protection". For dis	sposal of solid materials or residues refer to section 13 :
Precautions for safe handling : Ensure there is adequate ventilation. Avoid contact with eyes. Smoking is forbidden. 7.2. Conditions for safe storage, including any incompatibilities : Provide good ventilation in process area to prevent formation of flammable vapour. Storage conditions : Store in a well-ventilated place. Keep container closed when not in use. Incompatible products : Oxidising agents. Strong acids. Strong bases. Incompatible materials : Store in a well-ventilated place. 7.3. Specific end use(s) : Store in a well-ventilated place. Cleaning and disinfecting surfaces. : Store in a well-ventilated place. Storage area : Store in a well-ventilated place. 7.3. Specific end use(s) : Store in a well-ventilated place. Cleaning and disinfecting surfaces. : Store in a well-ventilated place. Storage area : Store in a well-ventilated place. 7.3. Specific end use(s) : Store in a well-ventilated place. Cleaning and disinfecting surfaces. : Store in a well-ventilated place. Storage area : Store in a well-ventilated place. Storage area : Store in a well-ventilated place. 7.3. Specific end use(s) : Store in a well-ventilated place. Storage naverta : Store in a well-ventilated place.	SECTION 7: Handli	ng and storage		
7.2. Conditions for safe storage, including any incompatibilities Technical measures : Provide good ventilation in process area to prevent formation of flammable vapour. Storage conditions : Store in a well-ventilated place. Keep container closed when not in use. Incompatible products : Oxidising agents. Strong acids. Strong bases. Incompatible materials : Store in a well-ventilated place. Storage area : Store in a well-ventilated place. 7.3. Specific end use(s) Cleaning and disinfecting surfaces. SECTION 8: Exposure controls/personal protection 8.1. Control parameters Propan-2-ol (67-63-0) Germany United Kingdom Local name Propan-2-ol United Kingdom WEL TWA (mg/m³) 999 mg/m³ United Kingdom WEL STEL (mg/m³) 1250 mg/m³ United Kingdom WEL STEL (mg/m³) 500 ppm United Kingdom WEL STEL (ppm) 500 ppm United kingdom Regulatory reference				
Storage conditions : Store in a well-ventilated place. Keep container closed when not in use. Incompatible products : Oxidising agents. Strong acids. Strong bases. Incompatible materials : Strore in a well-ventilated place. Keep container closed when not in use. Storage area : Oxidising agents. Strong bases. 7.3. Specific end use(s) : Store in a well-ventilated place. Cleaning and disinfecting surfaces. SECTION 8: Exposure controls/personal protection 8.1. Control parameters Propan-2-ol (67-63-0) Germany TRGS 910 Acceptance concentration notes United Kingdom Local name Vuited Kingdom WEL TWA (mg/m ³) United Kingdom WEL TWA (mg/m ³) United Kingdom WEL STEL (mg/m ³) United Kingdom WEL STEL (mg/m ³) United Kingdom WEL STEL (ppm) United Kingdom Regulatory reference Exposure controls <	7.2. Conditions for sa		any incompatibilities	
Incompatible products : Oxidising agents. Strong acids. Strong bases. Incompatible materials : Strong oxidizing agents. Storage area : Store in a well-ventilated place. 7.3. Specific end use(s) . Cleaning and disinfecting surfaces. . SECTION 8: Exposure controls/personal protection . 8.1. Control parameters . Propan-2-ol (67-63-0) . Germany TRGS 910 Acceptance concentration notes United Kingdom Local name VelL TWA (mg/m ³) 999 mg/m ³ United Kingdom WEL TWA (mg/m ³) United Kingdom WEL STEL (pgm) Store proteroere EH40. HSE Baptopriate engineering controls: Ensure acteguate wentilation.				
Storage area : Store in a well-ventilated place. 7.3. Specific end use(s) Cleaning and disinfecting surfaces. SECTION 8: Exposure controls/personal protection 8.1. Control parameters Propan-2-ol (67-63-0) Germany TRGS 910 Acceptance concentration notes United Kingdom Local name Vinited Kingdom WEL TWA (mg/m³) 999 mg/m³ United Kingdom WEL TWA (ppm) United Kingdom WEL STEL (mg/m³) United Kingdom WEL STEL (ppm) United Kingdom WEL STEL (ppm) United Kingdom Regulatory reference B400 ppm Store promotols: Resposure controls: Ensure adequate ventilation.	•			
7.3. Specific end use(s) Cleaning and disinfecting surfaces. SECTION 8: Exposure controls/personal protection 8.1. Control parameters Propan-2-ol (67-63-0) Germany TRGS 910 Acceptance concentration notes United Kingdom Local name Propan-2-ol United Kingdom WEL TWA (mg/m³) 999 mg/m³ United Kingdom WEL STEL (mg/m³) 1250 mg/m³ United Kingdom WEL STEL (ppm) 500 ppm United Kingdom WEL STEL (ppm) 500 ppm United Kingdom Regulatory reference EH40. HSE Appropriate engineering controls: Ensure adequate ventilation. Personal protective equipment: Not required for normal conditions of use.	Incompatible materials		: Strong oxidizing agents.	
Cleaning and disinfecting surfaces. SECTION 8: Exposure controls/personal protection 8.1. Control parameters Propan-2-ol (67-63-0) Germany TRGS 910 Acceptance concentration notes United Kingdom Local name Propan-2-ol United Kingdom WEL TWA (mg/m ³) 999 mg/m ³ United Kingdom WEL TWA (ppm) 400 ppm United Kingdom WEL STEL (mg/m ³) 1250 mg/m ³ United Kingdom WEL STEL (mg/m ³) 500 ppm United Kingdom Regulatory reference EH40. HSE 8.2. Exposure controls: Ensure adequate ventilation. Personal protective equipment: Not required for normal conditions of use.	Ţ	: Store in a well-ventilated place.		
SECTION 8: Exposure controls/personal protection 8.1. Control parameters Propan-2-ol (67-63-0) Germany TRGS 910 Acceptance concentration notes United Kingdom Local name United Kingdom WEL TWA (mg/m³) United Kingdom WEL TWA (mg/m³) United Kingdom WEL TWA (ppm) United Kingdom WEL STEL (mg/m³) United Kingdom WEL STEL (mg/m³) United Kingdom WEL STEL (ppm) United Kingdom WEL STEL (ppm) United Kingdom Regulatory reference EH40. HSE 8.2. Exposure controls: Appropriate engineering controls: Ensure adequate ventilation. Personal protective equipment: Not required for normal conditions of use. United Kingdom use.	7.3. Specific end use	(s)		
8.1. Control parameters Propan-2-ol (67-63-0) Germany TRGS 910 Acceptance concentration notes United Kingdom Local name United Kingdom WEL TWA (mg/m³) United Kingdom WEL TWA (mg/m³) United Kingdom WEL TWA (ppm) United Kingdom WEL STEL (mg/m³) United Kingdom WEL STEL (mg/m³) United Kingdom WEL STEL (ppm) So0 ppm So0 ppm United Kingdom Regulatory reference B2. Exposure controls: Ensure adequate ventilation. Personal protective equipment: Not required for normal conditions of use. Son public	÷ ÷			
Propan-2-ol (67-63-0) Germany TRGS 910 Acceptance concentration notes United Kingdom Local name Propan-2-ol United Kingdom WEL TWA (mg/m³) United Kingdom WEL TWA (ppm) United Kingdom WEL TWA (ppm) United Kingdom WEL STEL (mg/m³) United Kingdom WEL STEL (ppm) United Kingdom WEL STEL (ppm) United Kingdom Regulatory reference Base of the state of the	SECTION 8: Expos	ure controls/person	al protection	
Germany TRGS 910 Acceptance concentration notes United Kingdom Local name Propan-2-ol United Kingdom WEL TWA (mg/m³) 999 mg/m³ United Kingdom WEL TWA (ppm) 400 ppm United Kingdom WEL STEL (mg/m³) 1250 mg/m³ United Kingdom WEL STEL (ppm) 500 ppm United Kingdom Regulatory reference EH40. HSE Appropriate engineering controls: Ensure adequate ventilation. Personal protective equipment: Not required for normal conditions of use. South conditions of use.	8.1. Control paramete	ers		
United KingdomLocal namePropan-2-olUnited KingdomWEL TWA (mg/m³)999 mg/m³United KingdomWEL TWA (ppm)400 ppmUnited KingdomWEL STEL (mg/m³)1250 mg/m³United KingdomWEL STEL (ppm)500 ppmUnited KingdomRegulatory referenceEH40. HSE8.2. Exposure controlsAppropriate engineering controls: Ensure adequate ventilation.Personal protective equipment: Not required for normal conditions of use.	Propan-2-ol (67-63-0)	1		
United KingdomWEL TWA (mg/m³)999 mg/m³United KingdomWEL TWA (ppm)400 ppmUnited KingdomWEL STEL (mg/m³)1250 mg/m³United KingdomWEL STEL (ppm)500 ppmUnited KingdomRegulatory referenceEH40. HSE8.2. Exposure controlsAppropriate engineering controls: Ensure adequate ventilation.Personal protective equipment: Not required for normal conditions of use.	Germany	TRGS 910 Accepta	nce concentration notes	
United Kingdom WEL TWA (ppm) 400 ppm United Kingdom WEL STEL (mg/m³) 1250 mg/m³ United Kingdom WEL STEL (ppm) 500 ppm United Kingdom Regulatory reference EH40. HSE 8.2. Exposure controls Appropriate engineering controls: Ensure adequate ventilation. Personal protective equipment: Not required for normal conditions of use. Ket State	United Kingdom	Local name		Propan-2-ol
United Kingdom WEL STEL (mg/m³) 1250 mg/m³ United Kingdom WEL STEL (ppm) 500 ppm United Kingdom Regulatory reference EH40. HSE 8.2. Exposure controls Appropriate engineering controls: Ensure adequate ventilation. Personal protective equipment: Not required for normal conditions of use.	United Kingdom	WEL TWA (mg/m ³)		999 mg/m ³
United Kingdom WEL STEL (ppm) 500 ppm United Kingdom Regulatory reference EH40. HSE 8.2. Exposure controls Appropriate engineering controls: Ensure adequate ventilation. Personal protective equipment: Not required for normal conditions of use.	United Kingdom	WEL TWA (ppm)		400 ppm
United Kingdom Regulatory reference EH40. HSE 8.2. Exposure controls Appropriate engineering controls: Ensure adequate ventilation. Personal protective equipment: Not required for normal conditions of use.	United Kingdom	WEL STEL (mg/m ³)	1250 mg/m ³
8.2. Exposure controls Appropriate engineering controls: Ensure adequate ventilation. Personal protective equipment: Not required for normal conditions of use.	United Kingdom	WEL STEL (ppm)		500 ppm
Appropriate engineering controls: Ensure adequate ventilation. Personal protective equipment: Not required for normal conditions of use.	United Kingdom	Regulatory reference	ce	EH40. HSE
adequate ventilation. Personal protective equipment: Not required for normal conditions of use.	8.2. Exposure contro	Is		
Not required for normal conditions of use.	Appropriate engineering adequate ventilation.	g controls: Ensure		
	Personal protective equ	•		
	01/07/2019 (Version: 1.0)		EN (English)	3/

Safety Data Sheet
according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830
Not required for normal conditions of use
Hand protection:
Not required for normal conditions of use
Eye protection:
Not required for normal conditions of use
Skin and body protection:
Not required for normal conditions of use
Respiratory protection:
No respiratory protection needed under normal use conditions

Environmental exposure controls: Avoid release to the environment.

SECTION 9: Physical and chemical p	
9.1. Information on basic physical and ch	
Physical state	: Solid
Colour	: Colourless.
Odour	: Characteristic odour.
Odour threshold	: No data available
рН	: No data available.
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: > °C
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available.
Relative density	: No data available.
Solubility	: Insoluble.
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Product is not explosive.
Oxidising properties	: Non oxidizing.
Explosive limits	: Not applicable
9.2. Other information	
VOC content	: > 50 %
Additional information	: In accordance with EU Directive 1272/2008/EC this product will not sustain combustion

SECTION 10: Stability and reactivity
10.1. Reactivity
The product is non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability
Stable under normal conditions.
10.3. Possibility of hazardous reactions
No dangerous reactions known under normal conditions of use.

and is not regarded as requiring a flammable warning.

Cofety Data Chaot		
Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830		
10.4. Conditions to avoid		
Heat.		
10.5. Incompatible materials		
Strong acids. Strong oxidizing agents.		
10.6. Hazardous decomposition products		
Under normal conditions of storage and use, hazardous	s decomposition products should not be produced.	
SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
3 ()	:Not	
	Classified	
	:Not Classified	
	Not	
	Classified	
Propan-2-ol (67-63-0)		
LD50 oral	4396	
LD50 dermal	12800	
LC50 inhalation rat (Dust/Mist - mg/l/4h)	46600	
POLYMERIC BIGUANIDE HYDROCHLORIDE (27083-27-8)	
LD50 oral rat	> 2000 mg/kg	
Skin corrosion/irritation :	Not classified pH: No data available.	
Serious eye damage/irritation :	Causes serious eye irritation.	
Despiratory or skip consitiontion	pH: No data available.	
	Not classified Not classified	
	Not classified	
0,	Not classified	
, ,	Not classified	
	Not classified	
	Not classified	
SECTION 12: Ecological information		
12.1. Toxicity		
Ecology - general : Harmful to aquatic life with long la		
aquatic life with long lasting effects. Acute aquatic toxic	•	
	: Harmful to aquatic life with long lasting effects.	
Propan-2-ol (67-63-0)		
LC50 fish 1	9640	
EC50 other aquatic organisms 1	13299 waterflea	
EC50 other aquatic organisms 2	> 1000	
POLYMERIC BIGUANIDE HYDROCHLORIDE (27083-27-8)	
LC50 fish 1	0.026 mg/l	
EC50 other aquatic organisms 1	0.09 mg/l	
12.2. Persistence and degradability		
SANISAFE 4 WIPE		
Persistence and degradability	Not biodegradable.	
12.3. Bioaccumulative potential		
SANISAFE 4 WIPE		

Safety Data Sheet according to Regulation (EC) No. 1907/20		mondmont Population (ELI) 2015/820	
Bioaccumulative potential		No data available.	
Propan-2-ol (67-63-0)			
Log Pow	(0.05	
12.4. Mobility in soil			
SANISAFE 4 WIPE			
Ecology - soil	I	No data available.	
12.5. Results of PBT and vPvB	assessment		
No additional information available			
12.6. Other adverse effects			
Other adverse effects	: No known effect this product.	ts from	
Additional information	: Avoid release to the environment.	he	
SECTION 13: Disposal considerations			
13.1. Waste treatment			
methods			
Regional legislation (waste)	: Disposal must be regulations.	done according to official	
Waste treatment methods	: Dispose of conter	nts/container in accordance with sorting instructions.	
Product/Packaging disposal recommendations		manner in accordance with	
Ecology - waste materials	: Avoid release to t		
SECTION 14: Transport			
information In accordance with ADR / RID /			
IMDG / IATA / ADN			
14.1. UN number			
UN-No. (ADR) UN-No. (IMDG)	: Not applicable : Not applicable		
UN-No. (IATA)	: Not applicable		
UN-No. (ADN)	: Not applicable		
UN-No. (RID)	: Not applicable		
14.2. UN proper shipping name			
Proper Shipping Name (ADR)	: Not applicable		
Proper Shipping Name (IMDG)	: Not applicable		
Proper Shipping Name (IATA)	: Not applicable		
Proper Shipping Name (ADN)	: Not applicable		
Proper Shipping Name (RID) 14.3. Transport hazard	: Not applicable		
class(es)			
ADR			
Transport hazard class(es) (ADR)	: Not applicable		
Transport hazard class(es) (IMDG)	: Not applicable		
ΙΑΤΑ			
Transport hazard class(es) (IATA)	: Not applicable		
ADN Transport hazard class(es) (ADN)	: Not applicable		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 RID

Transport hazard class(es) (RID)	: Not applicable	
14.4. Packing group		
Packing group (ADR)	: Not applicable	
Packing group (IMDG)	: Not applicable	
Packing group (IATA)	: Not applicable	
Packing group (ADN)	: Not applicable	
Packing group (RID)	: Not applicable	
14.5. Environmental hazards		
Dangerous for the environment	: No	
Marine pollutant	: No	
Other information	: No supplementary information available	
14.6. Special precautions for user		
Overland transport		
Not applicable		
Transport by sea		
Not applicable		
Air transport		
Not applicable		
Inland waterway transport		
Not applicable		
Rail transport		
Not applicable		
14.7. Transport in bulk accord Not applicable	ding to Annex II of Marpol and the IBC Code	
SECTION 15: Regulatory ir	formation	
	onmental regulations/legislation specific for the	substance or mixture
15.1.1. EU-Regulations		

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Substance(s) are not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC.

VOC content

: > 50 %

15.1.2. National regulations Seveso Directive : 2012/18/EU (Seveso III)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information Full text of H- and EUH-statements:		
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830	
Carc. 2	Carcinogenicity, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Sens. 1B	Skin sensitisation, category 1B
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH208	Contains POLYMERIC BIGUANIDE HYDROCHLORIDE(27083-27-8). May produce an allergic reaction.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product