

目

OK

4^{\$} 5[%] 6[€] 7⁸ 8^{*} 9' 0⁻ ¢

RTYUIOPA

ZXCVBNM.?...AÄÄ…

SDFGHJKLÆØ

1 9

X

brother

\$

DATA #1505

9

11

Q

AAA

W

Ada

Peteret D210-VP

the second second

Desktop Labelling Machine

The smart, stylish and easy-to-use labelling machine for the modern office.

www.brother.co.uk



EASE OF USE

With one-touch function keys, QWERTY keyboard and large LCD screen

FLEXIBLE DESIGN OPTIONS

Choose from a large library of fonts, frames and templates

FAST

ALEC ENTERSING ST

Prints durable labels at 20mm/second

The indispensable tool to keep your office organised

Clearly labelled items make for a much more efficient workplace. The compact design and easy-to-use features mean that labels for record keeping office equipment stationary and electrical items are easily and quickly created. The availability of a wide variety of tape cassettes in various widths and colours makes the P-touch D210 indispensable.



P-touch laminated labels - designed to last

Brother P-touch laminated TZe tapes consist of six layers of materials, resulting in a thin yet extremely strong label. The thermal transfer ink is sandwiched between two protective layers of PET (polyester film), which protects the text against the effects of liquids, abrasion, temperature, chemicals and sunlight. As the labels have been tested to the extreme, you can be confident of a professional quality label that has been designed to last.









Resistant



Resistant







Clearly identify items with a durable P-touch label

Around the home, office, school, shop and other places of work, there are many uses for long lasting, durable P-touch labels.

COMMON EXAMPLES INCLUDE:

Electrical items – cables, plugs, switches, sockets, chargers, IT and audio visual equipment. **Record keeping** – disks, USB/hard drives, filing cabinets, folders, shelving, archives. **Office equipment** and stationary - staff and visitor name badges, signage, mail rooms organisation, notice boards, telephone extension numbers.

D210-VP Features / Specifications

General

Prints 3.5, 6, 9, 12mm durable labels using TZe tape cassettes Easy-to-read 16 character graphic display, 27mm x 18mm in size Ergonomic keyboard with tactile keys for quick text entry Uses optional AC adapter (AD-24ES), or 6 x AAA (LR03 / HR03 Ni-Mh) batteries (not included)

Included in the box

PT-D210 desktop labelling machine 12mm black on white laminated label cassette (4m) User guide

Label printing

Fast print speed of 20mm/second 180dpi print resolution for crisp, legible text Maximum print height of 9.0mm Include up to 2 lines per label Built-in manual label cutter Standard label length of 30mm - 300mm | Patterned label length of 30mm - 999mm Print up to 9 copies of your label, or automatically print up to 9 sequential numbers

Label creation

Choose from 14 different text fonts, 97 frames and 617 symbols 3 character widths and 3 character heights to choose from Left/centre/right/justified text alignment options 27 pre-set label formats, including decorative labels

Memory

Create labels containing up to 80 characters per label 30 memory locations for quick recall of frequently used labels

Other

20 language support (English, German, French, Dutch, Italian, Spanish, Portuguese, Danish, Norwegian, Swedish, Finnish, Czech, Polish, Hungarian, Romanian, Slovenian, Slovakian, Croatian, Turkish, Brazilian Portuguese)

Dimensions and weights

157mm (w) x 149mm (d) x 68mm (h) | 0.49kg (without batteries or tape cassette)

Optional accessories AD-24ES AC adapter





For detailed specifications and to see the full product range, please visit: www.brother.co.uk

Contact:





Brother UK Ltd

Shepley Street, Audenshaw, Tameside, Manchester M34 5JD. Tel: +44(0)8444 999 444 Fax: +44(0)161 931 2218. Website: www.brother.co.uk

All specifications correct at time of printing. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies. Label images shown are for illustrative purposes only and some aspects may not be reproducible on this model. Product specifications may be subject to change. E&OE.