# Safety Data Sheet

# According to Regulation (EC) No. 1907/2006 (REACH) and (EC) No.1272/2008 (CLP)

Version CLP-1.0

## 1. Identification of the mixture and of the company

## 1.1- Product identifier

Product nam : Red Ink for Gell Ball Point pen

SARASA CLIP 0.5 SARASA CLIP 0.7 SARASA Retractable 0.7

Jimnie 0.7

# 1.2 - Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture
 Recommended restrictions on use
 Uses Advised Against
 Ink for writing implement
 No information available
 No information available

1.3 - Details of the suplier of the SDS

•Impoter : ZEBRA PEN UK LTD

TEL FAX

• Manufacture : ZEBRA CO. LTD.

TEL : FAX :

## 1.4 - Emergency telephone number

Impoter :Manufacture :

## 2. Hazards identification

# 2.1 Classification of the substance or mixture According to (EC) No.1272/2008 (CLP)

## Physical hazards

Flammable liquids

Pyrophoric liquids

Self-heating mixtures

Corrosive to metals

Not classified

Not classified

Not classified

Health hazards

Acute toxicity-Oral Not classified
Acute toxicity-Dermal Not classified
Acute toxicity-Inhalation:vapour Not classified
Skin corrosion / irritation Not classified
Serious eye damage / eye irritation Category 2

Respiratory or skin sensitization Not classified Category 1

Germ cell mutagenicity

Carcinogenicity

Reproductive toxicity

Specific target organ toxicity (Singel exposure)

Specific target organ toxicity (Repeated exposure)

Aspiration hazard

Not classified

Not classified

Not classified

Environmental hazards

Hazardous to the aquatic environment(acute)

Not classified Hazardous to the aquatic environment(chronic)

Not classified

#### 2.2 Label elements

According to (EC) No.1272/2008 (CLP)

## Pictograms or Symbol

Exclamation mark



#### Signal Word

Warning

#### Hazard statement

H317 May cause an allergic skin reactionH319 Causes serious eye irritation

#### **Precautionary Statements**

#### Prevention

P261 Avoid breathing vapours.

P264 Wash hands thoroughly after handling

P272 Contaminated work clothing should not be allowed out of the workplace
P280 Wear protective gloves/protective clothing/eye protection/face protection

#### Response

P302+P352 IF ON SKIN: Wash with soap and water

P305+P351+P338 IF IN EYES: Rinse continuously with water for several minutes.

Remove contact lenses if present and easy to do . Continue rinsing

P333+P313 If skin irritation or a rash occurs: Get medical advice/attention
P337+P313 If eye irritation persists: Get medical advice/attention
P362+P364 Take off contaminated clothing and wash it before reuse.

### Storage

#### Disposal

H501 Dispose of contents/container to in a accordance with local government regulation.

## Supplemental information

EUH 208 Contains Triethanolamine. May produce an allergic reaction.

#### 2.3 Other hazards

The ink does not have data whether a substance metting the critera for PBT or vPvB in accordance with EC 1907/2006 Annex III.

# 3. Composition/information on ingredients

3.1 Substance : Not applicable

## 3.2 Mixture

## Component and Amount

•					
Component	Amount	CAS No.	EC No.	Reach No.	Hazard Statement and Class
Glycerol	15-20%	56-81-5	200-289-5	— **	H319 Eye Irrit. 2
Triethanolamine	1-5%	102-71-6	203-049-8	**	H319 Eye Irrit. 2
					H317 Skin Sens.1 skin reaction
Water	65-70%	7732-18-5	231-791-2	**	
Pigments	1-5%	Nondisclosure	Nondisclosure	<b>—</b> **	
Resins	1-5%	Nondisclosure	Nondisclosure	<b>—</b> **	
Additives	5-10%	Nondisclosure	Nondisclosure	— **	

<sup>\*</sup> See (EC)No 1272/2008 Annex VI Section 1.2.1.

#### 4. First-aid measures

## 4.1 Description of First-aid measures

#### After inhalation:

Call a doctor/physician if you feel unwell.

Remove victim to fresh air and keep at rest in a position comfortable for breathing.

#### After skin contact:

Wash with soap and water

Call a doctor/physician if you feel unwell.

If skin irritation occurs: Get medical advice/attention

If skin irritation or a rash occurs: Get medical advice/attention

<sup>\*\*</sup> Exempt from REACH Registry.

Take off contaminated clothing and wash it before reuse.

#### After eye contact:

Rinse continuously with water for several minutes.

Remove contact lenses if present and easy to do . Continue rinsing

If eye irritation persists: Get medical advice/attention

#### After ingestion:

Call a doctor/physician if you feel unwell.

#### Protection of the person who takes first aid

Nothing in particular.

#### 4.2 Most important symptoms and effects, both acute and delayed

No significant reaction of the human body to this product known.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Therer is no specific and immedate treatment, but should consult a doctor.

## 5. Fire-fighting measures

#### 5.1 Suitable Extinguishing media

Carbon dioxide, dry chemical powder, water fog, foam

#### 5.2 Special hazards arising from the substance or mixture

#### Prohibition extinguishing media for safety reason

Water spray (straight)

#### 5.3 Advice for firefighters

#### Specific hazards

This product is not combustible. But evaporated residue is combustible.

May produce toxic fumes if burning.

#### Specific fire fighting procedures

If safe to do so, move undamaged containers from the fire area.

If can't move the container, cool containers and surrounding with spray water.

Cool containers with large quantities of water until well after extinguished the fire.

#### Special protective equipment for fire-fighters

Fire-fighting should be performed from the windward side.

Respiratory protection, and other suitable protective equipment

## 6. Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures

#### Personal precautions

The pollution area should be established as off limits without concerned persons.

## Protective equipment and emergency measure

Do not touch the leakage or its damaged container without suitable protection.

Do not walk through the leakage.

Keep sufficient ventilation if the area is indoor.

Remove ignition sources.

# 6.2 Environmental precautions

Keep away from drains, and prevent from releasing to the environment.

## 6.3 Methods and materials for containment and cleaning up

#### Methods for cleaning up

Use non-flammable absorbent materials, and put them in airtight container.

Dispose of absorbent in accordance with law.

## Prevention of secondary disaster

Remove nearby ignition source and hot surface.

## 6.4 Reference to other sections

Refer to section 8 and 13.

# 7. Handling and storage

## 7.1 Precautions for safe handling

## Technical measures

Do suitable equipment measures and use suitable protection that refer to

"8. Exposure control/ personal protection".

## Local exhaust ventilation and general ventilation

Use local exhaust ventilation and general ventilation that refer to

"8. Exposure control/ personal protection".

#### Caution

When handling do not use high temperature articles, spark and fire.

Handle container with care, do not make it turn over, drop, give impact and drag.

Do not breathe, contact and swallow.

Maintain air concentrations below exposure limit using exhaust ventilation.

Do not eat, drink or smoke when using this product.

Wash hand throughly after handling.

Use only outdoors or in awell-ventilated area.

Avoid release to the environment.

#### **Avoid contact**

Refer to section 10 about stability and reactivity.

## 7.2 Conditions for safe storage, including incompatabilities

#### Storage

#### Incompatible materials

Refer to section 10 about stability and reactivity.

#### Storage condition

Store away from heat/sparks/open flames - No smoking

Store in a well ventilated place. Keep cool and container tightly closed.

Store locked up

#### The Containers

Use the container that our company filled up when ship products

#### 7.3 Specific end uses

Not applicable

## 8. Exposure control/ personal protection

## 8.1 .1 Control parameters

#### Exposure limit values

Chemical name	EU-OEL (2006/15/EC,2009/161/EU)		Germany	UK. EH40 Workplace Exposure Limits (WELS)	
Gnemical name	Eight hours	Short- term	TRGS900	Long-term exposure limit	Short-term exposure limit
Glycerol	10mg/m3(mist)	ı	200E mg/m3	-	_
Triethanolamine	_	ı	ı	_	_

#### 8.2 Exposure controls

## Equipment measures

Put up local exhaust ventilation. Use explosion-proof electrical/ventilating/lighting.

Take precautionary measures against static discharge.

Put up emergency eyewash and shower in case of storage or handling about this product.

## **Protection**

## Respiratory protection

Use suitable respiratory protection.

# Hand protection

Use suitable protective glove.

#### Eye protection

Use suitable eye protection.

# Skin/body protection

Use suitable face protection.

# Hygiene measures

Do not eat ,drink or smoke when using this product.

Wash thoroughly after handling.

## 9. Physical and chemical properties

AppearanceRedLiquidOdourPeculiar odourOdour thresholdNo data available

**pH** 7.8-8.8

Evaporation rateNo data availableFlammabilityNo data availableMelting point / Coagulating pointNo data availableBoiling pointNo data available

Flash point
No data available
Explosive limit UEL
No data available
Explosive limit LEL
No data available
Vapour pressure
No data available
Vapour density
No data available
Relative density
No data available

Water solubility This ink is soluble in water.

Partition coefficient n-octanol/water

Ignition point

No data available
No data available
No data available
No data available
Viscosity

No data available
Explosive properties

No data available
Oxidising properties

No data available

**9.2 Other information**No data available

10. Stability and reactivity

10.1 Reactivity No hazardous reactions if stored and handled as prescribed.

**10.2 Chemical stability**This product is stable in normal condition.

10.3 Possibility of hazardous reactionNo data available10.4 Conditions to avoidNo data available10.5 Incompatible materialsNo data available10.6 Hazardous decomposition productsNo data available

## 11. Toxicological information

#### 11.1 Information on toxicological effects

Specific Component information

Inhalation:  $LD_{50}$  No information is available.

**Skin irritation** No information is available.

**Eye irritation** Glycerol ,Triethanolamine is Category 2.

Sensitization Triethanolamine is Category 1.

Mutagenicity No information is available.

Chromosome aberration No information is available.

Carcinogenicity No information is available.

Reproductive toxicity No information is available.

Sub-Acute toxicity No information is available.

Asporation hazard No information is available.

## 12. Ecological information

## 12.1 Toxicity

Fish toxicity: No information is available. Acute toxicity to daphnia-magna: No information is available. No information is available. Daphnia-magna Reproduction: Algal inhibition: No information is available. No information is available. Inhibitory effect assessment of activated sewage sludge: 12.2 Persistence and degradability: No information is available. No information is available. 12.3 Bioaccumulative potential: 12.4 Mobility of soil: No information is available. 12.5 Results of PBT and vPvB assessment: No information is available. 12.6 Other adverse effect: No information is available.

## 13. Disposal considerations

## Waste treatment methods

## Waste residues

Disposal must be made according to official regulations.

Avoid release to the environment.

#### Contaminated container and packaging

Do not flush into the sewer.

Remove all contents when you dispose of empty containers.

## 14. Transport information

- 14.1 Un number
- 14.2 UN proper shipping name
- 14.3 Transport hazard class(es)
- 14.4 Packaging group

#### International regulation

IMDG(	Maritime	transport)
-------	----------	------------

iz a (manamic a amopera)	
UN No.	Not applicable
Class	_
Packing Group	_
Marine Pollutant	_
Shipping name	_

#### ICAO/IATA (Air transport)

UN No.	Not applicable
Class	_
Packing Group	_
Shipping name	_

## ADR/RID(Land transport)

UN No.	Not applicable
Class	-
Packing Group	_
Shipping name	_

#### 14.5 Environmental hazards

Hazardous to the aquatic environment(acute) Not classified Hazardous to the aquatic environment(chronic) Not classified

## 14.6 Special precautions for user

Not applicable.

## 14.7 Transport in bulk according to Annex II of Marpol and the IBC code

Not applicable.

## Special precautions

Prevent from falling, stumbling  $% \left( 1\right) =\left( 1\right) +\left( 1\right) +\left($ 

Avoid acute vibration and friction for container.

If there are some indications of hazard in transporting like acute leak in transporting,

take emergency measures and report the accident at once to disaster management agency.

Avoid transport with foods or feeds.

Above regulations are not applied to transport of writing instruments filled with the ink.

Follow all regulation in your country.

## 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture This ink is not deplete the ozone layer, Seveso category.

15.2 Chemical safety assessment

Chemical safety assessment has not benn carried out.

15.3 Futher information

No information is available.

## 16. Other information

## 16.1 Full text of H-Statements referred to under Sections 2 and 3

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation

EUH 208 Contains Triethanolamine. May produce an allergic reaction.

## 16.2 Other information

In this sheet, the contents of ingredients and the value of physical and chemical properties

are not guaranteed performance.

The information contained in this sheet is based on the data available at now.

But this shall not constitute a guarantee for any specific or classification.

Please be alert to handling this product because chemicals shall have unknown hazards.

This sheet may be revised when we get new information.

The information is assumed in the case of large-scale handling on business operations.

They cannot be always applicable to general use of writing instruments.

#### Revision

2017/7/27 First version

Ver 1.1, Recertification: 2.2