5796/19 DURABLE 400ML POWERCLEAN

Page: 1

Compilation date: 08/02/2012

Revision No: 1

## Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: 5796/19 DURABLE 400ML POWERCLEAN

Product code: 5796/19

Synonyms: OTHER PRODUCT REFERENCES: 149-50-044 (21-060)

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Cleaning Product

# 1.3. Details of the supplier of the safety data sheet

Company name: Durable Hunke & Jochheim GmbH

Westfalenstrasse 77-79

58636 Iserlohn

Germany

**Tel:** 0049 2371 6620 **Fax:** +49 2371 662 311

Email: durable-clean@durable.de

## 1.4. Emergency telephone number

Emergency tel: 0049-2371-662-0

# **Section 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification under CHIP: F+: R12

Most important adverse effects: Extremely flammable.

# 2.2. Label elements

Label elements under CHIP:

Hazard symbols: Extremely flammable.



Risk phrases: R12: Extremely flammable.

Safety phrases: S16: Keep away from sources of ignition - No smoking.

S23: Do not breathe vapour.

S2: Keep out of the reach of children.

S33: Take precautionary measures against static discharges.

S51: Use only in well-ventilated areas.

S46: If swallowed, seek medical advice immediately and show this container or label.

## 5796/19 DURABLE 400ML POWERCLEAN

Page: 2

Precautionary phrases: Spray in short bursts

Do not use for any purpose other than for the one that it is intended

## 2.3. Other hazards

PBT: This substance is not identified as a PBT substance.

## Section 3: Composition/information on ingredients

#### 3.2. Mixtures

## **Hazardous ingredients:**

#### **BUTANE**

EINECS	CAS	CHIP Classification	CLP Classification	Percent
203-448-7	106-97-8	F+: R12	-	50-70%

Contains: Propane 10 - 30% Cas Nr 74-98-6

#### Section 4: First aid measures

## 4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash

immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist

examination.

Ingestion: Wash out mouth with water. If unconscious, check for breathing and apply artificial

respiration if necessary. Consult a doctor.

Inhalation: Move to fresh air in case of accidental inhalation of vapours. Consult a doctor.

## 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness. **Ingestion:** There may be irritation of the throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

## Section 5: Fire-fighting measures

## 5.1. Extinguishing media

Extinguishing media: Carbon dioxide. Dry chemical powder. Do not use water.

# 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** In combustion emits toxic fumes. Extremely flammable. May form flammable / explosive dust-air mixture.

## 5796/19 DURABLE 400ML POWERCLEAN

Page: 3

## 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

#### Section 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Eliminate all sources of

ignition.

## 6.2. Environmental precautions

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

## 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Wash the spillage site with large amounts of water. Clean-up should be dealt with only

by qualified personnel familiar with the specific substance.

#### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

## Section 7: Handling and storage

#### 7.1. Precautions for safe handling

Handling requirements: Avoid the formation or spread of dust in the air. Ensure there is sufficient ventilation of

the area. Do not handle in a confined space. Smoking is forbidden.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed. Keep away from

sources of ignition. Keep away from direct sunlight. The floor of the storage room must

be impermeable to prevent the escape of liquids.

#### 7.3. Specific end use(s)

Specific end use(s): No data available.

#### Section 8: Exposure controls/personal protection

# 8.1. Control parameters

## **Hazardous ingredients:**

#### **BUTANE**

# Workplace exposure limits:

# Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL	
UK	1450 mg/m3	1810 mg/m3	-	-	

## 5796/19 DURABLE 400ML POWERCLEAN

Page: 4

#### 8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area. Ensure lighting and electrical

equipment are not a source of ignition. The floor of the storage room must be impermeable to prevent the escape of liquids. Ensure all engineering measures

mentioned in section 7 of SDS are in place.

**Respiratory protection:** Respiratory protective device with particle filter.

Hand protection: Only required for prolonged contact Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

**Skin protection:** Protective clothing.

#### Section 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

State: Aerosol

Colour: Colourless

Odour: Irritating odour

Solubility in water: Insoluble

Boiling point/range°C: -40 Melting point/range°C: Not relevant

Flash point°C: <0 and <=35

Autoflammability°C: 350

Vapour pressure: Below 110kPa(1.10bar Relative density: <1

# 9.2. Other information

Other information: Not applicable.

#### Section 10: Stability and reactivity

## 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

## 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

# 10.4. Conditions to avoid

Conditions to avoid: Heat. Direct sunlight. Sources of ignition. Hot surfaces. Flames.

# 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents.

#### 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

## 5796/19 DURABLE 400ML POWERCLEAN

Page: 5

## **Section 11: Toxicological information**

## 11.1. Information on toxicological effects

Toxicity values: Not applicable.

#### Symptoms / routes of exposure

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness. **Ingestion:** There may be irritation of the throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

#### **Section 12: Ecological information**

# 12.1. Toxicity

Ecotoxicity values: Not applicable.

## 12.2. Persistence and degradability

Persistence and degradability: No data available.

#### 12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

#### 12.4. Mobility in soil

Mobility: Insoluble in water.

#### 12.5. Results of PBT and vPvB assessment

PBT identification: This substance is not identified as a PBT substance.

### 12.6. Other adverse effects

Other adverse effects: Germany: Nicht wassergefahrdend (VwVwS vom 17/05/99, KBws)

## Section 13: Disposal considerations

#### 13.1. Waste treatment methods

**Disposal of packaging:** Arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

#### **Section 14: Transport information**

#### 14.1. UN number

**UN number:** UN1950

## 14.2. UN proper shipping name

Shipping name: AEROSOLS

## 5796/19 DURABLE 400ML POWERCLEAN

Page: 6

## 14.3. Transport hazard class(es)

Transport class: 2

#### 14.4. Packing group

#### 14.5. Environmental hazards

Environmentally hazardous: No Marine pollutant: No

## 14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: D
Transport category: 2

## Section 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

#### **Section 16: Other information**

#### Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

453/2010.

\* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and 3: R12: Extremely flammable.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.