

Page 1/8

Safety Data Sheet acc. to OSHA HCS

Printing date 05/17/2022

Reviewed on 02/03/2022

- **1 Identification**
- · Product identifier
- Trade name: Non OEM Remanufactured Replacement Cartridge for Ricoh®S841656 (Yellow)
- · Article number: 002-09-R41656WB
- · Application of the substance / the mixture Printing inks
- Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Static Control Components Inc. P.O. Box 152 Sanford, North Carolina, 27331 info@scc-inc.com
- **Information department:** Product Safety Department • **Emergency telephone number:** During Normal Operating Hours: 919-774-3808 Emergency Telephone Number: 1-919-770-6019

2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Classification system:
- NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

• Chemical characterization: Mixtures • Description: Resin mixture

· Dangerous components: Void

(Contd. on page 2)

JS –



Printing date 05/17/2022

Reviewed on 02/03/2022

Trade name: Non OEM Remanufactured Replacement Cartridge for Ricoh®S841656 (Yellow)

	(Contd. of page 1
· Non-hazardous components	
Polyester Resin	>50-≤100%
Yellow Pigment	0-≤25%
Wax	0-≤25%
7631-86-9 silicon dioxide, chemically prepared	>2.5-≤10%
66402-68-4 Ceramic Materials (Copper Zinc Ferrite)	0-≤10%

4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

- Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: No Information Available
- · Special hazards arising from the substance or mixture
- Like most finely divided organic powders, toner dust may form an explosive mixture in air.
- · Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Vacuum or sweep the material into a sealed container. If a vacuum is used it must be dust explosion-proof. Dispose of in compliance with national, state, regional or provincial regulations.

- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

(Contd. on page 3)



Printing date 05/17/2022

Reviewed on 02/03/2022

Page 3/8

Trade name: Non OEM Remanufactured Replacement Cartridge for Ricoh®S841656 (Yellow)

· Protective Action Criteria for Chemicals	(Contd. of page 2
PAC-1:	
7631-86-9 silicon dioxide, chemically prepared	18 mg/m ³
1333-86-4 Carbon black (bound)	9 mg/m ³
PAC-2:	<u>·</u>
7631-86-9 silicon dioxide, chemically prepared	740 mg/m ³
1333-86-4 Carbon black (bound)	99 mg/m ³
PAC-3:	<u>_</u>
7631-86-9 silicon dioxide, chemically prepared	4,500 mg/m ³
1333-86-4 Carbon black (bound)	590 mg/m ³

7 Handling and storage

· Handling:

- · Precautions for safe handling
- No special measures required.
- Store in cool, dry place in tightly closed receptacles.
- Keep away from heat and direct sunlight.
- No special precautions are necessary if used correctly.
- Use only in well ventilated areas.
- Information about protection against explosions and fires: Keep ignition sources away Do not smoke.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- **Requirements to be met by storerooms and receptacles:** Store in a cool location. Store only in the original receptacle.
- · Information about storage in one common storage facility:
- Do not store together with oxidizing and acidic materials as well as heavy-metal compounds.
- · Further information about storage conditions:
- Store in cool, dry conditions in well sealed receptacles.
- Protect from heat and direct sunlight.
- Protect from humidity and water.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional Occupational Exposure Limit Values for possible hazards during processing: USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction)

ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate)



Printing date 05/17/2022

Safety Data Sheet acc. to OSHA HCS

Page 4/8

Reviewed on 02/03/2022

rade name: Non OEM Remanufactured Replacement Cartridge for Ricoh®S841656 (Yellow)		
Amanular Cilian UCA OCUA (TW	(Contd. of page 3)	
Amorphous Silica: USA OSHA (TWA/PEL): 20mppcf 80 mg/m3, ACGIH (TWA/TLV): 10 mg/m3		
TRGS 900 (Luftgrenzwert): 10 mg/m	3 (Einatembare partikel)). 3 mg/m3 (Alveolengängige fraktion)	
UK WEL: 10 mg/m3 (Respirable Dus • Additional information: The lists th	st) 5 mg/m3 (Inhalible Dust) at were valid during the creation were used as basis.	
 Material of gloves The selection of the suitable gloves from manufacturer to manufacturer. Penetration time of glove material 		
9 Physical and chemical proper	rties	
 Information on basic physical and o General Information Appearance: Form: 	chemical properties Powder	
 Information on basic physical and of General Information Appearance: Form: Color: Odor: 	chemical properties Powder Yellow Light	
 Information on basic physical and of General Information Appearance: Form: Color: Odor: Odor threshold: 	chemical properties Powder Yellow Light Not determined.	
 Information on basic physical and of General Information Appearance: Form: Color: Odor: Odor: Odor threshold: pH-value: 	chemical properties Powder Yellow Light	
 Information on basic physical and of General Information Appearance: Form: Color: Odor: Odor threshold: 	chemical properties Powder Yellow Light Not determined.	
 Information on basic physical and of General Information Appearance: Form: Color: Odor: Odor: Odor threshold: pH-value: Change in condition Melting point/Melting range: 	chemical properties Powder Yellow Light Not determined. Not applicable. Undetermined.	
 Information on basic physical and of General Information Appearance: Form: Color: Odor: Odor: Odor threshold: PH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: 	chemical properties Powder Yellow Light Not determined. Not applicable. Undetermined. 2,230 °C (3630 °F)	
 Information on basic physical and of General Information Appearance: Form: Color: Odor: Odor threshold: PH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: 	chemical properties Powder Yellow Light Not determined. Not applicable. Undetermined. 2,230 °C (3630 °F) Not applicable.	
 Information on basic physical and of General Information Appearance: Form: Color: Odor: Odor: Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: Flammability (solid, gaseous): 	chemical properties Powder Yellow Light Not determined. Not applicable. Undetermined. 2,230 °C (3630 °F) Not applicable. Not applicable. Not applicable. Not determined. Not applicable. Not determined.	
 Information on basic physical and of General Information Appearance: Form: Color: Odor: Odor: Odor threshold: PH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: Flash point: Decomposition temperature: 	chemical properties Powder Yellow Light Not determined. Not applicable. Undetermined. 2,230 °C (3630 °F) Not applicable. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined.	
 Information on basic physical and of General Information Appearance: Form: Color: Odor: Odor: Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: Flash point: Flammability (solid, gaseous): Decomposition temperature: Auto igniting: 	chemical properties Powder Yellow Light Not determined. Not applicable. Undetermined. 2,230 °C (3630 °F) Not applicable. Not applicable. Not determined. Not determined. Product is not selfigniting.	
 Information on basic physical and of General Information Appearance: Form: Color: Odor: Odor: Odor threshold: PH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: Flammability (solid, gaseous): Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: 	chemical properties Powder Yellow Light Not determined. Not applicable. Undetermined. 2,230 °C (3630 °F) Not applicable. Not applicable. Not determined. Product is not selfigniting. Product does not present an explosion hazard in its original state. Not determined.	



Printing date 05/17/2022

Reviewed on 02/03/2022

Trade name: Non OEM Remanufactured Replacement Cartridge for Ricoh®S841656 (Yellow)

		(Contd. of page 4
· Relative density	Not determined.	
· Vapor density	Not applicable.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with	h	
Water:	Insoluble.	
· Partition coefficient (n-octan	ol/water): Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
VOC content:	0.00 %	
Solids content:	100.0 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity Non reactive.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · Primary irritant effect:
- on the skin: No toxic irritating effect, according to Directive 67/548/EEC or Directive 199/45/EC.
- on the eye: No toxic irritating effect, according to Directive 67/548/EEC or Directive 199/45/EC.
- Sensitization: No toxic sensitizing effects known, according to EU Directive 67/548/EEC or Directive 199/45/EC.
- Other information (about experimental toxicology):
- Mutagenicity : Ames test Negative (According to the test result of similar composition.)
- · Additional toxicological information:
- The product is not subject to classification according to internally approved calculation methods for preparations: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)
--

7631-86-9 silicon dioxide, chemically prepared

1333-86-4 Carbon black (bound)

(Contd. on page 6)

3

2B

Page 5/8



Printing date 05/17/2022

Reviewed on 02/03/2022

Trade name: Non OEM Remanufactured Replacement Cartridge for Ricoh®S841656 (Yellow)

(Contd. of page 5)

·NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

· UN-Number	Not a regulated material under the United States DOT, IMDG, ADR, RID, o ICAO/IATA.
DOT, ADR, IMDG, IATA	Void
UN proper shipping name	Not a regulated material under the United States DOT, IMDG, ADR, RID, or ICAO/IATA
DOT, ADR, IMDG, IATA	Void
Transport hazard class(es)	Not a regulated material under the United States DOT, IMDG, ADR, RID, CICAO/IATA.
DOT, ADR, ADN, IMDG, IATA	
Class	Void

Page 6/8



Printing date 05/17/2022

Reviewed on 02/03/2022

Trade name: Non OEM Remanufactured Replacement Cartridge for Ricoh®S841656 (Yellow)

	(Contd. of page 6)
· Packing group	Not a regulated material under the United States DOT, IMDG, ADR, RID, or ICAO/IATA.
· DOT, ADR, IMDG, IATA	Void
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.	
· UN "Model Regulation":	Void

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available. • Sara

Section 355 (extremely hazardous substances):				
None of the ingredients is listed.				
· Section 313 (Specific toxic chemical listings):				
None of the ingredients is listed.				
· TSCA (Toxic Substances Control Act):				
7631-86-9 silicon dioxide, chemically prepared	ACTIVE			
66402-68-4 Ceramic Materials (Copper Zinc Ferrite)	ACTIVE			
1333-86-4 Carbon black (bound)	ACTIVE			
· Hazardous Air Pollutants				
None of the ingredients is listed.				
· Proposition 65				
· Chemicals known to cause cancer:				
1333-86-4 Carbon black (bound)				
Chemicals known to cause reproductive toxicity for females:				
None of the ingredients is listed.				
· Chemicals known to cause reproductive toxicity for males:				
None of the ingredients is listed.				
· Chemicals known to cause developmental toxicity:				
None of the ingredients is listed.				

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

1333-86-4 Carbon black (bound)

A4



Safety Data Sheet

acc. to OSHA HCS

acc to

Printing date 05/17/2022

Reviewed on 02/03/2022

Trade name: Non OEM Remanufactured Replacement Cartridge for Ricoh®S841656 (Yellow)

(Contd. of page 7)

Page 8/8

· NIOSH-Ca (National Institute for Occupational Safety and Health)

1333-86-4 Carbon black (bound)

· GHS label elements Void

· Hazard pictograms Void

· Signal word Void

· Hazard statements Void

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Contact:

- · Date of preparation / last revision 05/17/2022 / -
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

- DOT: US Department of Transportation
- IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU)
- PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative
- NIOSH: National Institute for Occupational Safety
- OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

* * Data compared to the previous version altered.

No changes to the Material Safety Data Sheet, all sections are current as the date of print seen above describes.