

DS-2500

- OFFICE LINE
- Control via Push buttons
- Battery charge function (via USB)
- Editing functions (overwrite/insert/delete/security lock)
- Digital Voice Recorder in full metal body
- Rechargeable Ni-MH battery pack
- NEW-Button
- Large display with white LED backlight



Digital dictation for efficiency

Give efficiency a lift in your workplace with the attractively styled, metal-bodied Olympus DS-2500 digital dictation device. Ideal for all busy professionals, this powerful tool lets dictations and notes be taken both at the desk and on the go to ensure a maximum utilisation of precious time to fully exploit productivity potentials. The DS-2500 includes a host of valuable features and functions for high quality recording in the professional DSS Pro file format, boasts versatile editing options, and provides the convenience of battery charging via USB. And together with a transcription kit, dictation will be simply implemented in your office.

Specifications

Storage Media

Internal / Removable Media	Removable only
SD / SDHC Slot	Yes
microSD / microSDHC card	No
External Memory (Slot)	SD / SDHC card (512 MB - 32 GB)

USB functionality

USB Speed	USB 2.0 High Speed
USB Classes	USB Composite device USB Storage class

Display

Display Type	Full Dot Matrix Display
Display colour	White
Display Size	31.8 x 30.8mm / 1.74"
Resolution	128 x 108pixels
Contrast Adjustment	Yes
Display Backlit	LED (White)

Device operation

Main Switch	Push
Programmable button	3 Smart Buttons
Power switch	Yes
HOLD switch	Yes

File Format

Data format	DSSPro (Digital Speech Standard Pro),
-------------	---------------------------------------

Recording Modes

Recording format	DSS Pro
QP mode	148h (with 2GB memory)
SP	303h (with 2GB memory)

Playback Modes

Playback format	DSS Pro
-----------------	---------

Sampling frequency

QP	16kHz / 28kbps
SP	12kHz / 13.7kbps

Frequency response

DSS / DSS Pro	QP / 200 - 7500Hz
	SP / 200 - 5500Hz

Record function

Index	Up to 32 per file
Operation	New button Pause function
Auto recording	VCVA (Variable Control Voice Actuator)
Editing	Insert Overwrite
Advanced recording	Rec Monitor

Playback function

Playback speed	Slow/Normal/Fast
Playback control	Cue/Review
File operation	Forward / Reverse Skip Fast forward and rewind Skip Playback

Data organisation

File move	No
No. of folders	5
Files per folder	200
Schedule recording	No
Temp mark	No
Time/date info	Yes
User ID setting	- (Possible from DSS Player)
Erase	Erase all files Erase single files Partial

Workflow function

Author ID Setting	Yes; 1
Priority setting	No
Pending File	No
Worktype ID Setting	No
Items	0
Dictation tags	0

Other Features

Barcode support	No
Security function	No

Software

corresponding Audio software (type)	Dictation Management Software
Corresponding Audio software	DSS Player Software
Corresponding solution	Audio Management Software For (detailed) software functions of Olympus dictation management software please refer to the relevant software pages.

Interfaces Input

PC interface	USB Cable
Microphone jack	3.5 ø mm mini-jack, impedance 2 kΩ
Microphone sensitivity / gain	Dictation / Conference-Input Level - 70dBv
Microphones	Built-in mono microphone / Plug-in mono microphone

Interfaces Output

Speaker Diameter	Built-in ø 23 mm round dynamic speaker
Max. working output	300mW or more (8 Ω speaker)
Earphone jack	3.5 ø mm mini-jack, impedance 8Ω or more

Power Supply

Power Supply	Battery: 2 x AAA
Ni-MH battery life	Recording SP: 37h
Alkaline battery life	Recording: Approx. 50h (SP Mode)
Internal Charging	AC / USB
	Note: Internal charging operable only with Olympus rechargeable batteries. AC-adaptor and cradle are optional items.
AC power supply	Yes

Dimensions

Height	113.5mm
Width	50mm
Depth	17mm
	(without protrusions)
Weight	105g (incl. batteries)

Languages

Menu languages	English, German, French, Spanish, Italian, Russian
----------------	---

Hardware Security

Device lock by PIN code	No
Device Locky by Fingerprint	No
Lock single files	Yes

Operating Systems & Requirements

Windows	Operating system: Windows Vista/7/8/8.1/10
Macintosh	Operating system: Mac OS X 10.5 - 10.11

Compatible Software

DSS Player for MAC	Version 7 (or higher)
--------------------	-----------------------

Exterior

Housing colour	Silver
Housing material	Metal

Recommended Application Area

Application	Speech-to-text Dictation
-------------	-----------------------------