





# **Labelling Machine**

The smart, stylish and easy-to-use labeller for the modern office

- Complete package includes AC adapter, tape cassette and carry case
- Prints durable labels up to 12mm in width
- Fast print speed of 20mm/second
- Graphic display for easy label editing
- Create decorative labels with various patterns















### The indispensable tool to keep your office organised

Clearly labelled items make for a much more efficient workplace. The compact design and easy-to-use features means that labels for CD cases, filing folders, shelving, staff/visitor name badges and many other items, are easily and quickly created. The availability of a wide variety of tape cassettes in various widths and colours, makes the P-touch D210VP indispensable.



\*Batteries not included

Ideal for sharing around the

portable design

office

# P-touch laminated labels - designed to last

Brother P-touch laminated TZe tapes consist of six layers of materials, resulting in a thin yet extremely strong label. The thermal transfer ink is sandwiched between two protective layers of PET (polyester film), which protects the text against the effects of liquids, abrasion, temperature, chemicals and sunlight. As the labels have been tested to the extreme, you can be confident of a professional quality label that has been designed to last.





















Built-in templates for many

design options

## Clearly identify items with a durable P-touch label

Around the home, office, school, shop and other places of work, there are many uses for long lasting, durable P-touch labels. Common examples include:

Cables and plugs - CD's and DVD's - USB flash drives - Office equipment - File folders - Staff and visitor name badges - Filing cabinets - Signage - Mail rooms - Notice boards - Shelving - Telephone extension numbers.

### **D210VP Features / Specifications**

#### Genera

Prints 3.5, 6, 9, 12mm durable labels using TZe tape cassettes

Easy-to-read 16 character graphic display, 27mm x 18mm in size

Ergonomic keyboard with tactile keys for quick text entry

Uses AD-24ES AC adapter (included), or 6 x AAA (LR03 / HR03 Ni-Mh) batteries (not included)

#### Included in the box

PT-D210 desktop labelling machine

12mm black on white laminated label cassette (4m)

AC adapter

User guide

Handy carry case to store all the above items

#### Label printing

Fast print speed of 20mm/second

180dpi print resolution for crisp, legible text

Maximum print height of 9.0mm

Include up to 2 lines per label

Built-in manual label cutter

Standard label length of 30mm - 300mm | Patterned label length of 30mm - 999mm

Print up to 9 copies of your label, or automatically print up to 9 sequential numbers

#### Label creation

Choose from 14 different text fonts, 97 frames and 617 symbols

3 character widths and 3 character heights to choose from

Left/centre/right/justified text alignment options

27 pre-set label formats, including decorative labels

### Memory

Create labels containing up to 80 characters per label

30 memory locations for quick recall of frequently used labels

#### Others

20 language support (English, German, French, Dutch, Italian, Spanish, Portuguese, Danish, Norwegian, Swedish, Finnish, Czech, Polish, Hugarian, Romanaian, Slovenian, Slovenian, Croatian, Turkish, Brazilian Portuguese)

### Dimensions and weights

157mm (w) x 149mm (d) x 68mm (h) | 0.49kg (without batteries or tape cassette)

#### Optional accessories

AD-24ES AC adapter



For detailed specifications and to see the full product range, please visit: www.brother.eu

Contact:		



#### **Brother International Ltd**

Brother House, 1 Tame Street, Audenshaw, Manchester M34 5JE. Tel: +44(0)161-330 6531 Fax: +44(0)161-330 5520.

Website: www.brother.eu

All specifications correct at time of printing. Brother is a registered trademark of Brother Industries Ltd.

Brand product names are registered trademarks or trademarks of their respective companies. Label images shown are for illustrative purposes only and some aspects may not be reproducable on this model.

Product specifications may be subject to change. E&OE.