

Desk-mount Dual-Monitor Arm - Cross Bar - Grommet/Desk Clamp Mount

Product ID: ARMBARDUOG



This deskmount dual-monitor arm lets you mount two 13" to 27" VESA mount monitors, each weighing up to 17.6 lb. (8 kg), onto a single low-profile base. It gives you flexible desk-clamp or grommet-hole mounting, letting you save space while creating an ergonomic workspace in any office environment.

Free Up Desk Space

With a stable dual-arm design, the double-monitor mount lets you create more usable work space by mounting your monitors side by side on a single base. The screen mount features a flat low-profile back that lets you position your displays against a wall or cubicle wall.

Optimal Viewing

The computer monitor desk mount features adjustable height along the pole. The smooth +/- 30° tilt motion and +/- 30° swivel make it easy to find the optimal viewing angle. You can also rotate your display 360° for portrait or landscape viewing, and make sure your displays are perfectly aligned using the micro-adjustment knob.

Flexible Installation

The dual-monitor arm is easy to install, with the desk-clamp or grommet mount (hardware included). Integrated cable management keeps your workspace organized. It works well with most desks, including sit-stand workstations.

Boost Productivity with Multiple Monitors

Adding two monitors gives you the extra screen space you need to simplify multitasking and maximize your productivity.

ARMBARDUOG is backed by a 5-year StarTech.com warranty and free lifetime technical support.

Certifications, Reports and Compatibility



Applications

- Mount two monitors on a single base to save desk space
- Maximize office space, creating a dual-monitor workstation against a wall or cubicle wall
- Works with sit-stand workstations, using the desk clamp or grommet mount

Features

- Save space by mounting two monitors up to 27" onto a single base (max. weight 17.6 lb. / 8 kg)
- Keep monitors aligned with micro-adjustment
- Work comfortably with adjustable height, +/- 30°tilt, +/- 30°swivel and 360° rotation
- Versatile use with desk-clamp or grommet-hole mounting
- Place monitors close to a wall/cubicle wall, with a low-profile design

| | | |
|---------------------------------|----------------------------|--|
| Hardware | Warranty | 5 Years |
| | # of Displays Supported | 2 |
| | Articulating | No |
| | Cable Management | Yes |
| | Mounting Options | Desk & Grommet Clamp |
| | Mounting Surface Thickness | Desk Clamp: Table Thickness 0.39 - 3.14 in. (10 - 80 mm) Grommet Clamp: Table Thickness 0.39 - 3.14 in. (10 - 80 mm) Grommet Mount Hole Size: 0.41 - 1.96 in. (10.5 - 50 mm) |
| | VESA Hole Pattern(s) | 75x75 mm 100x100 mm |
| | Wallmountable | No |
| Performance | Display Rotation | 360° |
| | Display Tilt | + 30° / - 30° |
| | Dual-Arm Span | 32.87" (835 mm) |
| | Height Adjustment | Yes |
| | Maximum Display Size | 27in |
| | Maximum Height | 14.3 in [364 mm] |
| | Minimum Display Size | 13" |
| | Pole Height | 14.2" (360 mm) |
| | Swivel / Pivot | +30°/ -30° |
| Weight Capacity (Per Display) | 17.7 lb [8 kg] | |
| Physical Characteristics | Color | Black |
| | Enclosure Type | Steel, Aluminum and Plastic |
| | Product Height | 20.3 in [51.5 cm] |
| | Product Length | 34.3 in [87 cm] |
| | Product Width | 5.3 in [13.5 cm] |
| | Weight of Product | 10.8 lb [4.9 kg] |
| Packaging Information | Package Height | 4.7 in [12 cm] |
| | Package Length | 18.8 in [47.8 cm] |
| | Package Width | 9.8 in [24.8 cm] |
| | Shipping (Package) Weight | 12.5 lb [5.7 kg] |

| What's in the Box | Included in Package |
|--------------------------|--|
| | 1 - Column |
| | 2 - VESA Adapters |
| | 2 - Cable-Management Clips (Column) |
| | 2 - Monitor Arms |
| | 2 - End Caps |
| | 2 - Cable-Management Clips (Monitor Arm) |
| | 2 - End-Cap Screws |
| | 1 - Desk-Mount Clamp |
| | 1 - Hex Key |
| | 1 - Hex Key Screwdriver |
| | 8 - M4x14 Screws |
| | 8 - M5x14 Screws |
| | 8 - Flat Washers |
| | 1 - Grommet-Mounting Adapter |
| | 1 - Grommet-Mount Plate |
| | 5 - Rubber Pads |
| | 1 - Instruction Manual |

Product appearance and specifications are subject to change without notice.