

## 4 Port Black SuperSpeed USB 3.0 Hub

Product ID: ST4300USB3GB



The ST4300USB3GB 4-Port SuperSpeed USB 3.0 Hub allows you to add 4 additional USB 3.0 ports from a single USB 3.0 connection to the host computer system.

Backward compatible with USB 2.0 and USB 1.x standards, this USB 3.0 hub still supports older USB devices and can also be used as a hub on older systems that do not have USB 3.0 ports.

With the capability to mix and match USB 3.0/2.0/1.x devices and be used with or without the included external power adapter, this hub offers the best of versatility and portability.

Backed by a StarTech.com 2-year warranty and free lifetime technical support.

### Certifications, Reports and Compatibility



### Applications

- Expand your USB 3.0 capabilities with additional ports
- Make hard to access USB ports more accessible by being able to position the hub anywhere the cable will reach
- Extend the range of a USB device by having the hub act as a mid-point repeater

### Features

- Four USB type 'A' ports that can each be accessed simultaneously
- SuperSpeed USB 3.0 compliant, with data transfer rates up to 5 Gbps
- Backward compatible with USB 2.0 and USB 1.0/1.1 devices
- Supports USB 3.0/2.0/1.x devices simultaneously at full bandwidth
- Provides up to 900mA on any port up to a maximum of 2000mA total
- Compact, desktop-style form factor
- Plug-and-Play and hot-swap compatible

<b>Hardware</b>	Warranty	2 Years
	Bus Type	USB 3.0
	Chipset ID	VIA/VLI - VL811+
	Fast-Charge Port(s)	No
	Interface	USB 3.0
	Ports	4
	USB-C Device Port(s)	No
	USB-C Host Connection	No
<b>Performance</b>	Maximum Data Transfer Rate	5 Gbps
<b>Connector(s)</b>	External Ports	1 - USB Type-B (9 pin) USB 3.0 Female 4 - USB Type-A (9 pin) USB 3.0 Female
<b>Software</b>	OS Compatibility	OS Independent; No additional drivers or software required
<b>Special Notes / Requirements</b>	System and Cable Requirements	USB 3.0 or 2.0 or 1.x compliant host controller with available port.
<b>Indicators</b>	LED Indicators	1 - Power (Blue)
<b>Power</b>	Center Tip Polarity	Positive
	Input Voltage	100 - 240 AC
	Output Current	2A
	Output Voltage	5 DC
	Plug Type	M
	Power Consumption (In Watts)	10
	Power Source	AC Adapter Included
	Total USB Power Output	10W
<b>Environmental</b>	Humidity	5~85% RH
	Operating Temperature	0°C to 50°C (32°F to 122°F)
	Storage Temperature	-20°C to 60°C (-4°F to 140°F)
<b>Physical Characteristics</b>	Color	Black
	Enclosure Type	Plastic
	Form Factor	Desktop
	Product Height	2.3 cm [0.9 in]
	Product Length	95 mm [3.7 in]

	Product Width	68 mm [2.7 in]
	Weight of Product	55 g [1.9 oz]
<b>Packaging Information</b>	Package Height	80 mm [3.1 in]
	Package Length	21 cm [8.3 in]
	Package Width	15 cm [5.9 in]
	Shipping (Package) Weight	0.4 kg [1 lb]
	<b>What's in the Box</b>	Included in Package
		1 - USB 3.0 cable
		1 - Power Adapter
		1 - Instruction Manual

Product appearance and specifications are subject to change without notice.