



# Lexmark CX317dn



CX317dn

## Versatility and amazing colour. Combines 3 devices into 1.

The CX317dn can take your business to the next level with high-quality, professional copying, scanning and printing with PANTONE® colour accuracy at speeds up to 23 pages per minute. This compact and affordable device includes 6 cm (2.4 inch) colour LCD screen, built-in Gigabit networking, advanced security and mobile print capability.\*

## PANTONE colour accuracy

Lexmark colour-matching tools and PANTONE calibration deliver rich, consistent colour printing, so you can save time and money by creating colour prints and documents in-house. Thanks to a dual-core processor, 512MB of memory (upgrades up to 2.5GB) and Gigabit networking, even complex documents with graphics and images are transferred, processed and printed at up to 23 pages per minute. The first colour page is delivered in as little as 12.5 seconds.



Colour



Up to 23 ppm



Network



Duplex



Unison Toner



Security



Mobility

## Security, plus Confidential Print. Mobile print capability.

Proven and tested network security features and protocols protect your device, information and network from unauthorised access. Keep your sensitive documents safe by enabling the Confidential Print feature, which requires entering a customised, unique PIN on the device's keypad before the document can be printed.

Print from mobile devices using an optional Wi-Fi adapter or Lexmark's free Mobile Print app.



## 4-year Guarantee

Given the choice, wouldn't you prefer to buy a device that protects your investment with a guarantee? The affordable CX317dn is so well made, we back it with a guarantee that covers repair actions including the cost of spare parts if they are needed in the first four years\*\*. The guarantee also offers you free 24-hour online support and access to technical support by phone during working hours.

\*Requires free Lexmark Mobile Print app with Android or iOS mobile device

\*\*Offer applies if the product is registered within 90 days from the date of purchase. Supplies and/or consumable parts, such as fuser or transfer unit, are excluded. Please refer to the detailed terms and conditions available at [lexmark.com/myguarantee](http://lexmark.com/myguarantee).

### Outstanding supplies value

Lexmark's exclusive Unison™ Toner keeps your cost of printing low. Its cartridges yield up to 2,300 colour and 3,000 black pages and never require shaking, which minimises interruptions and keeps your work moving. The Lexmark Print System and Unison Toner ensure consistent print quality throughout the life of the cartridge to prevent wasted prints.

### User-friendly

The CX317dn is simple to install, easy to use and offers full compatibility with nearly every operating system and network, so you'll be up and running in minutes. It's built to last, so you'll easily be able to print up to 5,000 pages per month, thanks to our state-of-the-art paper handling technology.

Monitor operating status and supply levels on the MFP's easy-to-use, 6 cm (2.4 inch) colour LCD or from a remote location via the web interface. Add an extra paper tray to boost input capacity to 900 pages for fewer interruptions.

An automatic document feeder simplifies printing, copying and scanning multipage documents.

### Eco-friendly

Built-in two-sided printing reduces paper use. The instant warm-up fuser saves energy and delivers the first colour page as fast as 12.5 seconds. Select an energy-saving mode (Quiet, Hibernate or Eco) to automatically minimise noise and energy consumption.


Through LCCP, the Lexmark Cartridge Collection Programme, Lexmark offers a free and easy way for you to return your empty cartridges for sustainable recycling or remanufacturing. Learn more at <http://www.lexmark-emea.com/LCCP/recycling>



Product specifications	Lexmark CX317dn
<b>Printing</b>	
Display	6 cm (2.4 inch) colour LCD display
Print Speed: Up to <sup>5</sup>	Black: 23 ppm / Colour: 23 ppm
Time to First Page: As fast as / Time to First Page: as fast as	Black: 11.5 seconds / Colour: 12.5 seconds
Print Resolution	Black: 1200 x 1200 dpi, 4800 Colour Quality (2400 x 600 dpi) / Colour: 1200 x 1200 dpi, 4800 Colour Quality (2400 x 600 dpi)
Memory / Processor	standard: 512 MB / maximum: 2560 MB / Dual Core, 800 MHz
Hard Disk	Not Available
Recommended Monthly Page Volume <sup>2</sup>	500 - 5,000 Pages
Maximum Monthly Duty Cycle: Up to <sup>3</sup>	60,000 pages per month
<b>Copying</b>	
Copy Speed: Up to <sup>5</sup>	Black: 23 cpm / Colour: 23 cpm
Time to First Copy: As fast as / Time to First Copy: as fast as	black: 11.5 seconds / colour: 12.5 seconds
<b>Scanning</b>	
Scanner Type / ADF Scan	Flatbed scanner with ADF / Simplex
A4/Ltr Simplex Scan Speed: Up to	Mono: 30 / 32 sides per minute / Colour: 30 / 32 sides per minute
<b>Supplies<sup>7</sup></b>	
Laser Cartridge Yields (up to) <sup>1</sup>	2,300-page Colour (CMY) Cartridges, 3,000-page Black Cartridge
Photoconductor Estimated Yield: Up to <sup>6</sup>	40,000 pages, based on 3 average letter/A4-size pages per print job and ~ 5% coverage
Cartridge(s) Shipping with Product <sup>1</sup>	1,400-page Black Starter Return Programme Toner Cartridge, 750-page Colour (CMY) Starter Return Programme Toner Cartridge
<b>Paper Handling</b>	
Included Paper Handling	250-Sheet Input, 150-Sheet Output Bin, Integrated Duplex, Single-Sheet Manual Feed
Optional Paper Handling	550-Sheet Duo Tray with 100-Sheet Feeder
Paper Input Capacity: Up to	Standard: 250+1 pages 75 gsm bond / Maximum: 900+1 pages 75 gsm bond
Paper Output Capacity: Up to	Standard: 150 pages 75 gsm bond / Maximum: 150 pages 75 gsm bond
Media Types Supported	Card Stock, Paper Labels, Plain Paper, Transparencies, Refer to the Card Stock & Label Guide.
Media Sizes Supported	A4, A5, Executive, Folio, JIS-B5, Legal, Letter, Universal, Oficio
<b>General Information<sup>4</sup></b>	
Standard Ports	USB 2.0 Specification Hi-Speed Certified (Type B), Gigabit Ethernet (10/100/1000)
Optional Network Ports	MarkNet N8352 802.11b/g/n Wireless
Noise Level: Operating	Print: 47 dBA / Copy: 48 dBA / Scan: 49 dBA
Specified Operating Environment	Temperature: 16 to 32°C (60 to 90°F), Humidity: 8 to 80% Relative Humidity, Altitude: 0 - 2,896 Metres (9,500 Feet)
Product Guarantee	1-Year Onsite Service, Next Business Day
Size (mm - H x W x D) / Weight	470 x 444 x 558 mm / 27.39 kg

<sup>1</sup>Average continuous black or continuous composite CMY declared cartridge yield up to this number of standard pages in accordance with ISO/IEC 19798. <sup>2</sup>"Recommended Monthly Page Volume" is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage. <sup>3</sup>"Maximum Monthly Duty Cycle" is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs. <sup>4</sup>Printers are sold subject to certain license/agreement conditions. See [www.lexmark.com/printerlicense](http://www.lexmark.com/printerlicense) for details. <sup>5</sup>Print and copy speeds measured in accordance with ISO/IEC 24734 and ISO/IEC 24735 respectively (ESAT). For more information see: [www.lexmark.com/ISOspeeds](http://www.lexmark.com/ISOspeeds). <sup>6</sup>Actual Yield may vary based on other factors such as device speed, paper size and feed orientation, toner coverage, tray source, percentage of black-only printing and average print job complexity. <sup>7</sup>Product functions only with replacement cartridges designed for use in a specific geographical region. See [www.lexmark.com/regions](http://www.lexmark.com/regions) for more details.

## Lexmark CX317dn features



© 2017 Lexmark. All rights reserved.

Lexmark and the Lexmark logo are trademarks or registered trademarks of Lexmark International, Inc. in the United States and/or other countries. All other trademarks are the property of their respective owners. ENERGY STAR® is a U.S. registered mark.