

RS422 RS485 Serial DB9 to Terminal Block Adapter

Product ID: DB92422



The DB92422 DB 9 to Terminal Block adapter converts an RS-422 or RS-485 DB 9 male serial connector to a terminal block connector.

The 5-pin 3.5mm Terminal Block connector supports screw-type wiring to meet the standard for industrial wiring applications. Backed by Lifetime warranty.

Certifications, Reports and Compatibility



Applications

- Convert RS422/485 DB9 to a terminal block for extended connections
- Industrial wiring applications
- Ideal in office, warehouse, or other environments where RS-422 and RS-485 are used
- Perfect for controlling/diagnosing manufacturing machines(CNC, Process Control Equipment, Bar Code Scanners, Serial Printers)
- Security device control (key panels, cameras, card readers)

Features

- Converts a DB9 male RS422/485 port to a 5 pin terminal block
- Supports four wire RS422, RS485, and two wire RS485 modes
- Supports 3.5mm 5 pin terminal blocks
- Signal Ground over Terminal blocks supported
- Meets Screw-type industrial wiring standards

| | | |
|---------------------------------|---------------------------|---|
| Connector(s) | Warranty | 2 Years |
| | Connector Type(s) | 1 - DB-9 (9 pin, D-Sub) Female 1 - Terminal Block (5 Wire) |
| | | |
| Environmental | Humidity | 0~95% RH |
| | Operating Temperature | -40°C to 85°C (-40°F to 185°F) |
| | Storage Temperature | -40°C to 85°C (-40°F to 185°F) |
| Physical Characteristics | Color | Black |
| | Product Height | 0.6 in [1.5 cm] |
| | Product Length | 1.9 in [48.9 mm] |
| | Product Width | 1.3 in [34.2 mm] |
| | Weight of Product | 0.8 oz [23 g] |
| Packaging Information | Package Height | 1.4 in [35 mm] |
| | Package Length | 5.7 in [14.4 cm] |
| | Package Width | 4 in [10.2 cm] |
| | Shipping (Package) Weight | 1.9 oz [53 g] |
| What's in the Box | Included in Package | 1 - DB9 female to terminal block |

Product appearance and specifications are subject to change without notice.