

# SureColor SC-P9500



This large format printer (44-inch) offers versatility and exceptional quality across many applications.

The SureColor SC-P9500 (44-inch) has been developed for photographers and artists, as it offers reliable reproduction for professional proofing and a rapid throughput for high-volume production. This is Epson's first 12-colour large-format printer and offers a wide colour gamut with 99% Pantone coverage<sup>1</sup>.

### High quality with 12-colour inkset

Epson's UltraChrome Pro12 inkset, with K3 technology, outputs both black inks simultaneously, and includes orange, green and violet, which provides the user with impressive colour accuracy. The SC-P9500 is great for professional photographers and fine art production, and those who demand the highest print quality to make their art more marketable to the discerning buyer.

### Designed for business productivity

The SC-P9500 (44-inch) combines high-speed production with quality, thanks to the  $\mu$ TFP12 printhead with 300dpi resolution and 12 channels. Users will further benefit from the sealed main unit that provides dust protection, and the ink sub-tanks that provide continuous printing, even if ink levels are low.

### Precision matters

With Epson colour measurement, checking and correction technologies, packaging and contract proofers can now work with more efficiency and greater confidence.

### Easy and intuitive handling

Users will benefit from a highly-intuitive 4.3-inch LCD touchscreen (with a user-friendly interface), internal illumination to watch print progress easily, and large status LED to easily check from a distance. Also, everything is designed to work in harmony as Epson offers the complete solution – printer, inks, substrates, software and support.

## KEY FEATURES

- **Quality output (up to 44-inch)**  
Epson's UltraChrome Pro12 inkset, with K3 technology
- **Productivity**  
Truly impressive production speeds
- **Reliability**  
Nossle Verification Technology and dust prevention
- **Ease of use**  
4.3-inch touchscreen LCD panel with user-friendly interface
- **Colour accuracy**  
Wide colour gamut with 99% Pantone coverage<sup>1</sup>

## PRODUCT SPECIFICATIONS

## SureColor SC-P9500

### TECHNOLOGY

|                 |                                    |
|-----------------|------------------------------------|
| Printing Method | PrecisionCore™ Micro TFP printhead |
| Ink Technology  | Ultrachrome® Pro12                 |

### PRINT

|                      |   |
|----------------------|---|
| Colours              | Photo Black, Matte Black, Cyan, Light Cyan, Yellow, Vivid Magenta, Vivid Light Magenta, Violet, Orange, Green, Grey, Light Grey |
| Ink tank capacity    | 700 ml  |
| Minimum Droplet Size | 3.5 pl, With Variable-Sized Droplet Technology  |
| Nozzle Configuration | 800 Nozzles black, 800 Nozzles per colour   |
| Printing Resolution  | 1,200 x 2,400 dpi   |

### PAPER / MEDIA HANDLING

|                            |   |
|----------------------------|---|
| Paper Formats              | A1, A2, A2+, A2++, A3+, A3++, A3, A4, 17 " (43.2 cm), 24 " (61.0 cm), B2, B3, B4, A0, B1, 36 " (91.4 cm), 44 " (111.8 cm) |
| Compatible Paper Thickness | 0.08 mm - 1.5 mm  |
| Borderless printing on     | 254 mm, 300 mm, 329 mm, 406 mm, 432 mm, 515 mm, 594 mm, 610 mm, 728 mm, 841 mm, 914 mm, 1030 mm, 1118 mm, 508 mm (20")    |

### GENERAL

|                    |   |
|--------------------|---|
| Energy Use         | 110 W, 32 W (economy), 3.4 W (standby), 0.3 W (Power off) |
| Supply Voltage     | AC 100 V - 240 V, 50 Hz - 60 Hz                           |
| Product dimensions | 1,909 x 667 x 1,218 mm (Width x Depth x Height)           |
| Product weight     | 121.7 kg  |
| Sound Power        | Operation: 7.5 B (A)                                      |
| Noise Level        | Operation: 49.5 dB (A)                                    |

### OTHER FEATURES

|            |  |
|------------|--|
| Memory     | Printer: 2 GB                            |
| Emulations | ESC/P-R, Adobe® Postscript 3® (optional) |
| Features   | Touchscreen                              |

### OTHER

|            |   |
|------------|---|
| Interfaces | USB 3.0, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T) |
|------------|---|

### LCD AND MEMORY CARDS

|            |                           |
|------------|---------------------------|
| LCD screen | Type: Colour, Touch-panel |
|------------|---------------------------|

### OTHER

|          |  |
|----------|--|
| Warranty | 12 months On-site service<br>Optional warranty extension available |
|----------|--|

## SUPPLIES

|  |            |
|--|------------|
| ● Borderless Replacement Pad Kit SC-Px500                          | C13S210102 |
| ● WaterResistant Matte Canvas Roll, 44" x 12,2 m, 375g/m{s2}       | C13S042016 |
| ● WaterResistant Matte Canvas Roll, 24" x 12,2 m, 375g/m{s2}       | C13S042014 |
| ● WaterResistant Matte Canvas Roll, 17" x 2,1 m, 375g/m{s2}        | C13S042011 |
| ● WaterResistant Matte Canvas Roll, 17" x 12,2 m, 375g/m{s2}       | C13S042013 |
| ● WaterResistant Matte Canvas Roll, 13" x 6,1 m, 375g/m{s2}        | C13S042012 |
| ● WaterColor Paper - Radiant White, DIN A3+, 190g/m{s2}, 20 Sheets | C13S041352 |
| ● Water Color Paper - Radiant White Roll, 44" x 18 m, 190g/m{s2}   | C13S041398 |
| ● Water Color Paper - Radiant White Roll, 24" x 18 m, 190g/m{s2}   | C13S041396 |
| ● Velvet Fine Art Paper, DIN A2, 260g/m{s2}, 25 Sheets             | C13S042096 |
| ● Velvet Fine Art Paper, A3+, 260g/m{s2}, 20 Blatt                 | C13S041637 |
| ● Ultrasmooth Fine Art Paper, DIN A2, 325g/m{s2}, 25 Sheets        | C13S042105 |
| ● Ultrasmooth Fine Art Paper, A3+, 325g/m{s2}, 25 Blatt            | C13S041896 |
| ● Ultrasmooth Fine Art Paper Roll, 44" x 15,2 m, 250g/m{s2}        | C13S041783 |
| ● Ultrasmooth Fine Art Paper Roll, 24" x 15,2 m, 250g/m{s2}        | C13S041782 |
| ● Ultrasmooth Fine Art Paper Roll, 17" x 15,2 m, 250g/m{s2}        | C13S042074 |
| ● Traditional Photo Paper, DIN A4, 330g/m{s2}, 25 Sheets           | C13S045050 |
| ● Traditional Photo Paper, DIN A3+, 330g/m{s2}, 25 Sheets          | C13S045051 |
| ● Traditional Photo Paper, DIN A2, 330g/m{s2}, 25 Sheets           | C13S045052 |
| ● Traditional Photo Paper, 44" x 15 m                              | C13S045056 |
| ● Traditional Photo Paper, 24" x 36", 330g/m{s2}, 25 Sheets        | C13S045053 |
| ● Traditional Photo Paper, 24" x 15 m                              | C13S045055 |
| ● Traditional Photo Paper, 17"x 15m                                | C13S045054 |
| ● Standard Proofing Paper, DIN A3+, 205g/m{s2}, 100 Sheets         | C13S045005 |
| ● Standard Proofing Paper, DIN A2, 205g/m{s2}, 50 Sheets           | C13S045006 |
| ● Standard Proofing Paper, 44" x 50m, 205g/m{s2}                   | C13S045009 |
| ● Standard Proofing Paper, 24" x 50m, 205g/m{s2}                   | C13S045008 |
| ● Standard Proofing Paper, 17" x 50m, 205g/m{s2}                   | C13S045007 |
| ● Standard Proofing Paper OBA DIN A3+ 100 Sh                       | C13S450190 |
| ● Standard Proofing Paper OBA 44" x 30.5 m                         | C13S450189 |
| ● Standard Proofing Paper OBA 24" x 30.5 m                         | C13S450188 |
| ● Singleweight Matte Paper Roll, 44" x 40 m, 120g/m{s2}            | C13S041855 |
| ● Singleweight Matte Paper Roll, 24" x 40 m, 120g/m{s2}            | C13S041853 |
| ● Singleweight Matte Paper Roll, 17" x 40 m, 120g/m{s2}            | C13S041746 |
| ● Self-Adhesive Standard Proofing Paper 205, 17" x 30,5m           | C13S045148 |
| ● Self adhesive STANDARD Proofing Paper 205 24" x 30.5m            | C13S045149 |
| ● Proofing Paper White Semimatte, DIN A3+, 100 Sheets              | C13S042118 |
| ● Proofing Paper White Semimatte, 44" x 30,5 m, 250g/m{s2}         | C13S042006 |
| ● Proofing Paper White Semimatte, 24" x 30,5 m, 250g/m{s2}         | C13S042004 |
| ● Proofing Paper White Semimatte, 17" x 30,5 m, 250g/m{s2}         | C13S042003 |
| ● Proofing Paper White Semimatte, 13" x 30,5 m, 250g/m{s2}         | C13S042002 |
| ● Presentation Matte Paper Roll, 44" x 25 m, 172g/m{s2}            | C13S041220 |
| ● Presentation Matte Paper Roll, 24" x 25 m, 172g/m{s2}            | C13S041295 |

## LOGISTICS INFORMATION

|                   |               |
|-------------------|---------------|
| SKU               | C11CH13301A1  |
| EAN code          | 8715946680613 |
| Country of Origin | China         |



For more information please contact:

Home users: 0343 90 37766  
Business users\*: 0871 42 37766  
Republic of Ireland: 01 436 7742  
Or visit us at <https://www.epson.co.uk/contactus>  
\* 10p per minute plus network extras.

Web: [www.epson.co.uk](http://www.epson.co.uk)  
[www.epson.ie](http://www.epson.ie)

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners.  
Product information is subject to change without prior notice.  
Last extracted: 2019-12-19

## SureColor SC-P9500

1. PANTONE is the property of Pantone LLC. 99% gamut coverage of PANTONE FORMULA GUIDE solid coated palette based on Epson Proofing Paper White Semi-matte printed with Epson printer driver at 2400x1200dpi and Epson genuine ink. PANTONE coverage may vary when printed with other conditions.

