USB C Multiport Adapter, Portable USB-C Dock to 4K HDMI, 2-pt USB 3.0 Hub, SD/SDHC, GbE, 60W PD Pass-Through - USB Type-C/Thunderbolt 3 - REPLACED BY DKT30CHSDPD1

Product ID: DKT30CSDHPD

Expand the connectivity of your USB-C enabled laptop. This USB-C multiport adapter lets you turn your laptop into a powerful workstation, virtually anywhere you go, and eliminates the hassle of carrying and connecting many different port adapters. The USB-C adapter lets you add 4K Ultra HD HDMI video output, two USB 3.0 Type-A ports, one Gigabit Ethernet port and one SD card reader slot through your laptop's USB-C port.

You can also use your laptop's USB-C power adapter to power both the multiport adapter and your laptop simultaneously, with support for USB Power Delivery 2.0. It's the ideal accessory for your MacBook Pro or other USB Type-C equipped laptop, and it's also Thunderbolt 3 port compatible.

When coupled with your laptop display, this versatile USB-C multiport adapter makes it easy to create a dual-monitor workstation when you need it. It offers a 4K HDMI port (with audio), so you can easily connect a high-resolution monitor and gain access to more screen space. With higher resolutions, you can view more windows at once and increase your productivity.

The Gigabit Ethernet port ensures reliable wired network access, which is ideal for areas with limited Wi-Fi access. Plus, with two additional USB 3.0 ports (USB Type-A) you can connect your existing peripheral devices, like your mouse or flash drive.

The USB-C adapter also features an SD card reader slot so you can access all of your multimedia content.

This multiport adapter means you don't have to carry multiple power adapters with you. Ideal for mobile use, it features a USB-C port that supports USB Power Delivery 2.0 (USB PD 2.0), so you can use your laptop's USB-C power adapter to power both your laptop and the multiport adapter.

The versatile multiport adapter is compact and lightweight, so it's easy to tuck into your laptop bag. It consolidates multiple ports into a single adapter, which means you don't need to bring along multiple single-function adapters.

The DKT30CSDHPD is backed by a StarTech.com 3-year warranty and free lifetime technical support.

Certifications, Reports and Compatibility

Applications

• Power the adapter and your laptop through USB-C, using your laptop's power adapter

• Connect your MacBook, Ultrabook, or Chromebook to wired Gigabit internet, in locations where Wi-Fi isn't available

• Integrate the compact adapter into small workspaces in offices and home offices

• Connect your laptop to a projector and enjoy multimedia content at home, or display engaging presentations in boardrooms and classrooms

• Use an HDMI port-equipped television in a hotel room as an external display when traveling

• Transfer photos, videos or other files from your SD cards to your USB-C enabled tablet, laptop or other device

Features

• NEW VERSION AVAILABLE: Replaced by DKT30CHSDPD1, Portable USB C travel dock with 4K 30Hz (UHD) HDMI video display output; aluminum space grey design complements Macbook Air, MacBook Pro, Dell XPS, and HP EliteBook laptops

• 6-IN-1 USB-C HUB: This USB-C multiport adapter features 4K HDMI (UHD), Gigabit Ethernet, two USB-A (5Gbps) ports and SD / SDHC / SDXC card reader

• 60W POWER DELIVERY PASS THROUGH: This USB Type-C Multiport Adapter allows you to use your laptop's USB-C power adapter to simultaneously charge your laptop (up to 48W) and power the dock (12W)

• WIDE DEVICE COMPATIBILITY: USB-C mini dock for Thunderbolt 3 (TB3) & USB-C laptops, ultrabooks, Chromebooks, tablets and phones; compatible with brands incl. MacBook, HP, Dell, Lenovo & Surface

• WIDE OS COMPATIBILITY & EASY SETUP: This USB 3.1 Gen 1 All-in-One Adapter has automatic driver installation & supports Windows, macOS, Chrome OS & Android; ideal for business travel and work from home

Hardware

Warranty	3 Years
4K Support	Yes
Fast-Charge Port(s)	No
Displays Supported	1
Interface	USB 3.2 Gen 1 (5Gbps)
Bus Type	USB-C
Industry Standards	IEEE 802.3, IEEE 802.3u, IEEE 802.3ab
	USB 3.0 - Backward compatible with USB 2.0 and 1.1
Chipset ID	VIA/VLI - VL813
	VIA/VLI - VL100
	Genesys Logic - GL857L
	Parade - PS176
	Realtek - RTL8153

Performance

Maximum Data Transfer Rate	5 Gbps (USB 3.0) <br / >2 Gbps (Ethernet; Full-Duplex)
Maximum Digital Resolutions	4096 x 2160p @ 24Hz or 3840 x 2160p (HDMI) @ 30Hz<br / >
	Lower resolutions are also supported. For example, if the max is 3840 x 2160p (4K), it also supports 2560 x 1600p and 2560 x 1440p.
Type and Rate	USB 3.0 - 5 Gbit/s
UASP Support	Yes
Compatible Networks	10/100/1000 Mbps
Auto MDIX	Yes
Full Duplex Support	Yes
MTBF	338,809 hours

Connector(s)

Connector Type(s)	1 - USB 3.2 Type-C (24 pin, Gen 1, 5Gbps)
	1 - HDMI (19 pin)
	1 - RJ-45
	2 - USB Type-A (9 pin, 5 Gbps)
	1 - SD / MMC Slot
	1 - USB Type-C (24 pin) USB Power Delivery Only

Software

OS Compatibility	Windows 7, 8, 8.1, 10, 11<br / >macOS 10.11 to 10.15, 11.0, 12.0, 13.0<br / >Chrome OS

Special Notes / Requirements

System and Cable Requirements	A host laptop with an available USB-C port (to ensure full adapter functionality, the host USB-C port must support USB Power Delivery 2.0 and DP alt mode)
	Optional: USB-C power adapter (for example, your laptop's USB-C based power adapter)
Note	Not all USB-C ports support the full functionality of the USB Type-C standard. Ensure that your host USB-C port supports USB Power Delivery 2.0 and DP alt mode.
	The adapter can connect to a host laptop's USB-C port that doesn't support USB Power Delivery 2.0. However, in this configuration if a power adapter is connected to the multifunction adapter, it will not pass power through to your host laptop.
	A 4K-capable display is required to achieve 3840 x 2160p resolution (4K is also known as 4K x 2K)
	USB 3.0 is also known as USB 3.1 Gen 1; this connectivity standard offers speeds up to 5Gbps.
	Your laptop might have specific charging requirements. For example, if your laptop requires exactly 60W of power and an adapter consumes some of the 60W, your laptop might not recognize that it is getting enough power. For more information about Power Delivery, refer to the manufacturer of your hardware.

Power

Power Source	USB-Powered
Power Delivery	60W

Environmental

	Operating Temperature	0C to 55C (32F to 131F)
	Storage Temperature	-10C to 70C (14F to 158F)
	Humidity	40~50% RH

Physical Characteristics

	Color	Gray and Black
	Material	Plastic
	Cable Length	6.0 in [15.2 cm]
	Product Length	4.6 in [11.6 cm]
	Product Width	1.8 in [4.6 cm]
	Product Height	0.6 in [1.6 cm]
	Weight of Product	2.7 oz [77.9 g]

Packaging Information

	Package Quantity	1
	Package Length	6.8 in [17.3 cm]
	Package Width	5.7 in [14.5 cm]
	Package Height	1.2 in [3.0 cm]
	Shipping (Package) Weight	5.4 oz [154.0 g]

What's in the Box

	Included in Package	1 - multiport adapter
		1 - quick-start guide

*Product appearance and specifications are subject to change without notice.