

# Miracle Mounting Tape

# **DOUBLE-SIDED TRANSPARENT MOUNTING TAPE**

TECHNICAL SHEET NO: TDS02264 03/12/2024

#### **SMART ADVANTAGES**

- Double sided mounting tape
- Transparent
- High adhesive power up to 7.5kg total strength
- Remove without leaving any residue
- Washable & reusable
- Indoor use only
- Suitable for multiple materials (plastics\*, glass, wood, metal, ceramic...)

## DESCRIPTION

This double-sided miracle mounting tape used for temporary bonding and mounting of objects and decoration in all conditions where transparent bonding is needed.

The miracle double-sided tape is washable under water before re-use and easy to use for aesthetic and long-lasting mounting.

Ideal for bonding where occasional removal is needed as the tape can re-stick without loss of performance, it ensures strong adhesion with plastic, metal, ceramics, glass, and wood surfaces.

This tape is dedicated for an indoor use for fixing and mounting objects to smooth and semi-smooth surfaces and ideal to fix temporary small objects (1kg per 20cm).



TECHNICAL CHARACTERISTICS		
Colour	Clear	
Adhesive	Acrylic	
Elongation at break	800%	
Odour	No	
Core material	Recycled plastic	
Tape width	19mm	
Tape length	1.5m	
Coverage	Width: 19mm Length: 1.5m	

## **APPLICATION**

#### **PREPARATION**

- Upon application, the treated surface should be clean, dry, and free of grease, oil, moisture, dirt, and other contaminants.
- It is suggested that the adhesive tape should be bonded between 20°C and 40°C.
- The surfaces should also be even, without any deformities or imperfections that can negatively affect the adhesion properties.

### **HOW TO USE**

- Cut the tape with scissors.
- Press firmly and evenly for 30 sec to press out air bubbles and create optimal adhesion.
- Remove the protective film from the top of the tape.
- Position the chosen object and press firmly for 60 sec to allow the object to adhere.

### **HOW TO RE USE**

- Peel of the tape.
- Wash with washing up liquid & water.
- Leave it to dry completely.
- Re-use It!

## STORAGE

 36 months in its sealed original packaging, stored in dry conditions at a temperature between +10°C and +35°C.
 Protect from frost.

## **PRECAUTIONS IN USE**

Keep out of reach of children. Not for use as electrical tape. Read label before use.

### \*Except Silicone, PP and Teflon

For any application not covered please contact Technical Services on +44 (0)1785 272625 or visit www.bostik.co.uk for advice.

Recommendations and suggestions are for guidance only, since conditions of use are completely beyond our control.

PACKAGING		
Product codes	30628185	Bostik Miracle Tape

This disclaimer is issued by Bostik Limited ("the Company") and applies to the use of any products supplied by the Company ("the Products") displayed on this Technical Data Sheet ("TDS"). Please read this disclaimer carefully before using any of the Products. Using this TDS and/or the Product constitutes your acceptance of this disclaimer. Its contents shall prevail over any directions of use and any disclaimer and/or exclusion or limitation of liability of the Company that may appear on the packaging of the Products.

This disclaimer sets out the entire financial liability of the Company (including any liability for the acts or omissions of its employees, agents and sub-contractors) to any user of the Products ("Product User") in respect of any use made or resale by the Product User, of any of the Products in this TDS.

This disclaimer does not affect the Company's liability for death or personal injury arising from the Company's negligence in respect of the Products, nor its liability for fraud, or fraudulent misrepresentation, nor any other liability that cannot be excluded or limited under applicable law.

The Company's total liability however arising and whether caused by tort (including negligence and breach of statutory duty), breach of contract or otherwise, arising in connection with the use made or resale by the Product User of any of the Products in this TDS shall be limited to the price paid for the Product by the Product User.

The Company shall not be liable to the Product User for any pure economic loss, loss of profit, loss of business, depletion of goodwill or otherwise, in each case whether direct, indirect or consequential, or any claims (including in respect of personal injury insofar as not caused by the Company's negligence) for consequential compensation whatsoever (howsoever caused) which arise out of or in connection with the use made or resale by the Product User of any of the Products in this TDS.

The Company shall not be liable to the Product User in relation to any loss for any use that is inappropriate or use that is otherwise than in accordance with the relevant instructions for use of the Products in this TDS or on the Product. Product Users are advised to confirm the suitability of the Products by their own tests.

This TDS covers just one of a large range of products supplied by the Company.

Full information on these products and advice on application is freely available from our fully trained staff throughout the country. In addition, specialist technical advice is available from our Technical Services Department. This TDS supersedes all previous TDSs relating to the Products, and users of it must ensure that it is the current issue. Destroy all previous TDS, and if in any doubt, contact the Company, quoting the code number in the top right hand corner on the front of this document.

Sales Tel: 0844 371 1192 <a href="mailto:customer.service@bostik.com">customer.service@bostik.com</a>
Technical Advice Tel: 0844 371 1197 <a href="mailto:technical.service@bostik.com">technical.service@bostik.com</a>
Safety Data Sheets Tel: 01785 272625 sds.box-eu@bostik.com

## DISCLAIMER

Bostik offers this Technical Data Sheet ("TDS") for descriptive and informational use only. It is not a warranty, a contract or a substitute for expert or professional advice. Please also see the local product Safety Data Sheet for health and safety considerations.

The statements, technical information, data, and recommendations contained in this TDS are provided 'AS IS' and are not warranted or guaranteed in any way. They represent typical results for the products and are based on Bostik's research only. Since the conditions and methods of use of the products are beyond our control, Bostik expressly disclaims any and all liability and damages of whatever kind or nature that may arise from any use of the products, the results therefrom, or reliance on the information contain herein.

**Bostik Ltd** Common Road, Stafford, ST16 3EH, UK Phone: +44 (0)1785 272625

www.bostik.com/uk

BOSTIK HOTLINE
Smart help +44 (0)1785 272625