

USB4 Docking Station, USB-C 40Gbps, Dual Video HDMI, Up to 2x 4K 60Hz 4:4:4 (RGB) or 2x 4K 120Hz 4:2:2, Multi-Monitor Dock, 6x USB, 2.5GbE, 100W PD

Product ID: 155UE-USB4-DOCK



This USB4 (USB-C 40Gbps) docking station uses a single USB4 or Thunderbolt port on a host computer to add high-performance connectivity while charging the laptop.

The dock is equipped with 2x HDMI 2.1 video outputs for connecting dual monitors to the host computer. The dock supports can support dual-monitors with support for resolutions up dual 4K 60Hz at 4:4:4 (RGB) or dual 4K 120Hz at 4:2:2. A single display workstation is also supported at resolutions up to 8K 30Hz 4:4:4 (RGB) or 8K 60Hz at 4:2:2.

The docking station utilizes the high 40Gbps throughput available from a Thunderbolt 4/3, or USB4 port to provide a wide range of port connectivity to suit a variety of applications.

The dock features:

- 2x HDMI ports to connect displays.
- 6x USB Hub (2x 10Gbps USB Type-A, 2x USB Type-A 5Gbps, 1x USB Type-C 10Gbps, 1x USB-C 5Gbps) to connect USB peripheral devices.
- 1x 2.5 Gigabit Ethernet port with PXE boot and WoL to connect to a wired Local Area Network (LAN)

Includes a 180W power adapter and supports 100W USB power delivery. This enables the dock to charge the laptop, with enough additional power for all downstream ports. The 6-Port USB hub includes a 20W downstream USB-C Power Delivery port and a 7.5W BC 1.2 Downstream Charging Port (DCP) for charging tablets, smartphones or other battery-powered USB devices.

Developed to improve performance and security, Connectivity Tools is the only software suite on the market that works with a wide range of IT connectivity accessories. The software includes:

Advanced Windows Layout Utility: To setup and save custom windows layouts.

Mac Address Pass-Through Utility: To improve network security.



USB Event Monitoring Utility: To track and log connected USB devices

Wi-Fi Auto Switch Utility: Enabling users to quickly access faster network speeds via wired LAN.

For more information and to download the StarTech.com Connectivity Tools application, please visit: www.StarTech.com/Connectivity-Tools

Certifications, Reports and Compatibility







Applications

- Connect dual 4K monitors or an 8K monitor to enhance productivity with extended desktops for multitasking in business and office environments
- Supports high-resolution monitors for graphic design, video editing, 3D modeling, and other creative tasks that require detailed visuals
- Simplify connections in work from home applications with a single cable for power, display, and peripherals, making it easy to set up and break down workstations

Features

- HIGH-PERFORMANCE USB4 DOCK: USB4 delivers 40Gbps data transfer speeds, and improved bandwidth for video, making this mobile docking station an ideal solution for high-performance computing & seamless device connectivity
- DUAL 4K 60Hz/120Hz VIDEO: 2x HDMI 2.1 ports support Dual 4K 60Hz or up to Dual 4K 120Hz / Single 8K 60hz at 4:2:2; Delivers direct GPU performance with no software or compression
- COMPATIBILITY: Dock is Compatible with Windows 11 (x64 and ARM), Windows 10, and ChromeOS; Optimal performance with Thunderbolt 4 and USB4 laptops; Compatible with Intel 12th Gen and later, Intel Core Ultra, AMD, and Snapdragon X Co-Pilot+ PC's
- DEVICE SECURITY: Secure 3.3ft (1m) USB-C locking cable for host port; Mounting holes available for optional mounting bracket; K-slot & Nano security slots; USB Event Monitoring, Mac Address Pass-Through with included Connectivity Tools software suite
- PORTS: 6-port USB hub (2x USA-A 10Gbps / 2x USB-A 5Gbps / 1x USB-C 10Gbps / 1x USB-C 5Gbps); 2.5Gb LAN (10/100/1000/2500Mbps, WoL/PXE); 180W power adapter charges laptop (100W PD) & powers all ports; 1x 20W USB-C, 1x 7.5W USB-A for charging USB devices



Hardware

3 Years Warranty

4K Support Yes

Fast-Charge Port(s) Yes

Displays Supported 2

Interface USB4 (40Gbps)

Bus Type USB4 (40Gbps)

Compatible Lock Slot Kensington Standard Slot (K-Slot)

Kensington Nano Slot

Industry Standards USB4 (40Gbps)

USB 3.2 Gen 2 (10Gbps)

USB 3.2 Gen 1 (5Gbps)

USB Power Delivery 3.0

USB Battery Charging Specification 1.2

Chipset ID VIA - VL830

VIA - VL163

Realtek - RTD2188-VA-CG

Genesys Logic - GL9901NE

Performance

Wake On Lan Yes

Maximum Data Transfer

Rate

40Gbps

Maximum Digital

Resolutions

<u>Dual Display</u>

4:4:4 - 2x 4K (3840 x 2160) 60Hz

4:2:2 - 2x 4K (3840 x 2160) 120Hz

<u>Single Display</u>

4:4:4 - 8K (7680 x 4320) 30Hz



4:2:2 - 8K (7680 x 4320) 60Hz

Type and Rate USB4 - 40 Gbit/s

UASP Support Yes

Supported Charging

Outputs

BC 1.2 (1.5A)

USB-C (20W)

Compatible Networks 2.5G/1G/100Mbps/10Mbps

PXE Yes

Full Duplex Support Yes

MTBF 10,000 Hours

Connector(s)

External Ports 2 - HDMI (19 pin)

1 - USB 3.2 Type-A (9 Pin, Gen 2, 10Gbps, 7.5W Power)

1 - USB 3.2 Type-A (9 pin, Gen 2, 10Gbps)

1 - USB 3.2 Type-A (9 pin, Gen 1, 5Gbps)

1 - USB 3.2 Type-C (24 pin, Gen 1, 5Gbps)

1 - USB 3.2 Type-C (24 Pin, Gen 2, 10Gbps, 20W Power)

Host Connectors 1 - USB4 40Gbps (Thunderbolt 4/3, USB 3.2)

Software

OS Compatibility Windows 10, 11
chromeOS

Indicators

LED Indicators 1 - Power LED

Power

Power Source AC Adapter Included

Power Delivery 100W

Input Voltage 100 - 240 AC

Input Current 2.5 A



Output Voltage 20V DC

Output Current 9 A

Center Tip Polarity Positive

Plug Type M

Power Consumption (In

Watts)

165W

Environmental

Operating Temperature 0C to 70C (32F to 158F)

Storage Temperature -20 to 70C

Humidity 0% to 95% (non-condensing) at 25C

Physical Characteristics

Color Space Gray

Material Plastic

Product Length 3.8 in [9.5 cm]

Product Width 8.3 in [21.0 cm]

Product Height 1.3 in [3.4 cm]

Weight of Product 4.9 oz [138.6 g]

Packaging Information

Package Length 9.1 in [23.0 cm]

Package Width 5.7 in [14.5 cm]

Package Height 3.5 in [8.9 cm]

Shipping (Package)

Weight

3.0 lb [1.3 kg]

What's in the Box

Included in Package 1 - Docking Station

1 - 3 ft [1 m] USB4 Host Cable



- 1 Universal Power Adapter (EU, UK)
- 1 Quick-Start Guide

*Product appearance and specifications are subject to change without notice.