Version: N°1 (15/10/2012)

Name: INK FLAIR RED NEW FORMULA K/P - WM2008

Date: 16/10/2012 Page 1/7 Revision: N°12 (15/10/2012) Company: Newell Rubbermaid UK Limited

Company. Newen Rubberniald OK Limited

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: INK FLAIR RED NEW FORMULA K/P

Product code: WM2008.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for PAPER MATE: Flair Ultrafine

1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park. WS 13 8SS. Lichfield Staffordshire. United Kingdom.

Telephone: +44 (0) 1543447001. Fax:. Aftersales.SERVICE@newellco.com

www.newellrubbermaid.com

1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

No labelling requirements for this mixture.

Risk phrase:

Safety data sheet available for professional user on request.

2.3. Other hazards

No data available.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

No substances fulfil the criteria set forth in annexe II section A of the REACH regulation (EC) n° 1907/2006.

3.2. Mixtures

Composition:

Identification	Name	Classification	%
INDEX: 603-027-00-1	ETHYLENE GLYCOL	GHS07, Wng	10 <= x % < 25
CAS: 107-21-1		Xn	
EC: 203-473-3		H:302	
		R: 22	
CAS: 56-81-5	GLYCERIN		2.5 <= x % < 10
EC: 200-289-5			

Version: N°1 (15/10/2012)

Name: INK FLAIR RED NEW FORMULA K/P - WM2008 Company: Newell Rubbermaid UK Limited

CAS: 17372-87-1	C.I. ACID RED 87	GHS07, Wng	2.5 <= x % < 10
EC: 241-409-6		Xi	
		H:319	
		R: 36	

Date: 16/10/2012 Page 2/7

Revision: N°12 (15/10/2012)

SECTION 4: FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of splashes or contact with eyes:

Wash thoroughly with soft, clean water for 15 minutes holding the eyelids open.

In the event of splashes or contact with skin:

Remove contaminated clothing and wash the skin thoroughly with soap and water.

In the event of swallowing:

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor. Seek medical attention, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

Suitable methods of extinction

In the event of a fire, use:

- sprayed water or water mist
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO2)

Unsuitable methods of extinction

In the event of a fire, do not use:

- water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

Date: 16/10/2012 Page 3/7 Revision: N°12 (15/10/2012) Company: Newell Rubbermaid UK Limited

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For fire-fighters

Fire-fighters will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7: HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Ensure that there is adequate ventilation, especially in confined areas.

Fire prevention:

Handle in well-ventilated areas.

Prevent access by unauthorised personnel.

Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Packages which have been opened must be reclosed carefully and stored in an upright position.

Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep the container tightly closed in a dry, well-ventilated place

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits:

- European Union (2009/161/EU, 2006/15/EC, 2000/39/EC, 98/24/EC)

CAS VME-mg/m3 : VME-ppm : VLE-mg/m3 : VLE-ppm : Notes : 107-21-1 52 20 104 40 Peau

Version: N°1 (15/10/2012)

Name: INK FLAIR RED NEW FORMULA K/P - WM2008

Date: 16/10/2012 Page 4/7 Revision: N°12 (15/10/2012)

Company: Newell Rubbermaid UK Limited

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
107-21-1	-	-	100	-	-
56-81-5	10 mg/m3	-	-	-	-

- Germany - AGW (BAuA - TRGS 900, 21/06/2010) :

CAS VME: VME: Excess Notes 107-21-1 10 ml/m3 26 mg/m3 2(I) DFG, H, Y

- France (INRS - ED984 :2008):

CAS VME-ppm: VME-mg/m3: VLE-ppm: VLE-mg/m3: Notes: TMP No: 107-21-1 20 52 40 104 * 84 - 56-81-5 - 10 - - - -

- UK / WEL (Workplace exposure limits, EH40/2005, 2007):

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

- Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

General information:

Physical state: fluid liquid.

Important health, safety and environmental information

pH: Not relevant. Boiling point/boiling range: not specified. Flash point interval: not relevant. Vapour pressure: not relevant. not stated. Density: Water solubility: Soluble. Melting point/melting range: not specified. Self-ignition temperature: not specified.

Version: N°1 (15/10/2012)

Name: INK FLAIR RED NEW FORMULA K/P - WM2008

Date: 16/10/2012 Page 5/7 Revision: N°12 (15/10/2012)

Company: Newell Rubbermaid UK Limited

Decomposition point/decomposition range: not specified.

9.2. Other information

No data available.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

10.4. Conditions to avoid

Avoid:

- frost

10.5. Incompatible materials

10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Splashes in the eyes may cause irritation and reversible damage

11.1.1. Substances

Acute toxicity:

C.I. ACID RED 87 (CAS: 17372-87-1)

Oral route : DL50 = 2344 mg/kg

Species: Rat

GLYCERIN (CAS: 56-81-5)

Oral route: DL50 > 12600 mg/kg

Species: Rat

Dermal route : DL50 > 1000 mg/kg

Species: Rabbit

11.1.2. Mixture

No toxicological data available for the mixture.

$Monograph(s) \ from \ the \ IARC \ (International \ Agency \ for \ Research \ on \ Cancer):$

CAS 1936-15-8: IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

12.1.1. Substances

Substances classified as category 1 acute toxicity:

C.I. ACID RED 87 (CAS: 17372-87-1)

Version: N°1 (15/10/2012)

Name: INK FLAIR RED NEW FORMULA K/P - WM2008 Company: Newell Rubbermaid UK Limited

Fish toxicity: Duration of exposure: 48 h

CL50 = 1200 mg/l Species : Oryzias latipes

GLYCERIN (CAS: 56-81-5)

Fish toxicity: Duration of exposure: 96 h

CL50 = 54000 mg/l

Species: Oncorhynchus mykiss

Date: 16/10/2012 Page 6/7

Revision: N°12 (15/10/2012)

Crustacean toxicity: Duration of exposure: 48 h

CE50 > 10000 mg/l Species : Daphnia magna

Algae toxicity: Duration of exposure: 72 h

CEr50 > 2900 mg/l

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

SECTION 13: DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

Codes of wastes (Decision 2001/573/EC, Directive 2006/12/EEC, Directive 94/31/EEC on hazardous waste):

08 01 13 * sludges from paint or varnish containing organic solvents or other dangerous substances

Version: N°1 (15/10/2012)

Revision: N°12 (15/10/2012) Name: INK FLAIR RED NEW FORMULA K/P - WM2008 Company: Newell Rubbermaid UK Limited

Date: 16/10/2012 Page 7/7

SECTION 14: TRANSPORT INFORMATION

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2011 - IMDG 2010 - ICAO/IATA 2012).

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Particular provisions :

No data available.

- German regulations concerning the classification of hazards for water (WGK) :

Germany: WGK 1 (VwVwS vom 27/07/2005, KBws)

15.2. Chemical safety assessment

No data available.

SECTION 16: OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Title for H, EUH and R indications mentioned in section 3:

H302 Harmful if swallowed. H319 Causes serious eye irritation. R 22 Harmful if swallowed. R 36 Irritating to eyes.

Abbreviations:

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).