SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: INK FLAIR BLACK

Product code: WM1010.

1.2. Relevant identified uses of the substance or mixture and uses advised against

PAPER MATE : Nylon/Flair

PAPER MATE : Nylon Ultra Fine Flair

1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid . Address: 500 Princes Hwy .3174.Noble Park, Victoria.AUSTRALIA. Telephone: +61 (0)3 8762 4200. Fax: +61(0)3 8762 4201 . customer_serviceaust@newellco.co

1.4. Emergency telephone number : 13 11 26.

Association/Organisation: Poison Information Centre.

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

No labelling requirements for this mixture.

2.3. Other hazards

No data available.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

No substances fulfil the criteria set forth in annexe II section A of the REACH regulation (EC) n° 1907/2006.

3.2. Mixtures

Composition :

Identification	Name	Classification	%
INDEX: 603-027-00-1	ETHYLENE GLYCOL	GHS07, Wng	10 <= x % < 25
CAS: 107-21-1		Xn	
EC: 203-473-3		H:302	
		R: 22	
CAS: 56-81-5	GLYCERIN		2.5 <= x % < 10
EC: 200-289-5			

INDEX: 603-079-00-5	METHYLDIETHANOLAMINE N-	GHS07, Wng	0 <= x % < 2.5
CAS: 105-59-9		Xi	
EC: 203-312-7		H:319	
		R: 36	

SECTION 4: FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of splashes or contact with eyes:

Wash thoroughly with soft, clean water for 15 minutes holding the eyelids open.

In the event of swallowing:

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

Suitable methods of extinction

In the event of a fire, use:

- sprayed water or water mist
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO2)

Unsuitable methods of extinction

In the event of a fire, do not use:

- water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health. Do not breathe in smoke.

5.3. Advice for firefighters

No data available.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For fire-fighters

Fire-fighters will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

	ting to storage premis	ses apply to all f	actifities where t	he mixture is ha	ndled.	
7.1. Precautions for	-					
Always wash hand	-					
Ensure that there i	s adequate ventilation	n, especially in c	confined areas.			
Fire prevention:						
-	unauthorised personr					
=	ipment and procedu	res:				
	ction, see section 8.					
-	ns stated on label and		• •			
Packages which ha	ave been opened mus	t be reclosed car	efully and store	d in an upright j	position	
Prohibited equipm	ent and procedures:					
	g or drinking in areas	where the mixt	ure is used.			
7.2. Conditions for No data available.	safe storage, includi	ing any incomp	atibilities			
Storage						
Keep out of reach	of children					
-	impermeable and fo	orm a collecting	basin so that, i	n the event of a	an accidental	spillage, the liquid canno
Packaging						
0 0	ckaging made of an i	dentical materia	l to the original			
7.3. Specific end us		dentieur materia	r to the original			
No data available.	e(s)					
ivo data availabic.						
SECTION 8: EXPOS	SURE CONTROLS/	PERSONAL P	ROTECTION			
8.1. Control param	eters					
8.1. Control param Occupational expo						
Occupational expo	sure limits:	/15/EC, 2000/39)		
Occupational expo	sure limits: (2009/161/EU, 2006				Notes:	
Occupational expo - European Union	sure limits:		9/EC, 98/24/EC)		Notes: Peau	
Occupational expo - European Union CAS 107-21-1	sure limits: (2009/161/EU, 2006 VME-mg/m3: 52	VME-ppm: 20	9/EC, 98/24/EC VLE-mg/m3: 104	VLE-ppm: 40	Peau	es, 2010):
Occupational expo - European Union CAS 107-21-1	sure limits: (2009/161/EU, 2006 VME-mg/m3:	VME-ppm: 20	9/EC, 98/24/EC VLE-mg/m3: 104	VLE-ppm: 40	Peau	es, 2010):
Occupational expo - European Union CAS 107-21-1 - ACGIH TLV (A	sure limits: (2009/161/EU, 2006 VME-mg/m3: 52 merican Conference of	VME-ppm: 20 of Governmental	9/EC, 98/24/EC VLE-mg/m3: 104 Industrial Hygi	VLE-ppm: 40 ienists, Threshol	Peau d Limit Value	es, 2010):
Occupational expo - European Union CAS 107-21-1 - ACGIH TLV (A CAS	sure limits: (2009/161/EU, 2006 VME-mg/m3: 52 merican Conference o TWA: -	VME-ppm: 20 of Governmental	9/EC, 98/24/EC VLE-mg/m3: 104 Industrial Hygi Ceiling:	VLE-ppm: 40 ienists, Threshol	Peau d Limit Value	es, 2010):
Occupational expo - European Union CAS 107-21-1 - ACGIH TLV (A CAS 107-21-1 56-81-5	sure limits: (2009/161/EU, 2006 VME-mg/m3: 52 merican Conference o TWA: - 10 mg/m3	VME-ppm: 20 of Governmental STEL: -	9/EC, 98/24/EC VLE-mg/m3: 104 Industrial Hygi Ceiling:	VLE-ppm: 40 ienists, Threshol	Peau d Limit Value	es, 2010):
Occupational expo - European Union CAS 107-21-1 - ACGIH TLV (A CAS 107-21-1 56-81-5	sure limits: (2009/161/EU, 2006 VME-mg/m3: 52 merican Conference o TWA: -	VME-ppm: 20 of Governmental STEL: -	9/EC, 98/24/EC VLE-mg/m3: 104 Industrial Hygi Ceiling:	VLE-ppm: 40 ienists, Threshol Definition: - -	Peau d Limit Value	es, 2010):
Occupational expo - European Union CAS 107-21-1 - ACGIH TLV (A CAS 107-21-1 56-81-5 - Germany - AGW CAS	sure limits: (2009/161/EU, 2006 VME-mg/m3: 52 merican Conference of TWA: - 10 mg/m3 (BAuA - TRGS 900 VME:	VME-ppm: 20 of Governmental STEL: - , 21/06/2010): VME:	9/EC, 98/24/EC VLE-mg/m3: 104 Industrial Hygi Ceiling: 100 - Excess	VLE-ppm: 40 tenists, Threshol Definition: - - Notes	Peau d Limit Value	es, 2010):
Occupational expos - European Union CAS 107-21-1 - ACGIH TLV (A CAS 107-21-1 56-81-5 - Germany - AGW CAS 107-21-1	sure limits: (2009/161/EU, 2006 VME-mg/m3: 52 merican Conference of TWA: - 10 mg/m3 Y (BAuA - TRGS 900 VME: 10 ml/m3	VME-ppm: 20 of Governmental STEL: - , 21/06/2010): VME: 26 mg/m3	D/EC, 98/24/EC VLE-mg/m3: 104 Industrial Hygi Ceiling: 100 - Excess 2(I)	VLE-ppm: 40 ienists, Threshol Definition: - -	Peau d Limit Value	es, 2010):
Occupational expos - European Union CAS 107-21-1 - ACGIH TLV (A CAS 107-21-1 56-81-5 - Germany - AGW CAS 107-21-1 - France (INRS - H	sure limits: (2009/161/EU, 2006 VME-mg/m3: 52 merican Conference of TWA: - 10 mg/m3 7 (BAuA - TRGS 900 VME: 10 ml/m3 ED984:2007 and Free	VME-ppm: 20 of Governmental STEL: - , 21/06/2010): VME: 26 mg/m3 ach Order of 30/	D/EC, 98/24/EC VLE-mg/m3: 104 Industrial Hygi Ceiling: 100 - Excess 2(I) 06/2004):	VLE-ppm: 40 ienists, Threshol Definition: - - Notes DFG, H, Y	Peau ld Limit Value Criteria: - -	
Occupational export - European Union CAS 107-21-1 - ACGIH TLV (ACCAS 107-21-1 56-81-5 - Germany - AGW CAS 107-21-1 - France (INRS - H CAS	sure limits: (2009/161/EU, 2006 VME-mg/m3: 52 merican Conference of TWA: - 10 mg/m3 Y (BAuA - TRGS 900 VME: 10 ml/m3 ED984:2007 and Frer VME-ppm:	VME-ppm: 20 of Governmental STEL: - , 21/06/2010): VME: 26 mg/m3 nch Order of 30/ VME-mg/m3:	D/EC, 98/24/EC VLE-mg/m3: 104 Industrial Hygi Ceiling: 100 - Excess 2(I) 06/2004): VLE-ppm:	VLE-ppm: 40 ienists, Threshol Definition: - - Notes DFG, H, Y VLE-mg/m3:	Peau ld Limit Value Criteria: - -	TMP No.:
Occupational expos - European Union CAS 107-21-1 - ACGIH TLV (A CAS 107-21-1 56-81-5 - Germany - AGW CAS 107-21-1 - France (INRS - H	sure limits: (2009/161/EU, 2006 VME-mg/m3: 52 merican Conference of TWA: - 10 mg/m3 7 (BAuA - TRGS 900 VME: 10 ml/m3 ED984:2007 and Free	VME-ppm: 20 of Governmental STEL: - , 21/06/2010): VME: 26 mg/m3 ach Order of 30/	D/EC, 98/24/EC VLE-mg/m3: 104 Industrial Hygi Ceiling: 100 - Excess 2(I) 06/2004):	VLE-ppm: 40 ienists, Threshol Definition: - - Notes DFG, H, Y	Peau d Limit Value Criteria: - - Notes:	TMP No.:

SECTION 7: HANDLING AND STORAGE

	0110	ing mot	Ppini	1 <u>22</u>	· BB ppin	1100000	
	107-21-1	52	20	104	40	Peau	
	- ACGIH TLV (Americ	an Conference o	of Governmental	Industrial Hygi	enists, Threshold	d Limit Values,	2010):
	CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
	107-21-1	-	-	100	-	-	
	56-81-5	10 mg/m3	-	-	-	-	
	- Germany - AGW (BA	uA - TRGS 900	, 21/06/2010):				
	CAS	VME:	VME:	Excess	Notes		
	107-21-1	10 ml/m3	26 mg/m3	2(I)	DFG, H, Y		
	- France (INRS - ED984	4:2007 and Fren	ch Order of 30/0	06/2004):			
	CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No.:
	107-21-1	20	52	40	104	*	84 -
	56-81-5	-	10	-	-	-	-
	- UK / WEL (Workplac	e exposure limit	s, EH40/2005, 2	2007):			
	CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
	107-21-1	10 mg/m3	-	-	-	-	
	56-81-5	10 mg/m3	-	-	-	-	
8	3.2. Exposure controls						

- Eye / face protection

Avoid contact with eyes.

- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

9.1. Information on basic physical and chemical properties	
General information:	
Physical state:	fluid liquid
Important health, safety and environmental information:	-
pH of the substance or preparation:	not relevant.
The pH is impossible to measure or its value is not relevant.	
Boiling point/boiling range:	not specified.
Flash point interval:	not relevant.
Vapour pressure:	not relevant.
Density:	not stated.
Water solubility:	Soluble.
Viscosity:	v < 7 mm2/s (40°C)
Melting point/melting range:	not specified.
Self-ignition temperature:	not specified.
Decomposition point/decomposition range :	not specified.

No data available.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

10.5. Incompatible materials

10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)

- carbon dioxide (CO2)

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Repeated or prolonged contact with the mixture may cause removal of natural oil from the skin resulting in non-allergic contact dermatitis and absorption through the skin.

Splashes in the eyes may cause irritation and reversible damage

Acute toxicity:

	CAS: 56-81-5
l	GLYCERIN
(Oral route:

DL50 > 10000 mg/kg Species: Rat (recommended by the CLP)

Mixture

No toxicological data available for the mixture.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Substances

Substances classified as category 1 acute toxicity: CAS: 56-81-5 GLYCERIN Fish toxicity:

> Duration of exposure: 96 h CL50 = 5000 mg/l Species: Oncorhynchus mykiss

Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

SECTION 13: DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

Codes of wastes (Decision 2001/573/EC, Directive 2006/12/EEC, Directive 94/31/EEC on hazardous waste) :

08 01 13 * sludges from paint or varnish containing organic solvents or other dangerous substances

SECTION 14: TRANSPORT INFORMATION

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2011 - IMDG 2010 - ICAO/IATA 2011).

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The mixture is contained in packaging that does not exceed 125 ml.

- Particular provisions:

No data available.

- German regulations concerning the classification of hazards for water (WGK): Germany: WGK 1 (VwVwS vom 27/07/2005, KBws)

- Standardised American system for the identification of hazards presented by the product in view of emergency procedures (NFPA 704):

NFPA 704, Labelling: Health=0 Inflammability=1 Instability/Reactivity=1 Specific Risk=none



15.2. Chemical safety assessment

No data available.

SECTION 16: OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Title for H, EUH and R indications mentioned in section 3:

- H302 Harmful if swallowed.
- H319 Causes serious eye irritation.
- R 22 Harmful if swallowed.
- R 36 Irritating to eyes.

Abbreviations:

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods.

IATA: International Air Transport Association.

ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).