

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

| 1.1. Product identifier | |
|---|---|
| Trade name or designation of the mixture | HP Color LaserJet CE320A-AD Black Print Cartridge |
| Registration number | - |
| Synonyms | None. |
| Issue date | 28-Jun-2015 |
| Version number | 02 |
| Revision date | 20-Sep-2015 |
| Supersedes date | 28-Jun-2015 |
| 1.2. Relevant identified uses o | f the substance or mixture and uses advised against |
| Identified uses | This product is a black toner preparation that is used in HP LaserJet Pro CM1415,CP1525 series printers. |
| Uses advised against | None known. |
| Company identification | HP Inc UK Limited Cain Rd., Amen Corner, Pt 2nd Floor (Bldg BRA03) Bracknell, United Kingdom RG12 1HN Telephone 44 (0) 879 013 0790 |
| | HP health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com Poison Information Center 0207771 5307 |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

| | - (), | | |
|-----------------------------------|---|--|--|
| Contains: | Amorphous silica, Carbon black, Styrene acrylate copolymer, Wax | | |
| Hazard pictograms | None. | | |
| Signal word | None. | | |
| Hazard statements | The mixture does not meet the criteria for classification. | | |
| Precautionary statements | | | |
| Prevention | Not available. | | |
| Response | Not available. | | |
| Storage | Not available. | | |
| Disposal | Not available. | | |
| Supplemental label information | None. | | |
| 2.3. Other hazards | This preparation contains no component classified as Persistent, Bioaccumulative, and Toxic (PBT) or very Persistent and very Bioaccumulative (vPvB) as defined under Regulation (EC) 1907/2006. | | |
| | Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA. | | |

SECTION 3: Composition/information on ingredients

General information

| Chemical name | % | CAS-No. / EC No. | REACH Registration No. | Index No. | Notes |
|----------------------------|-----|------------------------|-------------------------|-----------|-------|
| Styrene acrylate copolymer | <85 | Trade Secret | - | - | |
| Classification: - | | | | | |
| Wax | <10 | Trade Secret | - | - | |
| Classification: - | | | | | |
| Carbon black | <6 | 1333-86-4 215-609-9 | 01-2119384822-32-XXXX - | | |
| Classification: | | | | | |
| Amorphous silica | <2 | 7631-86-9 231-545-4 | 01-2119379499-16-xxxx - | | |
| Classification: | | | | | |

SECTION 4: First aid measures

General information Not available.

| 4.1. Description of first aid me | asures |
|--|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| 4.2. Most important symptoms and effects, both acute and delayed | Not available. |
| 4.3. Indication of any immediate medical attention and special treatment needed | Not available. |

SECTION 5: Firefighting measures

| General fire hazards | Not available. |
|---|---|
| 5.1. Extinguishing media Suitable extinguishing media | CO2, water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| 5.2. Special hazards arising from the substance or mixture | Not available. |
| 5.3. Advice for firefighters Special protective equipment for firefighters | Not available. |
| Special fire fighting procedures | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

SECTION 6: Accidental release measures

| tective equipment and emergency procedures |
|--|
| Minimize dust generation and accumulation. |
| Not available. |
| Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |
| Not available. |
| Not available. |
| |

SECTION 7: Handling and storage

| 7.1. Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
|---|--|
| 7.2. Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store away from strong oxidizers. |
| 7.3. Specific end use(s) | Not available. |

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

| UK. EH40 Workplace Expo Components | Туре | Value |
|---|--|--|
| Carbon black (CAS 1333-86-4) | STEL | 7 mg/m3 |
| | TWA | 3.5 mg/m3 |
| Biological limit values | No biological exposure limits noted | for the ingredient(s). |
| Recommended monitoring procedures | Not available. | |
| Derived no-effect level (DNEL) | Not available. | |
| Predicted no effect concentrations (PNECs) | Not available. | |
| Exposure guidelines | USA OSHA (TWA/PEL): 15 mg/m3 | (Total Dust), 5 mg/m3 (Respirable Fraction) |
| | ACGIH (TWA/TLV): 10 mg/m3 (Inh | nalable Particulate), 3 mg/m3 (Respirable Particulate) |
| | Amorphous silica: USA OSHA (TW) mg/m3 | A/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10 |
| | TRGS 900 (Luftgrenzwert) - 10 mg | /m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion) |
| | UK WEL: 10 mg/m3 (Respirable Du | ıst), 5 mg/m3 (Inhalable Dust) |
| 8.2. Exposure controls | | |
| Appropriate engineering controls | Use in a well ventilated area. | |
| = | es, such as personal protective ec | Juipment |
| General information | No personal respiratory protective | equipment required under normal conditions of use. |
| Eye/face protection | Not available. | |
| Skin protection | | |
| - Hand protection | Not available. | |
| - Other | Not available. | |
| Respiratory protection | Not available. | |
| Thermal hazards | Not available. | |
| inciniar nazaras | | |

Not available.

SECTION 9: Physical and chemical properties

| 9.1. Information on basic physical and chemical properties | | | | |
|--|---|--|--|--|
| Appearance | Fine powder | | | |
| Physical state | Solid. | | | |
| Color | Black. | | | |
| Odor | Slight plastic odor | | | |
| Odor threshold | Not available. | | | |
| рН | Not applicable | | | |
| Melting point/freezing point | Not available. | | | |
| Initial boiling point and boiling range | Not applicable | | | |
| Flash point | Not applicable | | | |
| Evaporation rate | Not applicable | | | |
| Flammability (solid, gas) | Not available. | | | |
| Upper/lower flammability or e | xplosive limits | | | |
| Flammability limit - lower (%) | Not flammable | | | |
| Flammability limit - upper (%) | Not available. | | | |
| Vapor pressure | Not applicable | | | |
| Solubility(ies) | | | | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. | | | |
| Solubility (other) | Not available. | | | |
| Partition coefficient (n-octanol/water) | Not available. | | | |
| Auto-ignition temperature | Not applicable | | | |
| Decomposition temperature | Not available. | | | |
| Viscosity | Not applicable | | | |
| Explosive properties | Not available. | | | |
| Oxidizing properties | No information available. | | | |
| 9.2. Other information | | | | |
| Percent volatile | 0 % estimated | | | |
| Softening point | 176 - 266 °F (80 - 130 °C) | | | |
| Specific gravity | 1 - 1.2 | | | |

SECTION 10: Stability and reactivity

| 10.1. Reactivity | Not available. |
|---|---|
| 10.2. Chemical stability | Stable under normal storage conditions. |
| 10.3. Possibility of hazardous reactions | Will not occur. |
| 10.4. Conditions to avoid | Imaging Drum: Exposure to light |
| 10.5. Incompatible materials | Strong oxidizers |
| 10.6. Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

Not available.

SECTION 11: Toxicological information

General information

11.1. Information on toxicological effects

| Acute toxicity | Based on available data, the classification criteria are not met. |
|--------------------------------------|---|
| Skin corrosion/irritation | Based on available data, the classification criteria are not met. |
| Serious eye damage/eye irritation | Based on available data, the classification criteria are not met. |
| Respiratory sensitization | Based on available data, the classification criteria are not met. |
| Skin sensitization | Based on available data, the classification criteria are not met. |
| Material name: CE320A-AD | |

| Germ cell mutagenicity | Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) Based on available data, the classification criteria are not met. | | |
|---|---|--|----------------------|
| Carcinogenicity | Based on available data, the classification criteria are not met. | | |
| | Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA. | | |
| IARC Monographs. Overall | Evaluation of Carcin | ogenicity | |
| Carbon black (CAS 1333-8 | 36-4) | 2B Possibly carcinoge | enic to humans. |
| Reproductive toxicity | Based on available da | ta, the classification criteria are | e not met. |
| Specific target organ toxicity - single exposure | Based on available da | ta, the classification criteria are | e not met. |
| Specific target organ toxicity - repeated exposure | Based on available da | ta, the classification criteria are | e not met. |
| Aspiration hazard | Based on available da | ta, the classification criteria are | e not met. |
| Components | Species | | Test Results |
| Amorphous silica (CAS 7631-86-9) Acute | • | | |
| <i>Oral</i> LD50 | Mouse | | > 15000 mg/kg |
| | | | |
| | Rat | | > 22500 mg/kg |
| Carbon black (CAS 1333-86-4) | | | |
| Acute | | | |
| Oral | Dat | | > 9000 mg/kg |
| LD50 | Rat | | > 8000 mg/kg |
| Mixture versus substance information | Not available. | | |
| Other information | | a are not available for this spec potential health effects and Se | |
| SECTION 12: Ecological i | nformation | | |
| 12.1. Toxicity | LC50: > 100 mg/l, Fis | h, 96.00 Hours | |
| Product | Speci | es | Test Results |
| CE320A-AD | • | | |
| Aquatic | | | |
| Fish | LC50 Fish | | > 100 mg/l, 96 Hours |
| 12.2. Persistence and degradability | Not available. | | |
| 12.3. Bioaccumulative potential | Not available. | | |
| Partition coefficient n-octanol/water (log Kow) | Not available. | | |
| Bioconcentration factor (BCF) | Not available. | | |
| 12.4. Mobility in soil | Not available. | | |
| 12.5. Results of PBT and vPvB assessment | Not a PBT or vPvB sul | bstance or mixture. | |
| 12.6. Other adverse effects | Not available. | | |
| SECTION 13: Disposal co | nsiderations | | |
| 13.1. Waste treatment method | İs | | |
| Residual waste | Not available. | | |
| Contaminated packaging | Not available. | | |
| Ell wasta cada | Not available | | |

EU waste code Not available. Material name: CE320A-AD

Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely Disposal methods/information dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle. **SECTION 14: Transport information Further information** Not a dangerous good under DOT, IATA, ADR, IMDG, or RID. SECTION 15: Regulatory information 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture **EU** regulations Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I Not listed. Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II Not listed. Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended Not listed. Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended Not listed. Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended Not listed. Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended Not listed. Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended Not listed Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry Not listed. Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA Not listed. Authorizations Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization Not listed. **Restrictions on use** Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed. Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work Not regulated. Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding Not regulated. **Other EU regulations** Directive 96/82/EC (Seveso II) on the control of major-accident hazards involving dangerous substances Not regulated. Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work Not regulated. Directive 94/33/EC on the protection of young people at work Not regulated. All chemical substances in this HP product have been notified or are exempt from notification under Other regulations chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China. Other information This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.

Material name: CE320A-AD

Not available. Not available.

SECTION 16: Other information

| References | Not available. |
|---|---|
| Information on evaluation method leading to the classification of mixture | Not available. |
| Issue date | 28-Jun-2015 |
| Revision information | SECTION 16: Other information: Disclaimer |
| Training information | Not available. |
| Disclaimer | This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries. |
| Manufacturer information | HP 11311 Chinden Boulevard Boise, ID 83714 USA (Direct) 1-503-494-7199 (Toll-free within the US) 1-800-457-4209 |
| Explanation of abbreviations | |

| ACGIH | American Conference of Governmental Industrial Hygienists |
|-----------------------|---|
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |
| List of abbreviations | Not available. |