MSDS #:

Product Code:

Page 1 of 8 IC3541-0101

6447B

IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **SECTION 1** COMPANY/UNDERTAKING

**Product Identifier:** 

Canon Ink Tank CLI-551XL GY **Product Name:** 

6447B **Product Code:** 

Relevant Identified Uses: Ink for Ink Jet Printer

**Details of Supplier of Safety Data Sheet:** 

Supplier: Canon Europa NV

Bovenkerkerweg 59, 1185XB Amstelveen, The Nederlands Address:

**Telephone Number:** +31 20 5458545, +31 20 5458222

www.canon-europe.com, ceu-Reach@canon-europe.com E-mail Address:

DENMARK: +45 82 12 12 12; GERMANY: +49 30 19240, +49 761 19240;

Emergency Telephone Number: BELGIUM & NETHERLANDS: +32 70 245 245; FRANCE: +33 1 40 05 48 48;

UK only 0845 4647; FINLAND: +358 9 471 977; SWEDEN: +46 8 33 12 31

Manufacturer: Canon Inc.

Address: 30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

**SECTION 2** HAZARDS IDENTIFICATION

**Emergency Overview:** 

Ink tank containing black liquid ink with slight odor.

**US Regulatory Status under FHSA:** 

Not classified as hazardous.

**US Label Elements under FHSA:** 

**Signal Word:** Not required

Hazard Warning: Not required

Not required **Safety Advice:** 

Hazardous Component: Not required

EU Classification under 1999/45/EC:

Not classified as dangerous.

EU Label Elements under 1999/45/EC:

**Symbol & Indication:** Not required

**R-Phrase:** Not required

S-Phrase: Not required

Dangerous Component: Not required

Applicable Label Elements in accordance with Annex V to 1999/45/EC:

Not required

Other Hazards:

None



MSDS #:

Page 2 of 8 IC3541-0101

Product Code: 6447B

# SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

Substance or Mixture: Mixture

**Ingredient(s):** 

| Ingredient(s):<br>Chemical Name/<br>Generic Name | CAS #/<br>EC #           | Concentration/<br>Concentration<br>Range (%) | 67/548/EEC                      |            | EU Classification according to (EC) No 1272/2008 |                       | Note to<br>Other |
|--|--------------------------|--|---------------------------------|------------|--|-----------------------|------------------|
|  |                          |  | Symbol/<br>Indication of Danger | R-Phrase*1 | Hazard Class/<br>Category Code                   | Hazard<br>Statement*1 | Hazards*         |
| Glycerin   | 56-81-5 /<br>200-289-5   | 5 - 10                                       | None                            | None       | None   | None                  | (1)              |
| Glycol   | Confidential             | 10 - 15                                      | None                            | None       | None   | None                  |                  |
| Glycol   | Confidential             | 5 - 10                                       | None                            | None       | None   | None                  |                  |
| Lactam   | Confidential             | 5 - 10                                       | None                            | None       | None   | None                  |                  |
| Water  | 7732-18-5 /<br>231-791-2 | 60 - 80                                      | None                            | None       | None   | None                  |                  |
|  |                          |  |                                 |            |  |                       |                  |
|  |                          |  |                                 |            |  |                       |                  |
|  |                          |  |                                 |            |  |                       |                  |
|  |                          |  |                                 |            |  |                       |                  |
|  |                          |  |                                 |            |  |                       |                  |

<sup>\*1</sup> Full texts of R-phrase(s) and Hazard statement(s) are listed in SECTION 16

# Carcinogen(s):

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Part 3 of Annex VI to Regulation (EC) No 1272/2008.

<sup>\*2</sup> The following substance(s) is (are) marked with (1), (2) and/or (3)

<sup>(1)</sup> Substance for which Occupational Exposure Limit(s) is (are) established (See SECTION 8)

<sup>(2)</sup> PBT substance or vPvB substance under Regulation (EC) No 1907/2006

<sup>(3)</sup> Substance listed in Candidate List of SVHC for Authorisation under Regulation (EC) No 1907/2006



MSDS #: \_ Product Code:

IC3541-0101

6447B

Page 3 of 8

#### SECTION 4 FIRST AID MEASURES

#### First Aid Measures:

# Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

#### **Ingestion:**

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

#### Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

# Eye:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed. If irritation persists, obtain medical advice immediately.

#### Most Important Symptoms and Effects, both Acute and Delayed:

#### **Inhalation:**

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

# **Ingestion:**

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

#### Skin:

Neither irritation nor sensitization is expected. (See SECTION 11)

#### Eye:

May cause minimal irritation. (See SECTION 11)

#### **Chronic Effects:**

Not identified

# Indication of Any Immediate Medical Attention and Special Treatment Needed:

None

# SECTION 5 FIRE FIGHTING MEASURES

# **Extinguishing Media:**

# **Suitable Extinguishing Media:**

CO<sub>2</sub>, water, foam or dry chemicals

# **Unsuitable Extinguishing Media:**

None

# **Special Hazards:**

None

# **Hazardous Combustion Products:**

CO, CO<sub>2</sub>, NOx and SOx

# **Advice for Fire-fighters:**

None

# SECTION 6 ACCIDENTAL RELEASE MEASURES

# Personal Precautions, Protective Equipment and Emergency Procedures:

Avoid contact with skin, eyes and clothing.

#### **Environmental Precautions:**

Do not release to sewer, surface water or ground water.

# Methods and Material for Containment and Cleaning Up:

Wipe off with wet cloth or paper.



Page 4 of 8 IC3541-0101

MSDS #: \_ MATERIAL SAFETY DATA SHEET 6447B Product Code:

|                 | ECTION  EU OEL  Not established  Not established | uction of this product.                                   | place.   | A conditions for Safe Stora  Keep in a cool and dry  Protect from sunlight.  Keep out of the reach of the rea |
|-----------------|--|---|--|--|
|                 | EU OEL  Not established                          | PERSONAL PROT  ACGIH TLV  Not established  Glycerin mist: | DSURE CONTROLS /  USA  OSHA PEL  Not established  Glycerin mist: TWA 15 mg/m³ (Total dust) TWA 5 mg/m³ | Keep out of the reach of the re |
|                 | EU OEL  Not established                          | PERSONAL PROT  ACGIH TLV  Not established  Glycerin mist: | DSURE CONTROLS /  USA  OSHA PEL  Not established  Glycerin mist: TWA 15 mg/m³ (Total dust) TWA 5 mg/m³ | ecific End Uses: Ink for Ink Jet Printer. For more information, p  CTION 8 EXPO  entrol Parameters:  Product (Ink)   |
|                 | EU OEL  Not established                          | PERSONAL PROT  ACGIH TLV  Not established  Glycerin mist: | OSURE CONTROLS /  USA OSHA PEL  Not established  Glycerin mist: TWA 15 mg/m³ (Total dust) TWA 5 mg/m³  | Ink for Ink Jet Printer. For more information, p  CTION 8 EXPO  Introl Parameters:  Product (Ink)  |
|                 | EU OEL  Not established                          | PERSONAL PROT  ACGIH TLV  Not established  Glycerin mist: | OSURE CONTROLS /  USA OSHA PEL  Not established  Glycerin mist: TWA 15 mg/m³ (Total dust) TWA 5 mg/m³  | CTION 8 EXPO entrol Parameters:  Product (Ink)   |
|                 | EU OEL  Not established                          | ACGIH TLV  Not established  Glycerin mist:                | USA OSHA PEL  Not established  Glycerin mist: TWA 15 mg/m³ (Total dust) TWA 5 mg/m³                    | Product (Ink)  |
|                 | Not established                                  | Not established  Glycerin mist:                           | OSHA PEL  Not established  Glycerin mist: TWA 15 mg/m³ (Total dust) TWA 5 mg/m³                        | Product (Ink)  |
|                 |  | Glycerin mist:  | Glycerin mist: TWA 15 mg/m³ (Total dust) TWA 5 mg/m³   |  |
|                 | Not established                                  |   | TWA 15 mg/m³ (Total dust) TWA 5 mg/m³  | Glycerin   |
|                 |  |   |  |  |
|                 |  |   |  |  |
|                 |  |   |  |  |
|                 |  |   |  |  |
|                 |  |   |  |  |
|                 |  |   |  |  |
| f this product. | under intended use of                            | n equipment is needed                                     |  |  |
|                 |  | Not Required  |  |  |
| f this produc   | under intended use of                            | n equipment is needed  Not Required  Not Required         | Measures: ion: Required  | Engineering Controls: Individual Protection Eye/Face Protecti Skin Protection:   |

MSDS #: \_\_\_\_\_

Product Code:

IC3541-0101

6447B

Page 5 of 8

|   | MICAL PROPERTIES                                 |  |  |  |  |  |
|---|--|--|--|--|--|--|
| Information on Basic Physical and Chemi                             | cal Properties:                                  |  |  |  |  |  |
| Appearance:   | Black liquid                                     |  |  |  |  |  |
| Odor:   | Slight odor                                      |  |  |  |  |  |
| pH:   | 6 - 8  |  |  |  |  |  |
| Melting Point/Freezing Point ( $^{\circ}$ C):                       | Not available                                    |  |  |  |  |  |
| Initial Boiling Point and Boiling Range (°C):                       | Not available                                    |  |  |  |  |  |
| Flash Point(°C):  | None (Estimate)                                  |  |  |  |  |  |
| Evaporation Rate:   | Not available                                    |  |  |  |  |  |
| Flammability:   | Neither flammable nor combustible.               |  |  |  |  |  |
| Upper/Lower Flammable or<br>Explosive Limits:                       | Not available                                    |  |  |  |  |  |
| Vapor Pressure :  | Not available                                    |  |  |  |  |  |
| Vapor Density:  | Not available                                    |  |  |  |  |  |
| Relative Density:   | 1.0 - 1.1  |  |  |  |  |  |
| Water Solubility:   | Miscible   |  |  |  |  |  |
| Fat Solubility:   | Not available                                    |  |  |  |  |  |
| Partition Coefficient (n-Octanol/Water):                            | Not available                                    |  |  |  |  |  |
| Auto-ignition Temperature (°C):                                     | Not available                                    |  |  |  |  |  |
| <b>Decomposition Temperature</b> ( ${}^{\circ}C$ ):                 | Not available                                    |  |  |  |  |  |
| Viscosity (mPa s):  | 1 - 5  |  |  |  |  |  |
| Explosive Properties:   | None (Estimate)                                  |  |  |  |  |  |
| Oxidizing Properties:   | None (Estimate)                                  |  |  |  |  |  |
| Other Information:  | Not available                                    |  |  |  |  |  |
| SECTION 10 STABILITY AND REACTIVITY                                 |  |  |  |  |  |  |
| Reactivity: None  |  |  |  |  |  |  |
| <b>Chemical Stability:</b> $\boxtimes$ S                            | able Unstable                                    |  |  |  |  |  |
| Possibility of Hazardous Reactions: None                            |  |  |  |  |  |  |
| Conditions to Avoid: None   |  |  |  |  |  |  |
| Incompatible Materials: Acids                                       | , bases, oxidizing materials and reducing agents |  |  |  |  |  |
| Hazardous Decomposition Products: CO, CO <sub>2</sub> , NOx and SOx |  |  |  |  |  |  |

MSDS #:

IC3541-0101 Product Code:

6447B

Page 6 of 8

#### TOXICOLOGICAL INFORMATION **SECTION 11**

**Information on Toxicological Effects:** 

**Acute Toxicity:** 

Inhalation:

Not available

**Ingestion:** Not available

**Corrosivity/Irritation:** 

Skin:

Non-irritant (rabbit) (Estimate)

OECD Guidelines No. 404 (2002), (EC) No 440/2008 Method B4

Eye:

Minimal irritant (rabbit) (Estimate)

OECD Guidelines No. 405 (2002), (EC) No 440/2008 Method B5

**Sensitization:** 

Skin:

Non-sensitizer (mouse) (Estimate)

OECD Guidelines No. 429 (2010), (EC) No 440/2008 Method B42

**Repeated Dose Toxicity:** 

Not available

**Carcinogenicity:** 

Not available

**Mutagenicity:** 

Ames test: Negative (S. typhimurium & E. Coli)

**Toxicity for Reproduction:** 

Not available

Other Information:

Not available

Canon

# MATERIAL SAFETY DATA SHEET

MSDS #:

Product Code:

Page 7 of 8 IC3541-0101

6447B

**ECOLOGICAL INFORMATION SECTION 12** 

**Toxicity:** Not available

Persistence and Degradability: Not available

**Bioaccumulative Potential:** Not available **Mobility in Soil:** Not available

Results of PBT and vPvB

No results that the component(s) of this ink meet(s) the PBT or vPvB criteria under **Assessment:** Regulation (EC) No 1907/2006.

**Other Adverse Effects:** Not available

**DISPOSAL CONSIDERATIONS SECTION 13** 

**Waste Treatment Methods:** 

**Transport Hazard Class:** 

Disposal should be subject to federal, state and local laws.

**SECTION 14** TRANSPORT INFORMATION

None **UN Number:** 

None **UN Proper Shipping Name:** 

None

None **Packing Group:** 

Not classified as environmentally hazardous under UN Model Regulations and marine **Environmental Hazards:** 

pollutant under IMDG Code.

**Special Precautions for User:** None

REGULATORY INFORMATION **SECTION 15** 

< USA Information >

**SARA Title III §313:** 

**Chemical Name** Weight %

None

California Proposition 65:

**Chemical Name** Weight %

None

< EU Information >

Safety, Health and Environmental Regulations/Legislation:

(EC) No 1907/2006: Authorisation: Not regulated

**Restriction:** Not regulated

(EC) No 1005/2009: Not regulated

(EC) No 850/2004: Not regulated

(EC) No 689/2008: Not regulated

Others: None

Chemical Safety Assessment under (EC) No 1907/2006: Not required

< Canada Information >

**WHMIS Controlled Product:** This product will not be shipped to Canada.

< Australia Information >

Statement of Hazardous Nature: This product will not be shipped to Australia.



MSDS #:

IC3541-0101

Product Code:

6447B

Page 8 of 8

#### SECTION 16 OTHER INFORMATION

<Term explanation>

Estimate: Estimate based on data of similar product or the ingredient(s) of this product.

# **Literature References:**

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- EU Directive 1999/45/EC
- EU Regulation (EC) No 1907/2006, (EC) No 1272/2008, (EC) No 1005/2009, (EC) No 850/2004, (EC) No 689/2008
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substance [NOHSC:1008]

#### **Abbreviations:**

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA)

FHSA: Federal Hazardous Substances Act (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative SVHC: Substances of Very High Concern

IARC: International Agency for Research on Cancer

NTP: National Toxicology Program (USA)

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA)

ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists

 $EU\ OEL:\ Occupational\ exposure\ limits\ at\ Community\ level\ under\ Directive\ 2004/37/EC,\ 98/24/EC,\ 91/322/EEC,\ 2000/39/EC,\ 2006/15/EC\ and\ 2004/37/EC,\ 98/24/EC,\ 91/322/EEC,\ 2000/39/EC,\ 2006/15/EC\ and\ 2004/37/EC,\ 2006/15/EC\ and\ 2004/37/EC\ a$ 

2009/161/EU

TWA: Time Weighted Average STEL: Short Term Exposure Limit

WHMIS: Workplace Hazardous Materials Information System NOHSC: National Occupational Health and Safety Commission

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.