| Camon | Page 1 of MSDS #: IC3528-010 |
|--|--|
| Canon | MATERIAL SAFETY DATA SHEET Product Code: 6446 |
| | DENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE OMPANY/UNDERTAKING |
| Product Identifier: | |
| Product Name: | Canon Ink Tank CLI-551XL Y |
| Product Code: | 6446B |
| Relevant Identified U | Jses: Ink for Ink Jet Printer |
| Details of Supplier of | f Safety Data Sheet: |
| Supplier: | Canon Europa NV |
| Address: | Bovenkerkerweg 59, 1185XB Amstelveen, The Nederlands |
| Telephone Number | er: +31 20 5458545, +31 20 5458222 |
| E-mail Address: | www.canon-europe.com, ceu-Reach@canon-europe.com |
| Emergency Telephor | DENMARK: +45 82 12 12 12; GERMANY: +49 30 19240, +49 761 19240; ne Number: BELGIUM & NETHERLANDS: +32 70 245 245; FRANCE: +33 1 40 05 48 48; UK only 0845 4647; FINLAND: +358 9 471 977; SWEDEN: +46 8 33 12 31 |
| Manufacturer: | Canon Inc. |
| Address: | |
| SECTION 2 H Emergency Overview Ink tank containin | g yellow liquid ink with slight odor. |
| SECTION 2 H Emergency Overview Ink tank containin US Regulatory Status | AZARDS IDENTIFICATION v: g yellow liquid ink with slight odor. s under FHSA: |
| SECTION 2 H Emergency Overview Ink tank containin US Regulatory Status Not classified as h | AZARDS IDENTIFICATION v: g yellow liquid ink with slight odor. s under FHSA: mazardous. |
| SECTION 2 H Emergency Overview Ink tank containin US Regulatory Status Not classified as h US Label Elements u | AZARDS IDENTIFICATION v: g yellow liquid ink with slight odor. s under FHSA: mazardous. under FHSA: |
| SECTION 2 H Emergency Overview Ink tank containin US Regulatory Status Not classified as h US Label Elements T Signal Word: | AZARDS IDENTIFICATION v: .g yellow liquid ink with slight odor. s under FHSA: nazardous. Inder FHSA: Not required |
| SECTION 2 H Emergency Overview Ink tank containin US Regulatory Status Not classified as h US Label Elements u Signal Word: Hazard Warning | AZARDS IDENTIFICATION v: g yellow liquid ink with slight odor. s under FHSA: mazardous. inder FHSA: Not required V: Not required |
| SECTION 2 H Emergency Overview Ink tank containin US Regulatory Status Not classified as h US Label Elements T Signal Word: | AZARDS IDENTIFICATION v: .g yellow liquid ink with slight odor. s under FHSA: nazardous. Inder FHSA: Not required |
| SECTION 2 H Emergency Overview Ink tank containin US Regulatory Status Not classified as h US Label Elements u Signal Word: Hazard Warning Safety Advice: | AZARDS IDENTIFICATION v: g yellow liquid ink with slight odor. s under FHSA: mazardous. inder FHSA: Not required V: Not required |
| SECTION 2 H Emergency Overview Ink tank containin US Regulatory Status Not classified as h US Label Elements u Signal Word: Hazard Warning Safety Advice: | AZARDS IDENTIFICATION v: g yellow liquid ink with slight odor. s under FHSA: nazardous. nder FHSA: Not required i Not required Not required hot required der 1999/45/EC: |
| SECTION 2 H Emergency Overview Ink tank containin US Regulatory Status Not classified as h US Label Elements u Signal Word: Hazard Warning Safety Advice: Hazardous Comj EU Classification un | AZARDS IDENTIFICATION v: g yellow liquid ink with slight odor. s under FHSA: mazardous. under FHSA: Not required 3' Not required Not required ponent: Not required der 1999/45/EC: s dangerous. |
| SECTION 2 H Emergency Overview Ink tank containin US Regulatory Status Not classified as h US Label Elements u Signal Word: Hazard Warning Safety Advice: Hazardous Comj EU Classification un Not classified as | AZARDS IDENTIFICATION v: g yellow liquid ink with slight odor. s under FHSA: nazardous. inder FHSA: Not required Not required Not required Not required ponent: Not required der 1999/45/EC: s dangerous. inder 1999/45/EC: |
| SECTION 2 H Emergency Overview Ink tank containin US Regulatory Status Not classified as h US Label Elements u Signal Word: Hazard Warning Safety Advice: Hazardous Comp EU Classification un Not classified as | AZARDS IDENTIFICATION v: g yellow liquid ink with slight odor. s under FHSA: nazardous. inder FHSA: Not required is Not required Not required Not required ponent: Not required der 1999/45/EC: s dangerous. inder 1999/45/EC: |
| SECTION 2 H Emergency Overview Ink tank containin US Regulatory Status Not classified as h US Label Elements u Signal Word: Hazard Warning Safety Advice: Hazardous Comp EU Classification un Not classified as EU Label Elements u Symbol & Indica | AZARDS IDENTIFICATION v: g yellow liquid ink with slight odor. s under FHSA: mazardous. mder FHSA: Not required 3' Not required Not required ponent: Not required der 1999/45/EC: s dangerous. mder 1999/45/EC: stion: Not required |
| SECTION 2 H Emergency Overview Ink tank containin US Regulatory Status Not classified as h US Label Elements to Signal Word: Hazard Warning Safety Advice: Hazardous Comp EU Classification un Not classified as EU Label Elements to Symbol & Indica R-Phrase: S-Phrase: | AZARDS IDENTIFICATION v: g yellow liquid ink with slight odor. s under FHSA: nazardous. mder FHSA: Not required Not required Not required Not required der 1999/45/EC: s dangerous. mder 1999/45/EC: ntion: Not required Not required Not required |
| SECTION 2 H Emergency Overview Ink tank containin US Regulatory Status Not classified as h US Label Elements u Signal Word: Hazard Warning Safety Advice: Hazardous Comp EU Classification un Not classified as EU Label Elements u Symbol & Indica R-Phrase: S-Phrase: Dangerous Comp | AZARDS IDENTIFICATION v: g yellow liquid ink with slight odor. s under FHSA: azardous. azardous. ander FHSA: Not required vision in the equired vision in the equired vision in the equired vision is accordance with Annex V to 1999/45/EC: vision is accordance with Annex V to 1999/45/ |
| SECTION 2 H Emergency Overview Ink tank containin US Regulatory Status Not classified as h US Label Elements u Signal Word: Hazard Warning Safety Advice: Hazardous Comp EU Classification un Not classified as EU Label Elements u Symbol & Indica R-Phrase: S-Phrase: Dangerous Comp | AZARDS IDENTIFICATION v: g yellow liquid ink with slight odor. s under FHSA: azardous. azardous. ander FHSA: Not required vision in the equired vision in the equired vision in the equired vision is accordance with Annex V to 1999/45/EC: vision is accordance with Annex V to 1999/45/ |



MATERIAL SAFETY DATA SHEET

Page 2 of 8 IC3528-0101

MSDS #:

Product Code:

6446B

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

| ngredient(s): Chemical Name/ Generic Name | CAS #/ EC # | Concentration/ Concentration Range (%) | EU Classification according to 67/548/EEC | | EU Classification according to (EC) No 1272/2008 | | Note to Other |
|---|--------------------------|--|--|------------------------|--|-----------------------------------|------------------|
| | | | Symbol/ Indication of Danger | R-Phrase ^{*1} | Hazard Class/ Category Code | Hazard Statement ^{*1} | Hazards* |
| Glycerin | 56-81-5 / 200-289-5 | 5 - 10 | None | None | None | None | (1) |
| Ethylene urea | 120-93-4 / 204-436-4 | 5 - 10 | Xi / Irritant | R36 | Eye Irrit. 2 | H319 | |
| Thiadiazole Azo dye | Confidential | 1 - 5 | Xi / Irritant | R36 | Eye Irrit. 2 | H319 | |
| Glycol | Confidential | 10 - 15 | None | None | None | None | |
| Water | 7732-18-5 / 231-791-2 | 60 - 80 | None | None | None | None | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

*1 Full texts of R-phrase(s) and Hazard statement(s) are listed in SECTION 16

*2 The following substance(s) is (are) marked with (1), (2) and/or (3)

(1) Substance for which Occupational Exposure Limit(s) is (are) established (See SECTION 8)

(2) PBT substance or vPvB substance under Regulation (EC) No 1907/2006

(3) Substance listed in Candidate List of SVHC for Authorisation under Regulation (EC) No 1907/2006

Carcinogen(s):

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Part 3 of Annex VI to Regulation (EC) No 1272/2008.



| | WATERIAL SAFETT DATA SHEET Product Code: 0446B |
|-------------------------|--|
| SECTION 4 | FIRST AID MEASURES |
| First Aid Meas | |
| Inhalation | |
| | toms are experienced, move victim to fresh air and obtain medical advice. |
| Ingestion: | |
| | outh. Give one or two glasses of water. |
| | ion or discomfort occurs, obtain medical advice immediately. |
| Skin: Wash w | with water and soap or mild detergent. |
| | ion persists, obtain medical advice. |
| Eye: | |
| • | ately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed. |
| | ion persists, obtain medical advice immediately. |
| Most Importa | nt Symptoms and Effects, both Acute and Delayed: |
| Inhalation | |
| | erse effects are expected under intended use. |
| | posure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache |
| and nau | sea. |
| Ingestion: | use abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting. |
| Skin: | ise abdominal pain, diarmea, dizzmess, drowsmess, dumess, neadache, nausea and vomiting. |
| 10 | irritation nor sensitization is expected. (See SECTION 11) |
| Eye: | |
| May cau | use minimal irritation. (See SECTION 11) |
| Chronic Ef | ffects: |
| Not ide | ntified |
| Indication of A | Any Immediate Medical Attention and Special Treatment Needed: |
| None | |
| | |
| SECTION 5 | FIRE FIGHTING MEASURES |
| Extinguishing | Media: |
| Suitable Ex | xtinguishing Media: |
| CO_2 , wa | ter, foam or dry chemicals |
| Unsuitable | Extinguishing Media: |
| None | |
| Special Hazar | ds: |
| None | |
| Hazardous Co | ombustion Products: |
| CO, CO ₂ , 1 | NOx and SOx |
| Advice for Fir | |
| | |
| None | |

SECTION 0 ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:

Avoid contact with skin, eyes and clothing.

Environmental Precautions:

Do not release to sewer, surface water or ground water.

Methods and Material for Containment and Cleaning Up:

Wipe off with wet cloth or paper.

| Canon | MATERIAL SAFETY DATA SHEET | MSDS #: Product Code: | Page 4 of 8 IC3528-0101 6446B |
|--------------------------|--|--------------------------|-------------------------------------|
| SECTION 7 | HANDLING AND STORAGE | | |
| Precautions for S | afe Handling: | | |
| Use with adequ | ate ventilation. | | |
| Avoid contact v | with skin, eyes and clothing. | | |
| In case of conta | act, wash out the contaminated area immediately. | | |
| Conditions for Sa | fe Storage, Including Any Incompatibilities: | | |
| Keep in a cool | and dry place. | | |
| Protect from su | nlight. | | |
| Keep out of the | reach of children. | | |
| Specific End Uses | | | |
| Ink for Ink Jet l | Printer. | | |

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

For more information, please refer to the instruction of this product.

| trol Parameters: | USA OSHA PEL | ACGIH TLV | EU OEL |
|------------------|--|--|-----------------|
| Product (Ink) | Not established | Not established | Not established |
| Glycerin | Glycerin mist: TWA 15 mg/m ³ (Total dust) TWA 5 mg/m ³ (Respirable fraction) | Glycerin mist: TWA 10 mg/m ³ | Not established |
| | | | |

Exposure Controls: Engineering Controls: <u>No special ventilation equipment is needed</u> under intended use of this product. Individual Protection Measures:

Eye/Face Protection: Required Not Required

Required Not Required **Skin Protection:**

Respiratory Protection: Required Not Required

Page 5 of 8

MSDS #:

Product Code:

IC3528-0101 6446B

| SECTION 9 PHYSICAL AND | CHEMICAL PROPERTIES |
|--|---|
| Information on Basic Physical and C | Chemical Properties: |
| Appearance: | Yellow liquid |
| Odor: | Slight odor |
| pH: | 7 - 8 |
| Melting Point/Freezing Point (°C): | Not available |
| Initial Boiling Point and Boiling Range (°C): | Not available |
| Flash Point(°C): | None (Estimate) |
| Evaporation Rate: | Not available |
| Flammability: | Neither flammable nor combustible. |
| Upper/Lower Flammable or Explosive Limits: | Not available |
| Vapor Pressure : | Not available |
| Vapor Density : | Not available |
| Relative Density: | 1.0 - 1.1 |
| Water Solubility : | Miscible |
| Fat Solubility : | Not available |
| Partition Coefficient (n-Octanol/W | Tater): Not available |
| Auto-ignition Temperature (°C): | Not available |
| Decomposition Temperature(°C): | Not available |
| Viscosity (mPa s): | 1 - 5 |
| Explosive Properties: | None (Estimate) |
| Oxidizing Properties: | None (Estimate) |
| Other Information: | Not available |
| SECTION 10 STABILITY AND | REACTIVITY |
| Reactivity: | None |
| Chemical Stability: | Stable Unstable |
| Possibility of Hazardous Reactions: | None |
| Conditions to Avoid: | None |
| Incompatible Materials: | Acids, bases, oxidizing materials and reducing agents |

Hazardous Decomposition Products: $\underline{CO}, \underline{CO}_2, \underline{NOx} \text{ and } \underline{SOx}$



| ECTION 11 TO | XICOLOGICAL INFORMATION |
|--------------------------------|---|
| nformation on Toxico | logical Effects: |
| Acute Toxicity: Inhalation: | |
| | |
| Not available | |
| Ingestion: | |
| Not available | |
| Corrosivity/Irritati Skin: | on: |
| Non-irritant (rab | bit) (Estimate) |
| OECD Guide | lines No. 404 (2002), (EC) No 440/2008 Method B4 |
| Eye: | |
| Minimal irritant | (rabbit) (Estimate) |
| OECD Guide | lines No. 405 (2002), (EC) No 440/2008 Method B5 |
| Sensitization: Skin: | |
| Non-sensitizer (| mouse) (Estimate) |
| OECD Guide | lines No. 429 (2010), (EC) No 440/2008 Method B42 |
| Repeated Dose Tox | icity: |
| Not available | |
| Carcinogenicity: | |
| Not available | |
| Mutagenicity: | |
| Ames test: Nega | tive (S. typhimurium & E. Coli) |
| Toxicity for Repro | luction: |
| Not available | |
| Other Information | |
| Not available | |
| | |

| • | | | rage / 01 8 |
|---|--|---------------------|------------------|
| Canon | MATERIAL SAFETY DATA SHEE | MSDS #: | IC3528-0101 |
| | MATERIAL SAFETT DATA SHEE | Product Code: | 6446B |
| SECTION 12 ECOL | OGICAL INFORMATION | | |
| Toxicity: | Not available | | |
| Persistence and Degradal | ility: Not available | | |
| Bioaccumulative Potentia | : Not available | | |
| Mobility in Soil: | Not available | | |
| Results of PBT and vPvB Assessment: | No results that the component(s) of this ink meeter Regulation (EC) No 1907/2006. | (s) the PBT or vPvI | 3 criteria under |
| Other Adverse Effects: | Not available | | |
| Waste Treatment Metho | SAL CONSIDERATIONS s: ubject to federal, state and local laws. | | |
| SECTION 14 TRAN | SPORT INFORMATION | | |
| UN Number: | None | | |
| UN Proper Shipping Nan | e: None | | |
| Transport Hazard Class: | None | | |
| Packing Group: | None | | |
| Environmental Hazards: | Not classified as environmentally hazardous under pollutant under IMDG Code. | r UN Model Regula | tions and marir |
| Special Precautions for U | ser: None | | |
| SECTION 15 REGU < USA Information > SARA Title III §313: | LATORY INFORMATION | | |
| <u>Chemical Name</u> | | Weight % | , D |
| None | | | |
| California Proposition 6 <u>Chemical Name</u> | i: | Weight 9 | ý D |
| None | | | |
| • / | onmental Regulations/Legislation: | | |
| (EC) No 1907/2006: A | ithorisation: Not regulated | | |
| R | estriction: Not regulated | | |
| (EC) No 1005/2009: <u>N</u> | ot regulated | | |
| (EC) No 850/2004: <u>N</u> | ot regulated | | |
| (EC) No 689/2008: <u>N</u> | ot regulated | | |
| Others: <u>1</u> | one | | |
| Chemical Safety Assess < Canada Information > WHMIS Controlled F < Australia Information > | This product will not be shipped to Canada. | | |
| Statement of Hazardo | Is Nature: This product will not be shipped to Australia | a. | |

Page 7 of 8

Canon

Page 8 of 8 IC3528-0101

MSDS #:

Product Code:

SECTION 16 OTHER INFORMATION

<EU R-phrase according to 67/548/EEC> R36: Irritating to eyes.

<EU Hazard statement according to (EC) No 1272/2008> H319: Causes serious eye irritation.

<Term explanation>

Estimate: Estimate based on data of similar product or the ingredient(s) of this product.

Literature References:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of
- Chemicals to Humans
- EU Directive 1999/45/EC
- EU Regulation (EC) No 1907/2006, (EC) No 1272/2008, (EC) No 1005/2009, (EC) No 850/2004, (EC) No 689/2008
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substance [NOHSC:1008]

Abbreviations:

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA)

FHSA: Federal Hazardous Substances Act (USA)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

SVHC: Substances of Very High Concern

IARC: International Agency for Research on Cancer

NTP: National Toxicology Program (USA)

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA)

ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists

EU OEL: Occupational exposure limits at Community level under Directive 2004/37/EC, 98/24/EC, 91/322/EEC, 2000/39/EC, 2006/15/EC and 2009/161/EU

TWA: Time Weighted Average

STEL: Short Term Exposure Limit

WHMIS: Workplace Hazardous Materials Information System

NOHSC: National Occupational Health and Safety Commission

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.