

Safety Data Sheet according to Regulation (EC) No. 453/2010

Date of issue: 19/03/2015 Revision date:

Version: 1.0

	ostance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixture
Trade name	: Ariel Professional Washing Powder
Product code	: PA00205504
Product group	: Trade product
1.2. Relevant identified uses of the subs	stance or mixture and uses advised against
1.2.1. Relevant identified uses	
Main use category	: Professional use
Function or use category	: Washing and cleaning products (including solvent based products)
1.2.2. Uses advised against No additional information available	
1.3. Details of the supplier of the safety	data sheet
Procter & Gamble UK Brooklands, Weybridge, S	Surrey, KT13 0XP, UK
Tel: 01932 896000 Fax: 01932 896200	
Professional: customerservice@pgprof.com 1.4. Emergency telephone number	
Emergency number	: (UK) Emergency Tel: 0800 328 8304(IRL) Emergency Tel: 1800 509 497
SECTION 2: Hazards identification	
2.1. Classification of the substance or n	nixture
Classification according to Regulation (EC) N Eye Irrit. 2 H319	No. 1272/2008 [CLP]
Full text of H-phrases: see section 16	
Classification according to Directive 67/548/6 Xi; R36	EEC [DSD] or 1999/45/EC [DPD]
Full text of R-phrases: see section 16 Adverse physicochemical, human health and	environmental effects
No additional information available	
2.2. Label elements	
Labelling according to Regulation (EC) No. 1	272/2008 [CLP]
Hazard pictograms (CLP)	
Signal word (CLP)	: Warning
Hazard statements (CLP)	: H319 - Causes serious eve irritation
Precautionary statements (CLP)	 P101 - If medical advice is needed, have product container or label at hand P102 - Keep out of reach of children P301+P312 - IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P337+P313 - If eye irritation persists: Get medical advice/attention
2.3. Other hazards	
Other hazards not contributing to the classification	: No presence of PBT and vPvB ingredients.
SECTION 3: Composition/informatic	on on ingredients
3.1. Substance	
Not applicable	
3.2. Mixture	

Safety Data Sheet according to Regulation (EC) No. 453/2010

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Sodium Carbonate	(CAS No) 497-19-8 (EC no) 207-838-8 (EC index no) 011-005-00-2 (REACH-no) 01-2119485498-19	20 - 30	Xi; R36	Eye Irrit. 2, H319
Sodium Carbonate Peroxide	(CAS No) 15630-89-4 (EC no) 239-707-6 (REACH-no) 01-2119457268-30	10 - 20	O; R8 Xn; R22 Xi; R41	Ox. Sol. 3, H272 Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
Sodium C10-13 Alkyl Benzenesulfonate	(CAS No) 68411-30-3 (EC no) 270-115-0 (REACH-no) 01-2119489428-22	10 - 20	Xn; R22 Xi; R41 Xi; R38	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412
Sodium Silicate	(CAS No) 1344-09-8 (EC no) 215-687-4 (REACH-no) 01-2119448725-31	5 - 10	Xi; R41 Xi; R37/38	Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335
C14-15 Pareth-n	(CAS No) 68951-67-7 (EC no) Polymer	1 - 5	Xn; R22 Xi; R41 N; R50	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Citric Acid	(CAS No) 77-92-9 (EC no) 201-069-1 (REACH-no) 01-2119457026-42	1 - 5	Xi; R36	Eye Irrit. 2, H319

Full text of R- and H-phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: IF INHALED: remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
First-aid measures after skin contact	: IF ON SKIN: Wash with plenty of soap and water. Remove/Take off immediately all contaminated clothing. If skin irritation occurs: Get immediate medical advice/attention. Discontinue use of product.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
First-aid measures after ingestion	: IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.
4.2. Most important symptoms and effect	ts, both acute and delayed
Symptoms/injuries after inhalation	: Coughing. sneezing.
Symptoms/injuries after skin contact	: Redness. Swelling. dryness. Itching.
Symptoms/injuries after eye contact	: Severe pain. Redness. Swelling. Blurred vision.
Symptoms/injuries after ingestion	: Oral mucosal or gastro-intestinal irritation. Nausea. Vomiting. Excessive secretion. Diarrhoea.
4.3. Indication of any immediate medical	attention and special treatment needed
Refer to section 4.1.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).
5.2. Special hazards arising from the sul	ostance or mixture
Fire hazard	: No fire hazard. Non combustible.
Explosion hazard	: Product is not explosive.
Reactivity	: No dangerous reactions known.
5.3. Advice for firefighters	
Firefighting instructions	: No specific firefighting instructions required.
Protection during firefighting	: In case of inadequate ventilation wear respiratory protection.
SECTION 6: Accidental release meas	sures
6.1. Personal precautions, protective eq	uipment and emergency procedures
6.1.1. For non-emergency personnel	
Protective equipment	: Wear suitable gloves and eye/face protection.
6.1.2. For emergency responders	
Protective equipment	: Wear suitable gloves and eye/face protection.
6.2. Environmental precautions	
Consumer products ending up down the drain af	ar use. Prevent soil and water pollution. Prevent spreading in sewers

Consumer products ending up down the drain after use. Prevent soil and water pollution. Prevent spreading in sewers. 20/04/2015 EN (English)

Safety Data Sheet according to Regulation (EC) No. 453/2010

6.3. Methods and material for	containment and cleaning up
For containment	: Scoop solid spill into closing containers.
Methods for cleaning up	Small quantities of solid spill: wash down with water. Large spills: scoop solid spill into closing containers. This material and its container must be disposed of in a safe way, and as per local legislation.
Other information	: Avoid contact with skin, eyes and clothing.
6.4. Reference to other section	ns
Refer to Sections 8 and 13.	
SECTION 7: Handling and s	torage
7.1. Precautions for safe hand	dling
Precautions for safe handling	 Avoid contact with eyes. Use personal protective equipment as required. Avoid raising dust. Do not eat, drink or smoke when using this product. Do not handle until all safety precautions have been read and understood.
7.2. Conditions for safe stora	ge, including any incompatibilities
Storage conditions	: Store in original container. Refer to section 10.
Incompatible products	: Refer to section 10.
Incompatible materials	: Refer to section 10.
Prohibitions on mixed storage	: Not applicable.
Storage area	: Store in a cool area. Store in a dry area. Store away from heat.
7.3. Specific end use(s)	
Cleaning/washing agents and additive	es.
SECTION 8: Exposure contr	rols/personal protection
8.1. Control parameters	

8.1.1. **National limit values**

No additional information available

8.1.2. Monitoring procedures: DNELS, PNECS, OEL

Citric Acid (77-92-9)	
PNEC (Water)	
PNEC aqua (freshwater)	0.44 mg/l
PNEC aqua (marine water)	0.044 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	34.6 mg/kg dwt
PNEC sediment (marine water)	3.46 mg/kg dwt
PNEC (Soil)	
PNEC soil	33.1 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	1000 mg/l
Sodium Carbonate (497-19-8)	
DNEL/DMEL (Workers)	
Long-term - local effects, inhalation	10 mg/m ³
DNEL/DMEL (General population)	
Acute - local effects, inhalation	10 mg/m ³
Sodium C10-13 Alkyl Benzenesulfonate (68411-30-3)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	170 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	12 mg/m ³
Long-term - local effects, inhalation	12 mg/m ³
DNEL/DMEL (General population)	
Long-term - systemic effects,oral	0.85 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	3 mg/m ³
Long-term - systemic effects, dermal	85 mg/kg bodyweight/day
Long-term - local effects, inhalation	3 mg/m ³
PNEC (Water)	
PNEC aqua (freshwater)	0.268 mg/l
PNEC aqua (marine water)	0.0268 mg/l
PNEC aqua (intermittent, freshwater)	0.0167 mg/l
00/01/0015	

Safety Data Sheet according to Regulation (EC) No. 453/2010

Sodium C10-13 Alkyl Benzenesulfonate (68411-30-3)		
PNEC (Sediment)		
PNEC sediment (freshwater)	8.1 mg/kg dwt	
PNEC sediment (marine water)	8.1 mg/kg dwt	
PNEC (Soil)		
PNEC soil	35 mg/kg dwt	
PNEC (STP)		
PNEC sewage treatment plant	3.43 mg/l	
Sodium Silicate (1344-09-8)		
DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	1.59 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	5.61 mg/m ³	
DNEL/DMEL (General population)		
Long-term - systemic effects,oral	0.8 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	1.38 mg/m ³	
Long-term - systemic effects, dermal	0.8 mg/kg bodyweight/day	
PNEC (Water)		
PNEC aqua (freshwater)	7.5 mg/l	
PNEC aqua (marine water)	1 mg/l	
PNEC aqua (intermittent, freshwater)	7.5 mg/l	
PNEC (STP)		
PNEC sewage treatment plant	348 mg/l	
Sodium Carbonate Peroxide (15630-89-4)		
DNEL/DMEL (Workers)		
Acute - local effects, dermal	12.8 mg/cm ²	
Long-term - local effects, dermal	12.8 mg/kg bodyweight/day	
Long-term - local effects, inhalation	5 mg/m ³	
DNEL/DMEL (General population)		
Acute - local effects, dermal	6.4 mg/cm ²	
Long-term - local effects, dermal	6.4 mg/cm ²	
PNEC (Water)		
PNEC aqua (freshwater)	0.035 mg/l	
PNEC aqua (marine water)	0.035 mg/l	
PNEC aqua (intermittent, freshwater)	0.035 mg/l	
PNEC (STP)		
PNEC sewage treatment plant	16.24 mg/l	

8.2. **Exposure controls**

8.2.1. Appropriate engineering controls : Not applicable.

8.2.2. Personal protective equipment

Protective personal equipment only required in case of professional use or for large packs (not for household packs). For consumer use please follow recommendation as indicated on the label of the product.

Hand protection	:	Not applicable.
Eye protection	:	Wear eye/face protection.
Skin and body protection	:	Not applicable.
Respiratory protection	:	Not applicable.

Environmental exposure controls 8.2.3.

Prevent that the undiluted product reaches surface waters.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Property	Value	Unit	Test method/Notes
Appearance	Solid.		
Physical state	Solid		
Colour	White with coloured speckles.		

Ariel Professional Washing Powder Safety Data Sheet according to Regulation (EC) No. 453/2010

Property	Value	Unit	Test method/Notes	
Odour	pleasant (perfume).			
Odour threshold		ppm	Perceived odor at typical use conditions	
рН	10.72			
Melting point		°C	Not available. This property is not relevant for the safety and classification of this product	
Freezing point			Not available. This property is not relevant for the safety and classification of this product	
Boiling point			Not applicable. This property is not relevant for solid product forms.	
Flash point			Not applicable. This property is not relevant for solid product forms.	
Relative evaporation rate (butylacetate=1)			Not applicable. This property is not relevant for solid product forms.	
Flammability (solid, gas)	No data available			
Explosive limits		g/m³	Not available. This property is not relevant for the safety and classification of this product	
Vapour pressure			Not applicable. This property is not relevant for solid product forms.	
Relative density	No data available			
Solubility	Soluble in water.			
Log Pow	No data available			
Auto-ignition temperature			Not available. This property is not relevant for the safety and classification of this product	
Decomposition temperature		°C	Not available. This property is not relevant for the safety and classification of this product	
Viscosity		сР	Not applicable. This property is not relevant for solid product forms.	
Explosive properties		Not applicable. This product is not classified as explosive as it does not contain any substances which possesses explosive properties CLP (Art 14 (2)).		
Oxidising properties		Not applicable. This product is not classified as oxidizing as it does not contain any substances which possesses oxidizing properties CLP (Art 14 (2)).		
9.2. Other information				
No additional information available				
SECTION 10: Stability and reactivity	y			
10.1. Reactivity				
No dangerous reactions known.				
10.2. Chemical stability				
Stable under normal conditions.				
10.3.Possibility of hazardous reactionsRefer to section 10.1 on Reactivity.				
10.4. Conditions to avoid				
Not required for normal conditions of use.				
10.5.Incompatible materialsNot applicable.				
10.6. Hazardous decomposition product	S			
None under normal use.				
SECTION 11: Toxicological informa	tion			
11.1. Information on toxicological effect	S			
Acute toxicity	: Not classified			
20/04/2015	EN (English)		E/10	

Safety Data Sheet according to Regulation (EC) No. 453/2010

P&G PROFESSIONAL ARIEL	0000 mm/lum
LD50 oral calculated	> 2000 mg/kg
Citric Acid (77-92-9)	
LD50 oral rat	5400 mg/kg bodyweight //OECD 401
LD50 dermal rat	> 2000 mg/kg OECD 402
ATE CLP (oral)	5400 mg/kg bodyweight
ATE CLP (dermal)	2001 mg/kg bodyweight
Sodium Carbonate (497-19-8)	
LD50 oral rat	2800 mg/kg
LD50 dermal rabbit	2001 mg/kg
ATE CLP (oral)	2800 mg/kg bodyweight
ATE CLP (dermal)	2001 mg/kg bodyweight
Sodium C10-13 Alkyl Benzenesulfonate (6841	1-30-3)
LD50 oral rat	1080 mg/kg bodyweight OECD 401
LD50 dermal rat	> 2000 mg/kg bodyweight OECD 402
ATE CLP (oral)	1080 mg/kg bodyweight
ATE CLP (dermal)	2001 mg/kg bodyweight
Sodium Silicate (1344-09-8)	
LD50 oral rat	3400 mg/kg OECD 401
LD50 dermal rat	5000 mg/kg
LC50 inhalation rat (mg/l)	5.01 mg/l
ATE CLP (oral)	3400 mg/kg bodyweight
ATE CLP (dermal)	5000 mg/kg bodyweight
ATE CLP (vapours)	5.010 mg/l/4h
ATE CLP (dust,mist)	5.010 mg/l/4h
Sodium Carbonate Peroxide (15630-89-4)	
LD50 oral rat	893 mg/kg US EPA 1984
LD50 dermal rabbit	2001 mg/kg US EPA
ATE CLP (oral) ATE CLP (dermal)	893 mg/kg bodyweight 2001 mg/kg bodyweight
C14-15 Pareth-n (68951-67-7)	
LD50 oral rat	> 300 mg/kg
LD50 dermal rat	> 2000 mg/kg
ATE CLP (oral)	500 mg/kg bodyweight
ATE CLP (dermal)	2001 mg/kg bodyweight
Skin corrosion/irritation	: Not classified
	pH: 10.72
Serious eye damage/irritation	: Causes serious eye irritation.
	pH: 10.72
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Sodium C10-13 Alkyl Benzenesulfonate (6841	1-30-3)
NOAEL (chronic, oral, animal/male, 2 years)	350 mg/kg bodyweight
NOAEL (chronic, oral, animal/male, 2 years)	350 mg/kg bodyweight
	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Acute Toxicity: based upon available data of the substances, classification criteria are not met. Carcinogenicity: based upon available data of the substances, classification criteria are not met. Corrosivity: based upon available data of the substances, classification criteria are not met. Irritation: severly irritant to eyes. Mutagenicity: based upon available data of the substances, classification criteria are not met. Repeated Dose Toxicity: based upon available data of the substances, classification criteria are not met. Sensitization: based upon available data of the substances, classification criteria are not met. Toxicity for Reproduction: based upon available data of the substances, classification criteria are not met.

Safety Data Sheet according to Regulation (EC) No. 453/2010

Other information

: Likely routes of exposure: skin and eye. Information on Effects: refer to section 4.

SECTION 12: Ecological information

12.1. Toxicity Ecology - general

: No known adverse effects on the functioning of water treatment plants under normal use conditions as recommended. The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Citric Acid (77-92-9)	
LC50 fishes 1	440 ml/l //OECD 203, Leuciscus idus melanotus
EC50 Daphnia 1	1535 mg/l Daphnia magna
NOEC chronic algae	4425 mg/l Scenedesmus quadricauda
Sodium Carbonate (497-19-8)	
LC50 fishes 1	300 mg/l
EC50 Daphnia 1	200 mg/l
Sodium C10-13 Alkyl Benzenesulfonate (6841	1-30-3)
LC50 fishes 1	1.67 mg/l US EPA 850.1075; Lepomis macrochirus; 96 h
EC50 Daphnia 1	2.9 mg/l OECD 202; Daphnia magna; 48 h
ErC50 (algae)	127.9 mg/l 88/302/EWG; Desmodesmus subspicatus; 72 h
NOEC chronic fish	0.23 mg/l Oncorhynchus mykiss; 72 d
NOEC chronic crustacea	0.5 mg/l Ceriodaphnia sp.; 7 d
NOEC chronic algae	2.4 mg/l 88/302/EWG; Desmodesmus subspicatus; 3 d
Sodium Silicate (1344-09-8)	
LC50 fishes 1	1108 mg/l OECD 203, Brachydanio rerio,
EC50 Daphnia 1	1700 mg/l Daphnia magna
EC50 other aquatic organisms 1	> 348 mg/l Pseudomonas putida
ErC50 (algae)	207 mg/l Scenedesmus subspicatus
Sodium Carbonate Peroxide (15630-89-4)	
LC50 fishes 1	70.7 mg/l Pimephales promelas; 96 h
EC50 Daphnia 1	4.9 mg/l Daphnia pulex; 48 h
NOEC chronic crustacea	2 mg/l
C14-15 Pareth-n (68951-67-7)	
LC50 fishes 1	< 1 mg/l
LC50 other aquatic organisms 1	> 100 mg/l
	> 100 mg/l < 1 mg/l

Persistence and degradability 12.2.

Citric Acid (77-92-9)	
Persistence and degradability	Biodegradable.
Biodegradation	100 % OECD 301 E
Sodium C10-13 Alkyl Benzenesulfonate (6841	1-30-3)
Persistence and degradability	Biodegradable.
Biodegradation	85 % OECD 301 B
C14-15 Pareth-n (68951-67-7)	
Persistence and degradability	The substance is biodegradable. Unlikely to persist.
12.3. Bioaccumulative potential	
Citric Acid (77-92-9)	
Bioaccumulative potential	Not expected to bioaccumulate due to the low log Kow (log Kow < 4).
Sodium C10-13 Alkyl Benzenesulfonate (6841	1-30-3)
BCF fish 1	2 - 1000 l/kg
Log Pow	1.4 OECD 123; 23 °C; pH: 6.1
Bioaccumulative potential	Not expected to bioaccumulate due to the low log Kow (log Kow < 4).
Sodium Silicate (1344-09-8)	
Bioaccumulative potential	Not measured.
Sodium Carbonate Peroxide (15630-89-4)	
Bioaccumulative potential	Not measured.

Safety Data Sheet

452/2040

cording to Regulation (EC) No. 453/2010	
C14-15 Pareth-n (68951-67-7)	
Bioaccumulative potential	Not measured.
12.4. Mobility in soil	
Sodium C10-13 Alkyl Benzenesulfon	ate (68411-30-3)
Log Koc	3.5
12.5. Results of PBT and vPvB as	sessment
P&G PROFESSIONAL ARIEL	
Results of PBT assessment	No presence of PBT and vPvB ingredients
Component	
Citric Acid (77-92-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Sodium C10-13 Alkyl Benzenesulfonate (68411-30-3)	e This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Sodium Silicate (1344-09-8)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Sodium Carbonate Peroxide (15630-89	P-4) PBT: not relevant – no registration required
12.6. Other adverse effects	
Other information	: No other effects known.
SECTION 13: Disposal conside	erations
13.1. Waste treatment methods	
3.1.1. Regional legislation (waste)	: Disposal must be done according to official regulations.
13.1.2 Disposal recommendations	The waste codes/waste designations below are in accordance with EWC. Waste must be delivered to an approved waste disposal company. The waste is to be kep separate from other types of waste until its disposal. Do not throw waste product into the sewer. Where possible recycling is preferred to disposal or incineration. For handling waste, see measures described in section 7. Empty, uncleaned packaging need the same disposal considerations as filled packaging.
13.1.3 EURAL Waste code product	 20 01 29* - detergents containing dangerous substances 15 01 10* - packaging containing residues of or contaminated by dangerous substances
SECTION 14: Transport inform	nation
I4.1. UN number	
Not applicable	

Not appli	Cable
14.2.	UN proper shipping name
Not appli	cable
14.3.	Transport hazard class(es)
Not appli	cable
14.4.	Packing group
Not appli	cable
14.5.	Environmental hazards
Not appli	cable
14.6.	Special precautions for user
Not appli	cable
14.7.	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not appli	cable

SECTION 15: Regulatory information	
Ingredient label	: 15-30% Oxygen-based bleaching agents; 5-15% Anionic surfactants; <5% Non-ionic
	surfactants Phoenbonates Polycarboxylates Zeolites: Enzymes Ontical brighteners

surfactants, Phosphonates, Polycarboxylates, Zeolites; Enzymes, Optical brighteners, Perfumes, Hexyl cinnamal.

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

CESIO recommendations	: The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.		
Other information, restriction and prohibition egulations	 Regulation (EC) No. 648/2004 of 31 March 2004 on detergents. Classification according to Regulation (EC) No. 1272/2008 [CLP]. Dangerous Preparations Directive 1999/45/EC. Dangerous Substances Directive 67/548/EEC. Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006. 		
15.1.2. National regulations No additional information available			
15.2. Chemical safety assessment			
No chemical safety assessment has been carrie	ed out		
SECTION 16: Other information			
16.1. Indication of changes	: Not applicable		
Indication of changes			
16.2. Abbreviations and acronyms			
No additional information available			
16.3. Classification and procedure used	to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]		
Classification according to Regulation (EC)			
Eye Irrit. 2	Expert judgment		
	Weight of evidence		
16.4. Relevant R-phrases and/or H-stater	nents (number and full text) for mixture and substances		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4		
Aquatic Acute 1	Hazardous to the aquatic environment — AcuteHazard, Category 1		
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3		
Eye Dam. 1 Eye Irrit. 2	Serious eye damage/eye irritation, Category 1		
Ox. Sol. 3	Serious eye damage/eye irritation, Category 2 Oxidising Solids, Category 3		
Skin Irrit. 2	Skin corrosion/irritation, Category 2		
STOT SE 3	Skin conosion/initiation, Category 2 Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation		
H272	May intensify fire; oxidiser		
H302	Harmful if swallowed		
H315	Causes skin irritation		
H318	Causes serious eye damage		
H319	Causes serious eye damage		
H335	May cause respiratory irritation		
H400	Very toxic to aquatic life		
H412	Harmful to aquatic life with long lasting effects		
R22	Harmful if swallowed		
R36	Irritating to eyes		
R37/38	Irritating to respiratory system and skin		
R38	Irritating to skin		
R41	Risk of serious damage to eyes		
R50	Very toxic to aquatic organisms		
R8	Contact with combustible material may cause fire		

16.5. Training advice

Normal use of this product shall imply use in accordance with the instructions on the packaging.

16.6. Further information

Salts listed in Section 3 without a REACh Registration number are exempt, based on Annex V

SDS P&G CLP

Ν

0

Xi

Xn

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

Dangerous for the environment

Oxidising

Irritant

Harmful