

Product name: TN-210M, TN-230M, TN-240M, TN-270M Toner

Issuing Date: 9-January-2009 Revision Date: 01-November-2015 Version: 6 SDS No: MT402-01-EUUSOTHER

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	
Product name	TN-210M, TN-230M, TN-240M, TN-270M Toner
1.2 Relevant identified uses of the sul	bstance or mixture and uses advised against
Relevant Identified Use(s)	These products are magenta toner in a cartridge for Brother Industries, Ltd. laser printers, multifunction devices and fax receivers. The cartridge should be used as supplied by Brother and for use in the products stated. Information provided on this SDS is only consistent with the use specified by Brother.
1.3 Details of the supplier of the safet	y data sheet
Manufacturer	Brother Industries, Ltd. 15-1 Naeshiro-cho, Mizuho-ku, Nagoya 467-8561, Japan Telephone (for information): +81-52-824-2735
Importer (USA)	Brother International Corporation 200 Crossing Boulevard, Bridgewater, NJ 08807, USA Telephone (for information): +1-877-276-8437
Importer (Canada)	Brother International Corporation (Canada) Ltd. 1 Hotel de Ville, Dollard des Ormeaux, Quebec, H9B 3H6, Canada Telephone (for information): +1-514-685-0600
Importer (Europe)	Brother International Europe Ltd. Brother House, 1 Tame Street, Guide Bridge, Audenshaw, Manchester M34 5JE, UK Telephone (for information): +44-161-330-6531
Importer (Australia)	Brother International (Aust.) Pty. Ltd. ACN 001 393 835 Level 3, Building A, 11 Talavera Road, Macquarie Park, NSW 2113, Australia Telephone (for information): +61-2-9887-4344
E-mail Address	sds.info@brother.co.jp
1.4 Emergency telephone number	
Emergency Telephone (24 hours)	CHEMTREC +1-703-527-3887 (International) +1-800-424-9300 (North America)
	For France only: Antipoison Center telephone number: ORFILA +33-1-45-425-959



Product name: TN-210M, TN-230M, TN-240M, TN-270M Toner

Issuing Date: 9-January-2009 Revision Date: 01-November-2015 Version: 6 SDS No: MT402-01-EUUSOTHER

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Not classified as hazardous

Classification according to Directive 1999/45/EC

Not classified as hazardous

Australia Classification

Not classified as hazardous according to the criteria of NOHSC

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008

Hazard pictograms None

Signal Word None

Hazard Statements None

Precautionary statements None

2.3 Other hazards

This product contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This product contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description of the mixture: Styrene-acrylate Toner (Mixture).

Chemical Name	CAS-No	EC-No	w/w%	Classification (EU Reg. 1272/2008)
Styrene-acrylate copolymer	25767-47-9	-	82-86	Not classified
Fatty Acid Ester	**	-	3-7	Not classified
Pigment	**	**	2-5	Not classified
Pigment	**	**	1-3	Not classified
Pigment	**	**	<1	Not classified
PMMA	9011-14-7	-	1-3	Not classified
Silicon Dioxide (amorphous)	112945-52-5	231-545-4	<3	Not classified
Styrene-acrylate Resin	**	-	<2	Not classified
Silicon Dioxide (amorphous)	844491-94-7	430-570-1	<1	Not classified

For the full text of R-phrases and H-Statements see Section 16

** CONFIDENTIAL



Product name: TN-210M, TN-230M, TN-240M, TN-270M Toner

SECTION 4: First aid measures 4.1 Description of first aid measures General advice If symptoms persist, obtain medical attention. Inhalation Obtain immediate medical attention. In case of accident by inhalation remove casualty to fresh air and keep at rest. Skin contact Remove contaminated clothing immediately and wash affected skin with plenty of water or soap and water. Eye contact Obtain medical attention. If substance has got into the eyes, immediately wash out with plenty of water for at least 15 minutes. Ingestion Obtain immediate medical attention. Wash out mouth with water and give 100-200 ml of water to drink. Inhalation (dust): For large quantities: May cause irritation to the respiratory system. Increased 4.2 Most important symptoms and effects, both acute and delayed difficulty in breathing. Sneezing. Coughing. Eye contact: May cause eye irritation. Ingestion: May cause stomach ache. Unlikely route of exposure. 4.3 Indication of any immediate Treat symptomatically. medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable Extinguishing Media	Extinguish preferably with dry chemical, carbon dioxide, water spray, foam.
Unsuitable Extinguishing Media	Do not use water jet.
5.2 Special hazards arising from the substance or mixture	May form explosible dust clouds in air.
5.3 Advice for firefighters	Do not use high-pressure water in order to prevent creating a dust cloud and spreading fire dust. Use appropriate respirator for carbon monoxide and carbon dioxide. Wear positive pressure self-contained breathing apparatus (SCBA) during the attack phase of firefighting operations and during cleanup in enclosed or poorly ventilated areas immediately after a fire. Personnel not having suitable respiratory protection must leave the area to prevent significant exposure to toxic combustion gases from any source.



Product name: TN-210M, TN-230M, TN-240M, TN-270M Toner

Issuing Date: 9-January-2009 Revision Date: 01-November-2015 Version: 6 SDS No: MT402-01-EUUSOTHER

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures	Avoid generation of dust. Do not breathe dust. A suitable dust mask or dust respirator with filter type A/P may be appropriate.
6.2 Environmental precautions	Prevent substance entering sewers. Washings must be prevented from entering surface water drains.
6.3 Methods and materials for containment and cleaning up	Sweep the spilt toner or remove it with a vacuum cleaner and transfer into a sealed container carefully. Sweep slowly to minimize generation of dust during cleanup. If a vacuum cleaner is used, the motor must be rated as dust explosion proof. Potential for very fine particles to be taken into the vacuum only to be passed back into the environment due to pore size in the bag or filter.
6.4 Reference to other sections	For personal protection: See section 8. For disposal considerations: See section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling	Keep out of the reach of children. Avoid generation of dust. Avoid inhalation of high concentrations of dust. Avoid contact with eyes.
7.2 Conditions for safe storage, including any incompatibilities	Keep away from oxidizing agents.
7.3 Specific end use(s)	These products are magenta toner in a cartridge for Brother Industries, Ltd. laser printers, multifunction devices and fax receivers. This cartridge should be used as supplied by Brother and for use in the products stated.

SECTION 8: Exposure controls/personal protection

8.1 Control Parameters

Occupational Exposure Limits

Chemical Name	Silicon Dioxide (amorphous) 112945-52-5
	112343-32-3
ACGIH TLV	-
OSHA PEL	20mppcf 80(mg/m³)/%SiO ₂
European Union	-
Austria	TWA: 4 mg/m ³
Chemical Name	Silicon Dioxide (amorphous)
	844491-94-7
ACGIH TLV	<u>-</u>
OSHA PEL	20mppcf 80(mg/m ³)/%SiO ₂
European Union	-

Additional information

USA OSHA PEL (TWA): 15 mg/m³ (Total Dust) 5mg/m³ (Respirable Fraction). ACGIH TLV (TWA): 10 mg/m³ (Inhalable particles) 3 mg/m³ (Respirable particles)



Product name: TN-210M, TN-230M, TN-240M, TN-270M Toner

Issuing Date: 9-January-2009 Revision Date: 01-November-2015 Version: 6 SDS No: MT402-01-EUUSOTHER

8.2 Exposure controls

Appropriate engineering controls	Good general ventilation should be sufficient under normal use.
Personal protective equipment	Not normally required. For use other than in normal operating procedures (such as in the event of large spill), the following should be applied:
Eye Protection Hand Protection	Safety goggles. Protective gloves.
Skin and body protection	Long sleeved clothing and long pants.
Respiratory protection	Dust mask. (Large spillages: Respirator).
Environmental Exposure Controls	Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance Physical state	Powder
Color	Magenta
Odor Odor Threshold pH Melting point/freezing point Initial boiling point and boiling range Flash Point Evaporation rate Flammability (solid, gas) Upper/lower flammability or explosive limits Vapor pressure Vapor density Relative density Solubility(ies) Partition coefficient: n-octanol/water Auto-ignition temperature	OdorlessNo information availableNot applicable110 °C (Melting point)Not applicableNot applicableNot applicableNot applicable95 - 100 g/m³ (lower)Not applicableNot applicableNo information availableNo information available
Decomposition temperature Viscosity	No information available Not applicable
Explosive properties Oxidizing properties	Explosive limits of toner particles suspended in air approximately equal to that of coal dust. No information available

9.2 Other information

No information available.



Issuing Date: 9-January-2009 Revision Date: 01-November-2015 Version: 6 SDS No: MT402-01-EUUSOTHER

Product name: TN-210M, TN-230M, TN-240M, TN-270M Toner

SECTION 10: Stability and reactivity		
10.1 Reactivity	No information available.	
10.2 Chemical stability	Stable.	
10.3 Possibility of hazardous reactions	No information available.	
10.4 Conditions to avoid	Keep at a temperature not exceeding 200 °C. Avoid friction, sparks, or other means of ignition.	
10.5 Incompatible materials	Strong oxidizing agents.	
10.6 Hazardous decomposition products	Contains: Carbon monoxide, Carbon dioxide and Nitrogen oxides.	

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute	toxicity
-------	----------

Inhalation	No information available. No information available.
Eye contact	No information available.
Skin contact	
Ingestion	No information available.
Skin corrosion/irritation	No information available.
Serious eye damage/irritation	No information available.
Respiratory or skin sensitisation	No information available.
Mutagenicity	Ames test: Negative. [†] (Method: OECD#471)
Mutagementy	Anies lesi, Negalive. (Method. OLOD#411)
Carcinogenicity	Ingredients of this product have not been classified as carcinogens according to IARC monographs, NTP and OSHA.

[†] This assessment is based on information available on similar products.



Issuing Date: 9-January-2009 Revision Date: 01-November-2015 Version: 6 SDS No: MT402-01-EUUSOTHER

Product name: TN-210M, TN-230M, TN-240M, TN-270M Toner

SECTION 12: Ecological information		
12.1 Toxicity	No information available.	
12.2 Persistance and degradability	No information available.	
12.3 Bioaccumulative potential	No information available.	
12.4 Mobility in soil	No information available.	
12.5 Results of PBT and vPvB assessment	This product contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This product contains no substance considered to be very persistent nor very bioaccumulating (vPvB).	
12.6 Other adverse effects	No information available.	

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Do not put toner or toner cartridges into a fire, this can cause fire to spread with the risk of causing burn injuries. Shred toner cartridges in a dust/explosion controlled environment. Finely dispersed particles may form explosive mixtures in the air. Dispose of in accordance with Federal, State, and local regulations.

SECTION 14: Transport information

Not classified according to the United Nations "Recommendations on the Transport of Dangerous Goods"

14.1 UN Number	None
14.2 UN proper shipping name	None
14.3 Transport hazard class(es)	None
14.4 Packing Group	None
14.5 Environmental hazards	None
14.6 Special precautions for user	None
14.7 Transport in bulk according to Annex II of Marpol 73/78 and the IBC Code	Not applicable

Not regulated under DOT, IMDG, ADR, RID, IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
EU:Not classified as dangerous for supply/use. (1999/45/EC)
USA: All chemical substances contained in this product are and had been listed on the TSCA Chemical Substances Inventory, and none is subject to any of the following TSCA requirements: section 4 test rules; proposed or final section 5(a)(2) significant new use rules; section 5(e) consent orders; section 8(a) preliminary assessment information rules; and section 8(d) health and safety data reporting rules.
Canada: WHMIS: Not applicable. (Manufactured article)



Product name: TN-210M, TN-230M, TN-240M, TN-270M Toner

Issuing Date: 9-January-2009 Revision Date: 01-November-2015 Version: 6 SDS No: MT402-01-EUUSOTHER

SECTION 16: Other information		
Full text of R-phrases referred to under sections 2 and 3	None	
Full text of H-Statements referred to under sections 2 and 3	None	
Additional information	The information relates only to this product. It may not be valid, if used in combination with any other materials or in any other process, and it is based on our best knowledge as of the date of preparation (revision).	
Revision Note	Section 3	
References:	U.S. 29CFR Part 1910 ACGIH Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices IARC Monographs on the Evaluation Carcinogenic Risks to Humans World Health Organization EU Directive 91/322/EEC and 2000/39/EC NTP 11th Report on Carcinogens	
Abbreviations:	ACGIH: American Conference of Governmental Industrial Hygienists ADR: European Agreement concerning the International carriage of Dangerous goods by Road (EU) DOT: Department Of Transportation (US) IARC: International Agency for Research on Cancer IATA: International Air Transport Association IMDG: International Maritime Dangerous Goods NOHSC: National Occupational Health and Safety Commission (Australia) NTP: National Toxicology Program (US) OSHA: Occupational Safety and Health Administration (US) PEL: Permissible Exposure Limit RID: Regulations concerning the International carriage of goods by Rail (EU) STEL: Short Term Exposure Limit TLV: Threshold Limit Value (ACGIH) TSCA: Toxic Substances Control Act (US) TWA: Time Weighted Average WHMIS: Workplace Hazardous Material Information System (Canada)	