



SAFETY DATA SHEET
ecoforce Floor Maintainer

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name ecoforce Floor Maintainer
Product number 11510
Container size 2 x 5 litre containers

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cleaning agent.

1.3. Details of the supplier of the safety data sheet

Supplier Ecoforce
Oakley Gardens
Bouncers Lane
Cheltenham
Gloucestershire, GL52 5JD
England
General Enquiries Tel. +44 (0)1242 537177 (UK, Mon - Fri 8:00am - 5:00pm), Emergency Tel. +44 (0)1242 537177 (UK, Mon - Fri 8:00am - 5:00pm)
ecoforceproducts.co.uk
Contact person Laboratory

1.4. Emergency telephone number

Emergency telephone +44 (0)1242 537177 GMT 9am-5pm Monday-Friday

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification

Physical hazards

Not Classified

Health hazards

Eye Dam. 1 - H318 Elicitation - EUH208

Environmental hazards

Not Classified

Classification (67/548/EEC or 1999/45/EC)

Human health

Prolonged or repeated contact with skin may cause irritation, redness and dermatitis.

Environmental

The product is not expected to be hazardous to the environment.

2.2. Label elements

Pictogram

ecoforce Floor Maintainer



Signal word Danger

Hazard statements

H318 Causes serious eye damage.
 EUH208 Contains Perfume. May produce an allergic reaction.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER/doctor.

Contains NONIONIC SURFACTANT C9-C11 alcohol + 8 EO

WHMIS Label Not Classified According to WHMIS.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

<p>NONIONIC SURFACTANT C9-C11 alcohol + 8 EO 1-5% CAS number: 68439-46-3 EC number: —</p>
<p>Classification Classification (67/548/EEC or 1999/45/EC) Eye Dam. 1 - H318 Xn;R22. Xi;R41. Acute Tox. 4 - H302</p>
<p>Perfume <1% CAS number: — EC number: —</p>
<p>Classification Classification (67/548/EEC or 1999/45/EC) Skin Sens. 1 - H317 - Aquatic Chronic 3 - H412</p>
<p>SODIUM HYDROXIDE <1% CAS number: 1310-73-2 EC number: 215-185-5</p>
<p>Classification Classification (67/548/EEC or 1999/45/EC) Skin Corr. 1A - H314 C;R35</p>

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.

Ingestion

Remove affected person from source of contamination. Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention.

Skin contact

Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and

ecoforce Floor Maintainer

water. Get medical attention if irritation persists after washing.

Eye contact

Remove any contact lenses and open eyelids wide apart. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Continue to rinse for at least 15 minutes. Get medical attention immediately. Continue to rinse.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation

No specific symptoms known.

Ingestion

May cause stomach pain or vomiting.

Skin contact

Prolonged contact may cause redness, irritation and dry skin.

Eye contact

May cause temporary eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Extinguish with foam, carbon dioxide, dry powder or water fog.

5.2. Special hazards arising from the substance or mixture

Specific hazards

No unusual fire or explosion hazards noted.

Hazardous combustion products

Does not decompose when used and stored as recommended.

5.3. Advice for firefighters

Protective actions during firefighting

Control run-off water by containing and keeping it out of sewers and watercourses.

Special protective equipment for firefighters

Use air-supplied respirator, gloves and protective goggles.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions

Wear protective clothing, gloves, eye and face protection.

6.2. Environmental precautions

Environmental precautions

Do not discharge into drains or watercourses or onto the ground. Contain spillage with sand, earth or other suitable non-combustible material.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Absorb in vermiculite, dry sand or earth and place into containers. Containers with collected spillage must be properly labelled with correct contents and hazard symbol.

6.4. Reference to other sections

Reference to other sections

For waste disposal, see Section 13.

ecoforce Floor Maintainer

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions

Read and follow manufacturer's recommendations.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions

Store in tightly-closed, original container in a dry and cool place.

Storage class

Chemical storage.

7.3. Specific end use(s)

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

SODIUM HYDROXIDE

Long-term exposure limit (8-hour TWA): WEL

Short-term exposure limit (15-minute): WEL 2 mg/m³

WEL = Workplace Exposure Limit

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

No special ventilation requirements.

Eye/face protection

Wear chemical splash goggles.

Hand protection

Wear protective gloves. It is recommended that chemical-resistant, impervious gloves are worn.

Other skin and body protection

Wear suitable protective clothing as protection against splashing or contamination.

Hygiene measures

When using do not eat, drink or smoke.

Respiratory protection

Respiratory protection not required.

Environmental exposure controls

Keep container tightly sealed when not in use.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance

Translucent. Liquid.

Colour

Green.

Odour

ecoforce Floor Maintainer

Perfume.

Odour threshold

Not available.

pH

pH (concentrated solution): 7.0

Melting point

Not available.

Initial boiling point and range

Not available.

Flash point

Not available.

Evaporation rate

Not available.

Evaporation factor

Not available.

Upper/lower flammability or explosive limits

Not available.

Other flammability

Not available.

Vapour pressure

Not available.

Vapour density

Not available.

Relative density

1.005 @ °C

Bulk density

Not available.

Solubility(ies)

Soluble in water.

Partition coefficient

Not available.

Auto-ignition temperature

Not available.

Decomposition Temperature

Not available.

Viscosity

<10 cP @ 20°C

Explosive properties

Not available.

Explosive under the influence of a flame

Not considered to be explosive.

Oxidising properties

Not available.

Comments

Information declared as "Not available" or "Not applicable" is not considered to be relevant to the implementation of the proper control measures.

9.2. Other information

ecoforce Floor Maintainer**Other information**

Not known.

SECTION 10: Stability and reactivity**10.1. Reactivity**

Reacts violently with strong acids.

10.2. Chemical stability**Stability**

Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Under normal conditions of storage and use, no hazardous reactions will occur.

10.4. Conditions to avoid

Avoid exposure to high temperatures or direct sunlight.

10.5. Incompatible materials**Materials to avoid**

Strong acids.

10.6. Hazardous decomposition products

Not known.

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Toxicological effects**

No data recorded.

Acute toxicity - oral

Not available.

ATE oral (mg/kg)

11,314.77709889

Acute toxicity - dermal

Not available.

Acute toxicity - inhalation

Not available.

Serious eye damage/irritation

Not available.

Respiratory sensitisation

Not available.

Skin sensitisation

Not available.

Germ cell mutagenicity**Genotoxicity - in vitro**

Not available.

Genotoxicity - in vivo

Not available.

Carcinogenicity

Not available.

Reproductive toxicity**Reproductive toxicity - fertility**

Not available.

ecoforce Floor Maintainer

Reproductive toxicity - development

Not available.

Specific target organ toxicity - single exposure

STOT - single exposure

Not available.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure

Not available.

Aspiration hazard

Not known.

Inhalation

Unlikely to be hazardous by inhalation because of the low vapour pressure of the product at ambient temperature.

Ingestion

May cause stomach pain or vomiting.

Skin contact

Prolonged skin contact may cause redness and irritation.

Eye contact

May cause temporary eye irritation.

Target organs

No specific target organs known.

SECTION 12: Ecological Information

Ecotoxicity

There are no data on the ecotoxicity of this product.

12.1. Toxicity

12.2. Persistence and degradability

Persistence and degradability

The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

12.3. Bioaccumulative potential

No data available on bioaccumulation.

Partition coefficient

Not available.

12.4. Mobility in soil

Mobility

The product is soluble in water.

12.5. Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information

Waste should be treated as controlled waste.

ecoforce Floor Maintainer

Disposal methods

Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

SECTION 14: Transport information

General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).
Road transport notes	Not classified.
Rail transport notes	Not classified.
Sea transport notes	Not classified.
Air transport notes	Not classified.

14.1. UN number

No information required.

14.2. UN proper shipping name

No information required.

14.3. Transport hazard class(es)

No information required.

14.4. Packing group

No information required.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not known.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended).

EU legislation

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Detergents Regulations (EC) No 648/2004

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Issued by	Health & Safety Officer
Revision date	01/06/2015
Revision	9
Supersedes date	06/07/2013
SDS number	2
Risk phrases in full	

ecoforce Floor Maintainer

NC Not classified.
R22 Harmful if swallowed.
R41 Risk of serious damage to eyes.

Hazard statements in full

EUH208 Contains Perfume. May produce an allergic reaction.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H412 Harmful to aquatic life with long lasting effects.

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.