# Material Safety Data Sheet

Date of issue: 2012-04-03

Revision Date: -

# 1. Identification of the mixture and of the company

Product name : Ink for EQ-1.0 Black Company : ZEBRA CO., LTD.

2-9 Higashi-gokencho Shinjuku-ku Tokyo JAPAN

TEL: +81-3-3268-1193 FAX: +81-3-3268-1197 Emergency telephone : +81-3-3268-1193

This phone number is available only during office hours: 9 a.m. to half past 5 p.m.

(Japan time)

Product use : Infill Ink for writing implement

# 2. Hazards identification

#### **GHS** classification

## Physical hazards

Flammable liquids

Pyrophoric liquids

Self-heating mixtures

Corrosive to metals

Not classified

Not classified

Not classified

Not classified

Health hazards

Acute toxicity-Oral Category 5
Acute toxicity-Dermal Not classified

Acute toxicity-Inhalation: vapour Classification not possible Acute toxicity-Inhalation: mist Classification not possible

Skin corrosion / irritation Category 3
Serious eye damage / eye irritation Category 2

Respiratory or skin sensitization Classification not possible Category 1

Germ cell mutagenicity

Carcinogenicity

Not classified

Reproductive toxicity

Category 1B

Specific target organ toxicity (Singel exposure) Category 2 (respiratory organs, nerve center, heart, kindney)

Category 3 (respiratory tract irritation, narcotic effects)
Category 2 (respiratory organs, nerve center, heart)

Specific target organ toxicity(Repeated exposure) Category 2 (respiratory organs, nerve

Aspiration hazard Classification not possible

#### **Environmental hazards**

Hazardous to the aquatic environment(acute)

Hazardous to the aquatic environment(chronic)

Not classified

Not classified

#### GHS label elements

# Pictograms or Symbol

Exclamation mark Health Hazard







Danger

#### Hazard statement

- •May be harmful if swallowed
- May cause an allergic skin reaction
- Causes serious eye irritation
- Causes mild skin irritation
- May cause respiratory irritation
- •May damage fertility or the unborn child
- May cause damage to organs
- May cause damage to organs (respiratory organs, nerve center, heart, kindney)
- May cause damage to organs (respiratory organs, nerve center, heart) through prolonged or repeated exposure

#### **Precautionary Statements**

#### Prevention

- •Read label and Material Safety Data Sheet before use.
- Obtain special instructions before use
- •Do not handle until all safety precautions have been read and understood
- Do not breathe dust/vapours
- •Do not eat, drink or smoke when using this product
- Use only outdoors or in a well-ventilated area
- Contaminated work clothing should not be allowed out of the workplace
- •Wear protective gloves/eye protection.
- ·Wash hand throughly after handling
- Avoid release to the environment

## Response

- •IF exposed or concerned: Get medical advice/attention
- •IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- •Get Medical advice/attention if you feel unwell
- •IF ON SKIN: Wash with soap and water
- •If skin irritation or a rash occurs: Get medical advice/attention
- •IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do . Continue rinsing
- •If eye irritation persists : Get medical advice/attention
- Wash contaminated clothing before reuse

#### Storage

•Store in a well ventilated place. Keep cool and container tightly closed.

#### Disposal

•Dispose of contents/container to in accordance with local government regulation.

# 3. Composition/information on ingredients

## Mixture

# Component and Amount

Reference Number in Gazetted List in Japan

Component	Amount	CAS No. (Ja	panese Chemical Substances Control Act)
Dyes	25-30%	Nondisclosure	Nondisclosure(registered)
<b>Pigments</b>	0-5%	Nondisclosure	Nondisclosure(registered)
Resins	0-5%	Nondisclosure	Nondisclosure(registered)
Glycerol	5-10%	56-81-5	(2)-242

2012-04-03 Ink for EQ-1.0 Black

Ethylenglycol 25-30% 122-99-6 (9)-1277monophenyleth 5-10% 100-51-6 (3)-1011Benzyl alchol

15-20% Water

Additives 5-10% Nondisclosure Nondisclosure(registered)

# 4. First-aid measures

#### After inhalation:

Call a doctor/physician if you feel unwell.

Remove victim to fresh air and keep at rest in a position comfortable for breathing.

#### After skin contact:

Call a doctor/physician if you feel unwell.

Wash with soap and water

If skin irritation or a rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

#### After eye contact:

If in eyes: Rinse continuously with water for several minutes.

Remove contact lenses if present and easy to do - continue rinsing

If eye irritation persists: Get medical advice/attention

#### After ingestion:

Call a doctor/physician if you feel unwell.

#### Protection of the person who takes first aid

Nothing in particular.

#### 5. Fire-fighting measures

#### Suitable Extinguishing media

Carbon dioxide, dry chemical powder, water fog, foam

# Prohibition extinguishing media for safety reason

Water spray (straight)

### Specific hazards

May produce toxic fumes if burning.

#### Specific fire fighting procedures

If safe to do so, move undamaged containers from the fire area.

If can't move the container, cool containers and surrounding with spray water.

Cool containers with large quantities of water until well after extinguished the fire.

# Special protective equipment for fire-fighters

Fire-fighting should be performed from the windward side.

Respiratory protection, and other suitable protective equipment

# 6. Accidental release measures

#### Personal precautions

The pollution area should be established as off limits without concerned persons.

# Protective equipment and emergency measure

Do not touch the leakage or its damaged container without suitable protection.

Do not walk through the leakage.

Keep sufficient ventilation if the area is indoor.

Remove ignition sources.

#### **Environmental precautions**

Keep away from drains, and prevent from releasing to the environment.

#### Methods for cleaning up

Use non-flammable absorbent materials, and put them in airtight container.

Dispose of absorbent in accordance with law.

#### Prevention of secondary disaster

Remove nearby ignition source and hot surface.

Equipped with suitable extinguishing media. (Preparation for in case of ignition)

# 7. Handling and storage

# Handling

#### Technical measures

Do suitable equipment measures and use suitable protection that refer to

"8. Exposure control/ personal protection".

# Local exhaust ventilation and general ventilation

Use local exhaust ventilation and general ventilation that refer to

"8. Exposure control/ personal protection".

#### Caution

When handling do not use high temperature articles, spark and fire.

Handle container with care, do not make it turn over, drop, give impact and drag.

Do not breathe, contact and swallow.

Maintain air concentrations below exposure limit using exhaust ventilation.

Do not eat, drink or smoke when using this product.

Wash hand throughly after handling.

Use only outdoors or in awell-ventilated area.

Avoid release to the environment.

#### Avoid contact

Refer to section 10 about stability and reactivity.

#### Storage

#### Incompatible materials

Refer to section 10 about stability and reactivity.

#### Storage condition

Store away from heat/sparks/open flames - No smoking

Store in a well ventilated place. Keep cool and container tightly closed.

Store locked up.

# The Containers

Use the container that our company filled up when ship products

# 8. Exposure control/ personal protection

#### **Exposure limit values**

	Permissible concentration		Administrative levels
Chemical name	The Japan Society for Occupational Health		Ministry of Health, Labour and Welfare(JAPAN)
Glycerol	Not established	10mg/m3 (mist, TWA, 2009)	Not established
Ethylenglycol monophenylether	Not established	Not established	Not established
Benzyl alchol	Not established	Not established	Not established

#### Equipment measures

Put up local exhaust ventilation. Use explosion-proof electrical/ventilating/lighting.

Take precautionary measures against static discharge.

Put up emergency eyewash and shower in case of storage or handling about this product.

#### **Protection**

#### Respiratory protection

Use suitable respiratory protection.

#### Hand protection

Use suitable protective gloves.

#### Eye protection

Use suitable eye protection.

# Skin/body protection

Use suitable face protection.

### Hygiene measures

Do not eat ,drink or smoke when using this product.

Wash thoroughly after handling.

# 9. Physical and chemical properties

Appearance Black Liquid
Odour Peculiar odour
pH No data available
Melting point / Coagulating point No data available

**Boinling point**No data available (reference:ethyleneglycol monophenyl ether 245.2°C) **Flash point**No data available (reference:ethyleneglycol monophenyl ether 127°C)

**Explosive limit UEL** No data available **Explosive limit LEL** No data available Vapour pressure No data available No data available Vapour density Specific gravity No data available Water solubility No data available Partition coefficient n-octanol/water No data available Igniton point No data available No data available Decomposition point

# 10. Stability and reactivity

Chemical stability This product is stable in normal condition.

Materials to AvoidStrong oxidizing agentConditions to avoidHigh temperatureIncompatible materialsStrong oxidizing agentHazardous decomposition productsNothing in particular.

# 11. Toxicological information

Acute toxicity-Oral Category 5
Acute toxicity-Dermal Not classified

Acute toxicity-Inhalation: vapourClassification not possibleAcute toxicity-Inhalation: mistClassification not possible

Skin corrosion / irritationCategory 3Serious eye damage / eye irritationCategory 2

Respiratory or skin sensitization Classification not possible / Category 1

Germ cell mutagenicityNot classifiedCarcinogenicityNot classifiedReproductive toxicityCategory 1B

Specific target organ toxicity(Singel exposure) Category 2(respiratory organs, nerve center, heart, kindney)

Category 3 (respiratory tract irritation, narcotic effects)

Specific target organ toxicity(Repeated exposure)

Category 2 (respiratory organs, nerve center, heart)

Aspiration hazard

Classification not possible

#### 12. Ecological information

Hazardous to the aquatic environment(acute)

Hazardous to the aquatic environment(chronic)

Not classified

Not classified

DegradabilityNo data is availableBioaccumulative potentialNo data is availableMobility in soilNo data is available

# 13. Disposal considerations

#### Waste residues

Disposal must be made according to official regulations.

Avoid release to the environment.

# Contaminated container and packaging

Do not flush into the sewer.

Remove all contents when you dispose of empty containers.

# 14. Transport information

The contents are as follows when transport only ink

## International regulation

IMDG (maritime transport)

UN No.	Not applicable
Class	_
Packing Group	-
Marine Pollutant	_

### ICAO/IATA (air transport)

UN No. Not applicable
Class –
Packing Group –

# Special precautions

Prevent from falling, stumbleing and doing damage when the container loading..

Avoid acute vibration and friction for container.

If there are some indications of hazard in transporting like acute leak in transporting,

take emergency measures and report the accident at once to disaster management agency.

Avoid transport with foods or feeds.

Above regulations are applied to transport of writing instruments filled with the ink.

# 15. Regulatory information(Japan)

Industrial Safety and Health Act

# Article 57-2 paragraph (1) "notifiable substances"

Applicable

Triethanolamine

Ethylene glycol

Order for Enforcement Article 1, 6, 9-3 Appended Table 1 item(IV)

dangerous substances •inflammable substances

Not applicable

Poisonous and Deleterious Substances Control Law

Article 2 Appended Table 1 and 2

Not applicable

Act on confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management There of

Article 2 Class I, II Designated Chemical Substances

Not applicable

Fire Service Law

Article 2 paragraph (7) hazardous material Appended Table 1

Category IV Class III petroleums water-insoluble

Ship Safety Act

Regulations for the carriage and storage of dangerous goods in ship Article 2, 3 dangerous goods public notice Appended Table 1

Not applicable

Civil Aviation Law

Ordinance for Enforcement Article 194 dangerous goods public notice Appended Table 1

Not applicable

# 16. Other information

In this sheet, the contents of ingredients and the value of physical and chemical properties are not guaranteed performance.

The information contained in this sheet is based on the data available at now.

But this shall not constitute a guarantee for any specific or classification.

Please be alert to handling this product because chemicals shall have unknown hazards.

This sheet may be revised when we get new information.

The information is assumed in the case of large-scale handling on business operations.

They cannot be always applicable to general use of writing instruments.

#### Reference

Globally Harmonized System of Classification and Labelling of Chemicals (GHS) second revised edition 2007 Recommendation of Occupational Exposure Limits(2009–2010) by The Japan Society for Occupational Health 2009 TLVs and BEIs by ACGIH