





T5 LongLast™ - High Efficiency, G5 Cap FT5/14W/827/GE/LL/SL1/30

61086

## **Product information**

T5 LongLast™ lamps are triphosphor fluorescent lamps with 16mm outer diameter (5/8 of an inch). These lamps feature "Starcoat™ Technology" that delivers high quality triphosphor performance. GE produces two ranges of T5 LongLast™ lamps in 4 different lengths:

- High Efficiency offering high lumens per watt
- High Output offering improved lumen package

#### **Application areas**



Retail



Office



Education



Industrial









### **Product data**

G5
Tubular
16
16
549
52
68
2.5
Exempt
EUP related
General Electric (GE)

### Performance data

827
85
2700
1350
1230
99
A
30000
36000
30000
15





## **Electrical data**

Nominal power [W]	14
Design Ambient Temperature [°C]	35
Design Lamp ambient temperature [°C]	35
Starting ambient temperature range	-15
Dimming Capability	Yes


## Logistic data


DUN Code	10043168610862
EAN Code	0043168902304
Pack Quantity	30
Inner pack type	SLEEVE
Outer pack type	OUTER BOX
Layer quantity	360 EUR, 480 UK
Layer quantity EUR	360
Layer quantity UK	480
Pallet quantity EUR (PC)	3600
Pallet quantity UK (PC)	4800
Outer case size	590 x 120 x 102 (mm)
Product status	Available






## **Technical drawing**






#### Lumen maintenance data








#### Survival data



#### Service life data







# T5 LongLast™ - High Efficiency, G5 Cap FT5/14W/827/GE/LL/SL1/30

61086

#### **Downloads & Links**

Go to the catalog site (HTTP)

Linear Fluorescent Lamps Catalogue (PDF)

LFL T5 LongLast™ Lamps - Data sheet (EN) (PDF)

Lighting design tools & calculators (HTTP)

High-res images / Technical drawings (HTTP)

Certificate for the Quality Management System of GE Lighting EMEA (PDF)

Certificate for the Environmental Management System of GE Lighting EMEA (PDF)