




GE
Lighting



52
kWh/1000h

E
energy class

MR16 Mains Alutech™ - Coloured

OT@Q50MR16 240V GU10 BLUE GEST BX
1/10

12995

Product information

Mains voltage halogen reflector lamp with aluminium coated reflector directs most of its heat to the front. With their distinct MR16 look, the cool beam and aluminium lamps are the most compact lamps of their kind available. Because the lamps can be connected directly to the mains supply, the use of bulky and costly transformers is not necessary and offers benefits for both consumers as well as luminaire manufacturers.

Application areas



Home



Hospitality



Product data

Cap/Base	GU10
Bulb Shape	Mirrored reflector
Bulb Diameter [mm]	50
Maximum Overall Length [mm]	55
Net weight per piece [g]	48
Gross weight per piece [g]	63
Brand	General Electric (GE)

Performance data

Colour Rendering Index (CRI) [Ra]	100
Nominal correlated colour temperature (CCT) [K]	1
Nominal beam angle [°]	36
Nominal center beam candlepower (CBCP) [cd]	600
Energy efficiency class (EEC)	E
Rated Life [h]	1500
Weighted energy consumption [kWh/1000h]	51.2

Electrical data

Nominal power [W]	50
Nominal lamp voltage [V]	240
Coil type	CC-2V
Dimming Capability	Yes

Logistic data

DUN Code	20043168129958
EAN Code	0043168129954
Pack Quantity	10
Layer quantity	800 EUR, 1200 UK
Layer quantity EUR	800
Layer quantity UK	1200
Pallet quantity EUR (PC)	2400
Pallet quantity UK (PC)	3600
Outer case size	270 x 110 x 66 (mm)
Product status	Marked for phase-out

Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Halogen Lamps Spectrum Catalogue \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[High-res images / Technical drawings \(HTTP\)](#)

[Certificate for the Quality Management System of GE Lighting EMEA \(PDF\)](#)

[Certificate for the Environmental Management System of GE Lighting EMEA \(PDF\)](#)