



GE
Lighting



-1
kWh/1000h

PAR 36

4594 28.0V

24891

Product information

PAR lamps provide a robust and flexible design solution for a wide range of applications. Choice of PAR36, PAR46, PAR56 or PAR64

- 3000 K or 4200 K colour temperature
- Choice of beam widths
- Excellent colour rendering
- High efficiency combined with low operating costs
- Robust and reliable
- UV control
- Easy retrofit
- Colour consistent throughout life
- Colour blends with halogen and fluorescent

Application areas



Club and Disco



Product data

Cap/Base	Screw terminal
Bulb Shape	PAR
Bulb Diameter [mm]	114.3
Maximum Overall Length [mm]	70
Net weight per piece [g]	233
Gross weight per piece [g]	251
Brand	General Electric (GE)

Performance data

Nominal beam angle [°]	19
Nominal center beam candlepower (CBCP) [cd]	70000

Electrical data

Nominal power [W]	100
Nominal lamp voltage [V]	28
Lamp Current [A]	3.57
Coil type	CC-6
Ballast Required	Yes

Logistic data

DUN Code	00043168248914
Pack Quantity	12
Layer quantity	144 EUR, 192 UK
Layer quantity EUR	144
Layer quantity UK	192
Pallet quantity EUR (PC)	432
Pallet quantity UK (PC)	576
Outer case size	311 x 226 x 313 (mm)
Product status	Available

Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Entertainment Solution Spectrum Catalogue \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[High-res images / Technical drawings \(HTTP\)](#)

[Certificate for the Quality Management System of GE Lighting EMEA \(PDF\)](#)

[Certificate for the Environmental Management System of GE Lighting EMEA \(PDF\)](#)

Disclaimer

Special Purpose Lamp, Not suited for household illumination