



GE  
Lighting



-1  
kWh/1000h

PAR 46  
4537-2 13.0V  
**40822**

## Product information

PAR lamps provide a robust and flexible design solution for a wide range of applications. Choice of PAR36, PAR46, PAR56 or PAR64

- 3000 K or 4200 K colour temperature
- Choice of beam widths
- Excellent colour rendering
- High efficiency combined with low operating costs
- Robust and reliable
- UV control
- Easy retrofit
- Colour consistent throughout life
- Colour blends with halogen and fluorescent

## Application areas



Club and Disco



## Product data

Cap/Base	Screw terminal
Bulb Shape	PAR
Bulb Diameter [mm]	146
Maximum Overall Length [mm]	80
Net weight per piece [g]	408
Gross weight per piece [g]	410
Brand	General Electric (GE)

## Performance data

Nominal beam angle [°]	15
Nominal center beam candlepower (CBCP) [cd]	200000

## Electrical data

Nominal power [W]	100
Nominal lamp voltage [V]	13
Lamp Current [A]	7.69
Coil type	C-6
Ballast Required	Yes

## Logistic data

DUN Code	00043168408226
Pack Quantity	12
Layer quantity	144 EUR, 1 UK
Layer quantity EUR	144
Layer quantity UK	1
Pallet quantity EUR (PC)	288
Pallet quantity UK (PC)	576
Outer case size	270 x 259 x 389 (mm)
Product status	Available

## Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Entertainment Solution Spectrum Catalogue \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[High-res images / Technical drawings \(HTTP\)](#)

[Certificate for the Quality Management System of GE Lighting EMEA \(PDF\)](#)

[Certificate for the Environmental Management System of GE Lighting EMEA \(PDF\)](#)

## Disclaimer

Special Purpose Lamp, Not suited for household illumination