





Spiral T2 - 8,000 / 10,000 / 15,000 hours - upgraded design

OT FLE12HLX/T2/827/E27 GE 1/6T 10Y /37

85640

Product information

The T2 8,000 - 10,000 hours spiral lamps are one of the most popular bulb shapes in the energy saving category. With its small size, it will fit all applications currently using incandescent bulbs. Providing more light than the original stick lamps, spiral lamps are one of the most eco-friendly energy saving solutions available today.

Application areas















85640

Product data

Cap/Base	E27
Bulb Shape	Heliax
Bulb maximum overall diameter [mm]	46
Nominal Length [mm]	100
Maximum Overall Length [mm]	100
Net weight per piece [g]	46
Gross weight per piece [g]	86
Operating position	Univeral
Mercury Content [mg]	1.5
UV radiance	exempt
Regulatory comment	EUP related
Brand	General Electric (GE)

Performance data

Colour Code	827
Colour Rendering Index (CRI) [Ra]	82
Nominal correlated colour temperature (CCT) [K]	2700
Nominal lumens [lm]	715
Rated Lumens [lm]	715
Energy efficiency class (EEC)	A
Rated Life [h]	10000
Rated median life on electronic (HF) ballast on IEC 3-hour cycle	10000
Weighted energy consumption [kWh/1000h]	11





85640

Electrical data

Nominal power [W]	12
Rated power [W]	12.0
Nominal lamp power factor	>= 0,55
Nominal lamp voltage [V]	230
Operating Temperature [°C]	25
Operating Temperature (MAX) [°C]	50
Run-up time (sec)	< 40
Starting time (sec)	< 0,3
Number of switching cycles	10000
Dimming Capability	No

Logistic data


DUN Code	10043168856406
EAN Code	0043168856409
Pack Quantity	6
Inner pack type	BOX
Outer pack type	OUTER BOX
Layer quantity	240 EUR, 306 UK
Layer quantity EUR	240
Layer quantity UK	306
Pallet quantity EUR (PC)	1920
Pallet quantity UK (PC)	2448
Outer case size	174 x 130 x 123 (mm)
Product status	Available






85640

Technical drawing



Spectral distribution








85640

Survival data







85640

Downloads & Links

Go to the catalog site (HTTP)

CFL Integrated Spectrum Catalogue (PDF)

T2 Spiral 8000/10000 Hours Datasheet (PDF)

Disposing and Cleaning of CFL Lamps (HTTP)

Lighting design tools & calculators (HTTP)

CFL Integrated Spectrum Catalogue (PDF)

Datasheets (HTTP)

Lighting design tools & calculators (HTTP)

Disposing and Cleaning of CFL Lamps (HTTP)

High-res images / Technical drawings (HTTP)

Certificate for the Quality Management System of GE Lighting EMEA (PDF)

Certificate for the Environmental Management System of GE Lighting EMEA (PDF)