



GLS T2-T3 8,000 hours upgraded design ot FLE20GLS/T3/827E27 230V GE 1/6T 8Y/01

73273

Product information

The 8,000 hours CFL GLS lamps offer traditional incandescent shape, long life and elegant light. Suitable for general home lighting, GE Lighting's Decor CFL range is an ideal and eco-friendly solution.

Application areas



Noffice









Product data

Cap/Base	E27
Bulb Shape	Heliax w. GLS Lookalike
Bulb maximum overall diameter [mm]	65
Nominal Length [mm]	145
Net weight per piece [g]	103
Gross weight per piece [g]	180
Operating position	U - Universal
Mercury Content [mg]	2
UV radiance	exempt
Regulatory comment	EUP related
Brand	General Electric (GE)

Performance data

827
82
2700
1160
1160
A
8000
19





Electrical data

Nominal power [W]	20
Nominal lamp voltage [V]	230
Lamp Current [A]	0.16
Operating Temperature (MAX) [°C]	50
Startup time [sec]	1
Run-up time (sec)	<100
Starting time (sec)	<1
Number of switching cycles	30000
Dimming Capability	No


Logistic data

DUN Code	10043168732731
EAN Code	0043168732734
Pack Quantity	6
Inner pack type	BOX
Outer pack type	OUTER BOX
Layer quantity	114 EUR, 138 UK
Layer quantity EUR	114
Layer quantity UK	138
Pallet quantity EUR (PC)	570
Pallet quantity UK (PC)	690
Outer case size	258 x 174 x 203 (mm)
Product status	Available






Technical drawing



Spectral distribution



Downloads & Links

Go to the catalog site (HTTP) CFL Integrated Spectrum Catalogue (PDF) Disposing and Cleaning of CFL Lamps (HTTP) Lighting design tools & calculators (HTTP) Datasheets (HTTP) Disposing and Cleaning of CFL Lamps (HTTP) Certificate for the Quality Management System of GE Lighting EMEA (PDF) Certificate for the Environmental Management System of GE Lighting EMEA (PDF)