

Material Safety Data Sheet

122/133/266 Toner

1. Identification of the material and supplier

Names

Product name : 122/133/266 Toner

Description of the product type : Part number :

Toner ASM 122 SS	15B1122
Toner ASM 122 DR	15B1123
Toner ASM 133 SS	15B0133
Toner ASM 133 DR	15B0134
Toner ASM 266 SS	15B0266
Toner ASM 266 DR	15B0267

For actual printer/cartridge compatibility please reference www.lexmark.com

Application : Laser Printer E250, E260, E350, E352, E360, E450, E460, E462, EG460, ES360,

T650, T652, ES460, ES462, T654, T656, TG654, X260, X264, X363, X364, X463,

X464, X466, X650, X651, X652, X654, X656, X658

ADG : Not regulated as Dangerous Goods according to the ADG Code

Supplier/Manufacturer : Lexmark International (Australia) Pty Limited

Level 7, The Park, 15 Talavera Rd

Macquarie Park NSW 2113

Information: 1300 362 192 (Customer Care center - regular business hours)

e-mail address of person responsible for this SDS

: rcassidy@lexmark.com

Emergency telephone number (24/7)

: Australian Poisons Information Centre

24 hour Phone Number: 13 11 26

New Zealand National Poisons Centre:

Otago medical School, Dunedin

24 hour Poisons Advice

0800 POISON / 0800 764 7656

2. Hazards identification

Classification : Not regulated.

Risk phrases : Not classified.

Statement of hazardous/

dangerous nature

: NON-HAZARDOUS SUBSTANCE. NON-DANGEROUS GOODS.

Other hazards w

Other hazards which do not result in classification

: This material is considered hazardous by the OSHA Hazard Communication

Standard (29 CFR 1910.1200). COMBUSTIBLE DUSTS

3. Composition/information on ingredients

Mixture : Yes.

Ingredient name	CAS number	Concentration
carbon black, non respirable	1317-61-9 1333-86-4 Proprietary	10-30 <10 <10

Other ingredients, determined not to be hazardous according to Safe Work Australia criteria, and not dangerous according to the ADG Code, make up the product concentration to 100%.

Version: 2 Page: 1/7

3. Composition/information on ingredients

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

4. First-aid measures

Fii	rst-	aid	m	ea	sι	ır	es

Inhalation

: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

Ingestion

: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Skin contact

: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

Eye contact

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

Protection of first-aiders

Advice to doctor

- : No action shall be taken involving any personal risk or without suitable training.
- : No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

5. Fire-fighting measures

Extinguishing media

Suitable

: Use an extinguishing agent suitable for the surrounding fire.

Not suitable

None known

Special exposure hazards

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

No specific fire or explosion hazard.

Hazardous thermal decomposition products

: Decomposition products may include the following materials: carbon dioxide

carbon monoxide metal oxide/oxides

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental release measures

Personal precautions

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment (see Section 8).

Environmental precautions

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods for cleaning up Small spill

: Move containers from spill area. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor.

Version: 2 Page: 2/7

6. Accidental release measures

Large spill

: Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

7. Handling and storage

Handling

: Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas.

Storage

: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

8. Exposure controls/personal protection

Occupational exposure limits

Ingredient name	Exposure limits
triiron tetraoxide	EH40/2005 WELs (United Kingdom (UK), 12/2011).
	STEL: 10 mg/m³, (as Fe) 15 minutes. Form: Fume
	TWA: 5 mg/m³, (as Fe) 8 hours. Form: Fume
carbon black, non respirable	Safe Work Australia (Australia, 1/2014).
	TWA: 3 mg/m³ 8 hours.
Amorphous Silica (modified)	EH40/2005 WELs (United Kingdom (UK), 12/2011).
·	TWA: 6 mg/m³ 8 hours. Form: inhalable dust
	TWA: 2.4 mg/m³ 8 hours. Form: respirable dust

Recommended monitoring procedures

: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

Exposure controls

Engineering measures

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eyes

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with sideshields

Hands

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Version: 2 Page: 3/7

8. Exposure controls/personal protection

Respiratory

: Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Skin

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Environmental exposure

controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

9. Physical and chemical properties

Physical state : Solid. (Finely divided solid.)

Colour Black.

Odour : Faint odour. (Plastic.) **Melting point** : Not determined. : Not determined. Relative density

10. Stability and reactivity

Chemical stability

: The product is stable.

Possibility of hazardous

reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid

: No specific data.

Materials to avoid

: No specific data.

Hazardous decomposition

products

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. Toxicological information

Potential acute health effects

Inhalation : No known significant effects or critical hazards. Ingestion : No known significant effects or critical hazards. Skin contact : No known significant effects or critical hazards. Eye contact : No known significant effects or critical hazards.

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
carbon black, non respirable Amorphous Silica (modified) 122/133/266 Toner		Rat Rat	>15400 mg/kg 3160 mg/kg >5000 mg/l >5000 mg/kg	- - 4 hours -

Conclusion/Summary : Not available.

Potential chronic health effects

Chronic toxicity

Conclusion/Summary : Not available.

Irritation/Corrosion

Conclusion/Summary : Not available.

Sensitiser

Conclusion/Summary : Not available.

Carcinogenicity

2 Version: Page: 4/7

11. Toxicological information

Conclusion/Summary

Low acute inhalation toxicity. As with exposure to high concentrations of any dust, minimal irritation of the respiratory tract may occur. Pure carbon black and titanium dioxide, minor components of this product, has been listed by IARC as a group 2B (possible carcinogen). This classification is based on rat "lung particulate overload" studies performed with airborne particulate. Toner is not listed by IARC, NTP, or OSHA. Long term exposure to excessive concentrations of iron oxide-containing dusts has resulted in a condition identified as siderosis, a relatively benign pneumoconiosis, caused by deposition of iron oxide particles in the lung.

Mutagenicity

Conclusion/Summary

: Not mutagenic in Ames test.

Teratogenicity

Conclusion/Summary: Not available.

Reproductive toxicity

Conclusion/Summary: Not available.

Chronic effects
 : No known significant effects or critical hazards.
 Carcinogenicity
 : No known significant effects or critical hazards.
 Mutagenicity
 : No known significant effects or critical hazards.
 Teratogenicity
 : No known significant effects or critical hazards.
 Developmental effects
 : No known significant effects or critical hazards.
 Fertility effects
 : No known significant effects or critical hazards.

Over-exposure signs/symptoms

Inhalation: No specific data.Ingestion: No specific data.Skin: No specific data.Eyes: No specific data.

12. Ecological information

Ecotoxicity

: No known significant effects or critical hazards.

Aquatic ecotoxicity

Product/ingredient name	Result	Species	Exposure
carbon black, non respirable	Acute EC50 37.563 mg/l Fresh water	Daphnia - Daphnia magna - Neonate	48 hours
	Acute EC50 >1000 mg/l Acute EC50 >1000 mg/l	Daphnia Daphnia	24 hours 48 hours

Conclusion/Summary: Not available.

Other ecological information
Persistence/degradability

Conclusion/Summary: Not available.

Other adverse effects : No known significant effects or critical hazards.

13. Disposal considerations

Methods of disposal

The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may

Version: 2 Page: 5/7

13. Disposal considerations

retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

14. Transport information

Regulation	UN number	Proper shipping name	Classes	PG*	Label	Additional information
ADG	Not regulated.	-	-	-		-
ADR	Not regulated.	-	-	-		-
IMDG	Not regulated.	-	-	-		-
IATA	Not regulated.	-	-	-		-

PG*: Packing group

15. Regulatory information

Standard Uniform Schedule of Medicine and Poisons

Not regulated.

EU Classification

Model Work Health and Safety Regulations - Scheduled Substances

<u>ingredient name</u>	Schedule
Australia inventory (AICS)	: All ingredients are listed in Australian Inventory of Chemical Substances (AICS), have been registered, or are exempt.

International regulations lists

China inventory (IECSC) : All ingredients are listed on the Chinese inventory (IECSC) or are exempt.

: Not classified. (Article containing preparation)

Canada inventory (DSL/**NDSL)

**All ingredients are listed on the Canadian Domestic Substances List (DSL), have been registered on the Non-Domestic Substances List (NDSL), or are exempt.

Europe inventory : All ingredients are listed on the European Inventory of Existing Commercial Substances (EINECS) list, have been registered on the European List of New

Chemical Substances (ELINCS), or are exempt.

REACH Status : EU (REACH): All components of the toner formulation are registered, pre-registered or exempt under REACH. Pre-registered chemicals will be registered between 2011

and 2018.

Japan inventory (ENCS) : All ingredients are listed on the Japanese Existing and New Chemical Substances

(ENCS) list, have been registered, or are exempt.

Korea inventory (KECI) : All ingredients are listed on the Korean Existing Chemicals List (ECL), have been

registered, or are exempt.

Philippines inventory: All ingredients are listed on the Philippines Inventory (PICCS) or are exempt.

(PICCS)

United States inventory(TSCA 8b)All ingredients are listed on the Toxic Substances Control Act (TSCA) inventory, have been registered, or are exempt.

Version: 2 Page: 6/7

16. Other information

References : National Code of Practice for the preparation of Material Safety Data Sheets (MSDS)

by National Occupational Health and Safety Commission (NOHSC)".

Occupational exposure limits International transport regulations

IATA revision. IATA Dangerous Goods Regulation (DGR) 55th Edition 2014

Validation date : Validated on 5/6/2015.

Date of previous issue : 8/10/2014.

▼ Indicates information that has changed from previously issued version.

Disclaimer

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Version: 2 Page: 7/7