Version 1.0	MSDS Number: 100000003492	Revision Date: 16.11.2015
SECTION 1: Identification	n of the substance/mixture and of th	e company/undertaking
1.1 Product identifier		
Trade name	: KIMBERLY-CLARK PROFESSI Refill (6135)	ONAL* MELODIE Fragrance
1.2 Relevant identified uses	of the substance or mixture and uses	advised against
Use of the Substance/Mixture	: Aircare	
1.3 Details of the supplier o	f the safety data sheet	
Company	: Kimberly-Clark Europe Limited 40 London Road Reigate Surrey RH2 9QP	

United Kingdom

Telephone	: +44 1737 736000
Telefax	: +44 1737 736670
E-mail address Responsible/issuing person	: sdscontact@kcc.com

1.4 Emergency telephone number

+44 1737 736000 This telephone number is available during office hours only. 0900 – 1700 GMT

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)		
Flammable liquids, Category 3	H226: Flammable liquid and vapour.	
Eye irritation, Category 2	H319: Causes serious eye irritation.	

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Version 1.0	MSDS Number: 100	0000003492 Revision Date: 16.11.2015
Signal word	: Warning	
Hazard statements	: H226 H319	Flammable liquid and vapour. Causes serious eye irritation.
Precautionary statements	 Prevention: P210 Response: P305 + P351 + P P337 + P313 P370 + P378 Storage: P403 + P235 Disposal: P501 	 Keep away from heat No smoking. 338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction. Store in a well-ventilated place. Keep cool. Dispose of contents/ container to an approved waste disposal plant.

Additional Labelling:

EUH208 May produce an allergic reaction.

Contains: 4-tert-butylcyclohexyl acetate

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. This product is a mixture. Health hazard information is based on its components.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical Name	CAS-No.	Classification	Classification	Concentration
	EC-No.	(67/548/EEC)	(REGULATION	(%)
	Registration		(EC) No	
	number		1272/2008)	
propan-2-ol	67-63-0	F; R11	Flam. Liq.2; H225	>= 15 - < 20
	200-661-7	Xi; R36	Eye Irrit.2; H319	
		R67	STOT SE3; H336	
4-tert-butylcyclohexyl	32210-23-4	N; R51/53	Skin Sens.1B;	>= 0.1 - < 1
acetate	250-954-9		H317	
Linalool	78-70-6	Xi; R38-R43	Skin Irrit.2; H315	>= 0.1 - < 1
	201-134-4		Skin Irrit.2; H315	
			Eye Irrit.2; H319	

For explanation of abbreviations see section 16.

Version 1.0

MSDS Number: 10000003492

Revision Date: 16.11.2015

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: No hazards which require special first aid measures.
If inhaled	: Not required under normal use.
In case of skin contact	: Wash off with soap and plenty of water. If skin irritation persists, call a physician.
In case of eye contact	: Immediately flush eye(s) with plenty of water.
If swallowed	: Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	: No information available.
----------	-----------------------------

4.3 Indication of any immediate medical attention and special treatment needed

Treatment	
-----------	--

: No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media : Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical : Do NOT use water jet. Unsuitable extinguishing media 5.2 Special hazards arising from the substance or mixture Specific hazards during : Highly flammable liquid and vapour. firefighting Hazardous combustion : Carbon monoxide, carbon dioxide and unburned products hydrocarbons (smoke). 5.3 Advice for firefighters Special protective equipment : In the event of fire, wear self-contained breathing apparatus. for firefighters Further information : Use water spray to cool unopened containers. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Version 1.0 MSDS Number: 10000003492 Revision Date: 16.11.2015

SECTION 6: Accidental release measures

6.1 Personal precautions, prote	ctive equipment and emergency procedures
Personal precautions	: Ensure adequate ventilation. Remove all sources of ignition.
6.2 Environmental precautions	
Environmental precautions	: Prevent product from entering drains.
6.3 Methods and material for co	ontainment and cleaning up
Methods for cleaning up	: Wipe up with absorbent material (e.g. cloth, fleece).
6.4 Reference to other sections	

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling		
Advice on safe handling	special handling advice requi	red.
Advice on protection against fire and explosion	ep product and empty contain urces of ignition.	er away from heat and
Hygiene measures	ndle in accordance with good actice.	industrial hygiene and safety
7.2 Conditions for safe storage, in	ng any incompatibilities	
Requirements for storage areas and containers	ep container tightly closed in a ice.	a dry and well-ventilated
Advice on common storage	special restrictions on storag	e with other products.
Other data	decomposition if stored and a	applied as directed.
7.3 Specific end use(s)		
Specific use(s)	care	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
propan-2-ol	67-63-0	TWA	400 ppm 999 mg/m3	GB EH40
propan-2-ol	67-63-0	STEL	500 ppm	GB EH40

		l'i agrande i term (e te	
Version 1.0	MSDS Number: 100000003492	Revision Date: 16.11.2015	
	1,250 mg	g/m3	
3.2 Exposure controls			
Personal protective equip	ment		
Eye protection	: not required under normal use		
Hand protection			
Remarks	: For prolonged or repeated conta	act use protective gloves.	
Skin and body protection	: not required under normal use		
Respiratory protection	: Not required under normal use.		
Protective measures	: No special protective equipmen	: No special protective equipment required.	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	: liquid
Colour	: clear
Odour	: pleasant
рН	: 5.75
Boiling point/boiling range	: 100 °C
Flash point	: 35 °C
Upper explosion limit	: 12 %(V)
Lower explosion limit	: 2 %(V)
Relative density	: 0.98
Solubility(ies) Water solubility	: soluble

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.

10.2 Chemical stability

No decomposition if stored and applied as directed.

SAFETY DATA SHEET

Version 1.0	MSDS Number: 10000003492 Revision Date: 16.11.2015				
10.3 Possibility of hazardous re	eactions				
Hazardous reactions	: Stable under recommended storage conditions. No decomposition if used as directed.				
	Vapours may form explosive mi	xture with air.			
10.4 Conditions to avoid					
Conditions to avoid	: Heat, flames and sparks.				
10.5 Incompatible materials					
Materials to avoid	: Strong acids and oxidizing agen	its			
10.6 Hazardous decomposition	products				
Hazardous decomposition products	: Stable under recommended sto	rage conditions.			

according to Regulation (EC) No. 1907/2006 KIMBERLY-CLARK PROFESSIONAL* MELODIE Fragrance Refill (6135)

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity	
Components:	
propan-2-ol:	
Acute oral toxicity	: LD50 Oral (Rat): 5,840 mg/kg Method: OECD Test Guideline 401 GLP: no
Acute inhalation toxicity	 LC50 (Rat, male and female): > 10000 ppm Exposure time: 6 h Method: OECD Test Guideline 403 GLP: yes
Acute dermal toxicity	: LD50 Dermal (Rabbit): 12,800 mg/kg Method: OECD Test Guideline 402 GLP: no
4-tert-butylcyclohexyl aceta	te:
Acute oral toxicity	: LD50 Oral (Rat, male and female): 3,370 mg/kg
Acute dermal toxicity	: LD50 Dermal (Rabbit, male and female): > 4,680 mg/kg
Linalool:	
Acute oral toxicity	: LD50 Oral (Mouse, male and female): 3,500 mg/kg Method: OECD Test Guideline 401 GLP: no
Acute inhalation toxicity	: LC50 (Mouse, male and female): 3.2 mg/l Method: No information available. GLP: no

Version 1.0 MSDS Number: 10000003492 Revision Date: 16.11.2015

Acute dermal toxicity

: LD50 Dermal (Albino rabbit): 5,610 mg/kg Method: OECD Test Guideline 402 GLP: no

Skin corrosion/irritation

Product:

Remarks: According to the classification criteria of the European Union, the product is not considered as being a skin irritant.

Components:

propan-2-ol: Species: Rabbit Method: No information available. Result: No skin irritation GLP: no

4-tert-butylcyclohexyl acetate:

Species: human skin Result: No skin irritation

Linalool:

Species: Rabbit Method: OECD Test Guideline 404 Result: Skin irritation GLP: yes

Serious eye damage/eye irritation

Product:

Remarks: Contact with eyes may cause irritation.

Components:

propan-2-ol: Species: Rabbit Method: OECD Test Guideline 405 Result: Severe eye irritant GLP: no

4-tert-butylcyclohexyl acetate:

Species: Rabbit Result: No eye irritation

Linalool:

Species: Rabbit Method: OECD Test Guideline 405 Result: Eye irritation GLP: no

Respiratory or skin sensitisation

Product: Remarks: No data available

Version 1.0

MSDS Number: 10000003492

Revision Date: 16.11.2015

Components:

propan-2-ol:

Test Type: Buehler Test Species: Guinea pig Method: OECD Test Guideline 406 Result: Did not cause sensitisation on laboratory animals. GLP: yes

4-tert-butylcyclohexyl acetate:

Species: Mouse Result: The product is a skin sensitiser, sub-category 1B.

Linalool:

Species: Mouse Method: No information available. Result: Did not cause sensitisation on laboratory animals. GLP: no

Germ cell mutagenicity

Product:

Germ cell mutagenicity-	:	Contains no ingredient listed as a mutagen
Assessment		

Carcinogenicity

Product:

Carcinogenicity -	:	Contains no ingredient listed as a carcinogen
Assessment		

Reproductive toxicity

Product:

Reproductive toxicity -	:	Contains no ingredient listed as toxic to reproduction
Assessment		

STOT - single exposure

Product: Remarks: No data available

STOT - repeated exposure

Product:

Remarks: No data available

Aspiration toxicity

Product:

May be harmful if swallowed and enters airways.

Version 1.0

MSDS Number: 10000003492

Revision Date: 16.11.2015

Further information

Product:

Remarks: Health injuries are not known or expected under normal use., Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

SECTION 12: Ecological information

12.1 Toxicity

<u>Product:</u> Toxicity to fish	:	Remarks: No information available.	
Toxicity to daphnia and other		Remarks: No information available.	
aquatic invertebrates	-		
Toxicity to algae	:	Remarks: No information available.	
Components:			
propan-2-ol: Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 9,640 mg/l Exposure time: 96 h Test Type: flow-through test Method: OECD Test Guideline 203 GLP: no	
		LC50 (Pimephales promelas (fathead minnow)): 10,000 mg/l Exposure time: 96 h Test Type: flow-through test Method: OECD Test Guideline 203 GLP: no	
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 9,714 mg/l Exposure time: 24 h Test Type: static test Method: OECD Test Guideline 202 GLP: no	
4-tert-butylcyclohexyl acetate:			
Toxicity to fish	:	LC50 : 8.6 mg/l Exposure time: 96 h	
Toxicity to daphnia and other aquatic invertebrates	:	EC50 : 5.3 mg/l Exposure time: 48 h	
Toxicity to algae	:	EC50 : 22 mg/l Exposure time: 72 h GLP: yes	
Linalool: Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 27.8 mg/l Exposure time: 96 h	

Version 1.0	MSDS Number: 10000003492 Revision Date: 16.11.2015
	Test Type: static test Method: OECD Test Guideline 203 GLP: yes
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 59 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: yes
Toxicity to algae	: EC50 (Desmodesmus subspicatus (green algae)): 88.3 mg/l Exposure time: 96 h Test Type: static test Method: see user defined free text GLP: no
12.2 Persistence and degradabil	ity
Product:	
Biodegradability	: Remarks: No information available.
Components:	
4-tert-butylcyclohexyl aceta	
Biodegradability	: Result: Readily biodegradable
Linalool: Biodegradability	: Result: Readily biodegradable
12.3 Bioaccumulative potential	
Product:	
Bioaccumulation	: Remarks: Does not bioaccumulate.
12.4 Mobility in soil	
Product:	
Mobility	: Remarks: No information available.
12.5 Results of PBT and vPvB as	ssessment
Product:	
Assessment	: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher
12.6 Other adverse effects	
Product: Additional ecological information	: There is no data available for this product.
	10/12

Version 1.0 MSDS Number: 10000003492 Revision Date: 16.11.2015

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Product	: Dispose of in accordance with local regulations.
Contaminated packaging	: Dispose of as unused product. Do not re-use empty containers.

SECTION 14: Transport information

14.1 UN number		
ADR	: UN 1993	
14.2 UN proper shipping name		
ADR	: FLAMMABLE LIQUID, N.O.S. (Isopropanol)	
14.3 Transport hazard class(es)		
ADR	: 3	
14.4 Packing group		
ADR Packing group Classification Code Labels	: III : F1 : 3	
14.5 Environmental hazards		
ADR Environmentally hazardous	: no	
14.6 Special precautions for use Not applicable	r	
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Remarks : No information available.		
SECTION 15: Regulatory information		
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of		

 Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.
 Quantity 1 Quantity 2

 P5c
 FLAMMABLE LIQUIDS
 5,000 t
 50,000 t

 The components of this product are reported in the following inventories:
 REACH
 : This mixture contains only ingredients which have been subject to a pre-registration according to Regulation (EC) No. 1907/2006 (REACH).

Version 1.0

MSDS Number: 10000003492

Revision Date: 16.11.2015

15.2 Chemical Safety Assessment

No information available.

SECTION 16: Other information

Full text of R-Phrases

R11	: Highly flammable.
R36	: Irritating to eyes.
R38	: Irritating to skin.
R43	: May cause sensitisation by skin contact.
R51/53	: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R67	: Vapours may cause drowsiness and dizziness.
Full text of H-Statements	
L1005	· Highly flammable liquid and vanour

H225 : Highly flammable liquid and vapour. H315 : Causes skin irritation.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.