

<b>Pritt Stick Up Putty</b>	<b>Issue Date</b>	12/07/99 16:44
	<b>Supply Date</b>	18/10/99 09:39
	<b>Ref</b>	HE460V02

<b>1. Identification of the</b>	<b>1.1 substance/ preparation</b> Putty for sticking up posters, paintings, party decorations, cards etc.				
<b>and</b>	<b>1.2 company/ undertaking</b> Henkel Home Improvement and Adhesive Products Road 5 Winsford Industrial Estate Winsford Cheshire United Kingdom  Tel 01606 593933 Fax 01606 863762				
<b>2. Composition/ information on ingredients</b>	Synthetic rubber polymer.				
	<b>% w/w Range</b>	<b>Substance</b>	<b>Cas no EEC No</b>	<b>Risk</b>	<b>Risk Phrases</b>
<b>3. Hazards identification</b>	<b>3.1 Inhalation:</b>				
	<b>3.2 Ingestion</b>				
	<b>3.3 Skin and eye contact:</b>				
	<b>3.4 Chemical and Physical:</b>				
	<b>3.5 Environmental:</b>				
<b>4. First aid measures</b>	<b>4.1 Inhalation</b>				

# Pritt Stick Up Putty

Issue Date 12/07/99 16:44

Supply Date 18/10/99 09:39

Ref

HE460V02

	<p><b>4.2 Skin Contact</b> No special problems, excessive contact may lead to irritation with sensitive skin. Wash with soap and water.</p>																																							
	<p><b>4.3 Ingestion</b> No acute symptoms, but seek medical advice.</p>																																							
	<p><b>4.4 Eye contact</b> Physical irritation.</p>																																							
<b>5. Fire fighting measures</b>	Use water, dry powder, extinguishing agent.																																							
<b>6. Accidental release measures</b>	Scrape up and transfer to container for disposal.																																							
<b>7. Handling and storage</b>	No special precautions.																																							
<b>8. Exposure controls/ personal protection</b>	<p><b>8.1 Exposure Controls</b></p> <p><b>8.2 Personal Protection</b></p> <p><b>8.2.1 Respiratory protection</b></p> <p><b>8.2.2 Hand protection</b></p> <p><b>8.2.3 Eye protection</b></p> <p><b>8.2.4 Skin protection</b></p>																																							
<b>9. Physical and Chemical Properties</b>	<table> <tr> <td><b>Appearance</b></td> <td>White extruded strip of putty.</td> <td></td> </tr> <tr> <td><b>Odour</b></td> <td>Slight</td> <td></td> </tr> <tr> <td><b>Density</b></td> <td>1.7.</td> <td></td> </tr> <tr> <td><b>pH or Conc %</b></td> <td></td> <td></td> </tr> <tr> <td><b>Boiling Point°C</b></td> <td></td> <td><b>Melting Point°C</b></td> </tr> <tr> <td><b>Flash point °C</b></td> <td>7200</td> <td><b>Flammability</b></td> </tr> <tr> <td><b>Auto flammability</b></td> <td></td> <td></td> </tr> <tr> <td><b>Explosive/Oxidising properties</b></td> <td></td> <td></td> </tr> <tr> <td><b>Vapour Pressure KPa</b></td> <td></td> <td></td> </tr> <tr> <td><b>Vapour Density</b></td> <td></td> <td></td> </tr> <tr> <td><b>Evaporation rate</b></td> <td></td> <td></td> </tr> <tr> <td><b>Solubility</b></td> <td></td> <td></td> </tr> <tr> <td><b>Partition Co-efficient: n-Octanol/water</b></td> <td></td> <td></td> </tr> </table>	<b>Appearance</b>	White extruded strip of putty.		<b>Odour</b>	Slight		<b>Density</b>	1.7.		<b>pH or Conc %</b>			<b>Boiling Point°C</b>		<b>Melting Point°C</b>	<b>Flash point °C</b>	7200	<b>Flammability</b>	<b>Auto flammability</b>			<b>Explosive/Oxidising properties</b>			<b>Vapour Pressure KPa</b>			<b>Vapour Density</b>			<b>Evaporation rate</b>			<b>Solubility</b>			<b>Partition Co-efficient: n-Octanol/water</b>		
<b>Appearance</b>	White extruded strip of putty.																																							
<b>Odour</b>	Slight																																							
<b>Density</b>	1.7.																																							
<b>pH or Conc %</b>																																								
<b>Boiling Point°C</b>		<b>Melting Point°C</b>																																						
<b>Flash point °C</b>	7200	<b>Flammability</b>																																						
<b>Auto flammability</b>																																								
<b>Explosive/Oxidising properties</b>																																								
<b>Vapour Pressure KPa</b>																																								
<b>Vapour Density</b>																																								
<b>Evaporation rate</b>																																								
<b>Solubility</b>																																								
<b>Partition Co-efficient: n-Octanol/water</b>																																								
<b>10 Stability and reactivity</b>																																								
<b>11. Toxicological Information</b>																																								
<b>12. Ecological Information</b>																																								
<b>13. Disposal Considerations</b>																																								

**Pritt  
Stick Up Putty**

**Issue Date** 12/07/99 16:44

**Supply Date** 18/10/99 09:39

**Ref**

HE460V02

<p><b>14. Transport Information</b></p>	<p><b>CDGCPL Classification</b>  <b>Secondary hazard</b>  <b>UN No</b>  <b>UN Class / UK CLS No</b>  <b>Hazard Identification No</b>  <b>Packing Group</b>  <b>Hazchem / EAC</b>  <b>IMDG/ADR/RID</b></p>
<p><b>15. Regulatory Information</b></p>	<p><b>15.1 CHIP</b>  <b>Primary Risk</b>  <b>Secondary Risk</b>  <b>Risk Phrases</b>  <b>Safety Phrases</b>  <b>EC Substance Number</b></p>
	<p><b>15.2 Applicable Regulations</b></p> <p><b>CHIP</b>  <b>CDGCPL</b>  <b>HSWA 1974</b>  <b>COSHH</b></p> <p><b>EH 40/--</b> See 1995 Edition  <b>Manual Handling Regulations</b> The user must make their own assessment of the applicability of these regulations to the product.  <b>Personal Protective Equipment at Work Regulations</b> The users must make their own final assessment of the suitability of equipment for the specific end use  <b>The Controlled Waste Regulations</b> Users must assess their own obligations under these regulations.  <b>VOC Content</b></p>
<p><b>16 Other Information</b></p>	<p><b>16.1 Poisons Centres</b>  Henkel Products are registered with the National Poisons Information Service from whom medical professionals can obtain further information.</p>
	<p><b>16.2 Revision Data</b>  All sections were rewritten in this issue</p>
	<p><b>16.3 Sources of information</b>  Suppliers data sheets, and general reference books.</p>
	<p><b>16.4 Restrictions of use</b></p>
	<p><b>16.5 Disclaimer</b>  Every effort has been made to ensure that this information is accurate and up to date. Users are reminded that they should ensure that they have retained, or internally circulated the most up to date copy as provided to the persons or work locations which require them. No warranty is implied or given as to suitability for use for any activity which is not covered by either the technical data or the restrictions of use above.</p>

**Pritt  
Stick Up Putty**

**Issue Date** 12/07/99 16:44

**Supply Date** 18/10/99 09:39

**Ref** HE460V02

	<i>Produced by:</i> Technical Services Department. Winsford. Cheshire
--	---



Cert. No FM1090

# PRITT

**TECHNICAL  
DATA  
SHEET**

## **PRITT STICKY TAC PUTTY**

Issue Date: 13.08.99

Issue No: 1

Ref: 460v01

Spicers Product Code: 025086

### **Identification:**

**Uses/Applications:** Sticks up posters, paintings, part decorations, card, etc. to walls, doors, or glass. Holds down telephones, typewriters, computers, calculators etc.

### **Description:**

*Composition:* Blend of oil, resin and fillers.

### **Physical Properties:**

*Appearance:* Sheet of white putty with indentations at 10mm centres.

*Odours:* None.

### **Performance:**

*Fire:* Non-flammable.

*Water:* Should not be used in damp areas or on damp substrates.

*Biological:* Not susceptible to biological or fungal attack under normal conditions.

*Thermal:* Should not be stored or used at temperatures above 30°C or below 5°C.

*Durability/Reliability:* At normal room temperatures and humidity, adhesive bonds will remain intact indefinitely.

*Compatibility with other products:* Not compatible.

### **Working Characteristics:**

*Rheology:* Pliable putty.

*Working time:* N/A.

*Cure time:* Instant - NB bonds are releasable.

*Cure Type:* Instant releasable adhesion.

*Temperature Range:* 5°C - 30°C.

*Coverage:* N/A.

*Shelf Life:* 12 months in unopened container.

## **Health & Safety**

The material is safe in normal use. However, with any material, good hygiene practices should be followed. Do not take internally. Keep out of eyes. Keep away from children and animals. Wash off skin with soap and water before it dries. People with sensitive skin should wear rubber gloves. This product contains a preservative.

For full details see separate Henkel Health & Safety Data Sheet.

**First Aid Procedure:** See separate Henkel Health and Safety Data Sheet available on request.

**Emergency Action:** See separate Henkel Health and Safety Data Sheet available on request.

## **Supply**

### **Prices and conditions of sales:**

See separate Henkel Price List available on request.

## **Packaging**

Pack: Wallet (Pack of 72)

## **Advisory Service**

For technical or practical advice on this or any other Pritt product, please contact our Technical Services Department on Winsford (01606) 593933. Fax: (01606) 863762.

## **Guarantee**

The information supplied in our literature or given by our employees, concerning the use of our products is based upon extensive experience and given in good faith in order to help you. We also guarantee the consistent high quality of our products; however, as we have no control over site conditions or the execution of the work, we accept no liability for any loss or damage which may arise as a result thereof.