

Page: 1

Compilation date: 28.02.13

Revision date: 21.04.15

Revision No: 3

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: GLASS CLEANER

Product code: HC0487

Synonyms: HC0487 / CHEM

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: FOR PROFESSIONAL AND INDUSTRIAL USE ONLY. Water based degreaser and cleaner.

1.3. Details of the supplier of the safety data sheet

Company name:

Rustins Ltd Waterloo Road London NW2 7TX United Kingdom

1.4. Emergency telephone number +44 (0)20 8450 4666 (Hours 09:00 - 17:00 Mon to Fri)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Eye Irrit. 2: H319; STOT SE 3: H336

Most important adverse effects: Causes serious eye irritation. May cause drowsiness or dizziness.

2.2. Label elements

Label elements:	
Hazard statements:	H319: Causes serious eye irritation.
	H336: May cause drowsiness or dizziness.
Signal words:	Warning
Hazard pictograms:	GHS07: Exclamation mark
	•



GLASS CLEANER

Precautionary statements: P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337+313: If eye irritation persists: Get medical advice.

P261: Avoid breathing vapours.

P312: Call a POISON CENTER/doctor/medical attention/if you feel unwell.

P403+233: Store in a well-ventilated place. Keep container tightly closed.

P501: Dispose of contents/container to licensed disposal operator.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

PROPAN-2-OL

EINECS	CAS	PBT / WEL	CLP Classification	Percent
200-661-7	67-63-0	-	Flam. Liq. 2: H225; Eye Irrit. 2: H319;	
			STOT SE 3: H336	

1-METHOXY-2-PROPANOL

203-539-1	107-98-2	Substance with a Community	Flam. Liq. 3: H226; STOT SE 3: H336	1-10%
		workplace exposure limit.		

Non-classified ingredients:

SODIUM ALKYL ETHOXY SULPHATE

EINECS	CAS	CHIP Classification	CLP Classification	Percent
500-234-8	68585-34-2	-	Skin Irrit. 2: H315; Eye Dam. 1: H318; Eye Irrit. 2: H319	<1%

Section 4: First aid measures

4.1. Description of first aid m	easures
Skin contact:	Wash immediately with plenty of soap and water.
Eye contact:	Bathe the eye with running water for 15 minutes.
Ingestion:	Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water
	to drink immediately. Consult a doctor.
Inhalation:	Remove casualty from exposure ensuring one's own safety whilst doing so. Move to
	fresh air in case of accidental inhalation of vapours.
4.2. Most important symptom	ns and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

GLASS CLEANER

Eye contact: There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat. Inhalation of fumes from the stomach may cause symptoms similar to direct inhalation.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Drowsiness or mental confusion may occur.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid. If outside keep bystanders upwind and away from danger point.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method. Wash the spillage site with large amounts of water.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Do not handle in a confined space.

Avoid the formation or spread of mists in the air.

Page: 3

GLASS CLEANER

Page: 4

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

PROPAN-2-OL

Workplace exposure limits:

-	-		-	
State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	400 ppm	500 ppm	-	-

Respirable dust

1-METHOXY-2-PROPANOL

UK 375 mg/m3 560 mg/m3	
------------------------	--

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures:Ensure there is sufficient ventilation of the area.Respiratory protection:Self-contained breathing apparatus must be available in case of emergency.Hand protection:Protective gloves.Eye protection:Safety glasses. Ensure eye bath is to hand.Skin protection:Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic phy	sical and chemical properties	
State:	Liquid	
State.	Eiquid	
Colour:	Blue	
Odour:	Sweet-smelling	
Evaporation rate:	Moderate	
Solubility in water:	Highly soluble	
Viscosity:	Non-viscous	
Boiling point/range°C:	82-122 Melting point/range°C:	0-2
Flammability limits %: lower:	1.7 upper:	12.0
Flash point°C:	>61 Autoflammability°C:	>270
Relative density:	0.980 pH:	7.0-7.5

GLASS CLEANER

Page: 5

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

PROPAN-2-OL

ORAL	RAT	LD50	4700	mg/kg
ORAL	RBT	LD50	>2000	mg/kg
VAPOURS	RAT	4H LC50	46.5	mg/l

1-METHOXY-2-PROPANOL

ORAL RAT LD50	5000 mg/kg
---------------	------------

Relevant hazards for substance:

Hazard	Route	Basis
Serious eye damage/irritation	OPT	Hazardous: calculated
STOT-single exposure	-	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

GLASS CLEANER

Page: 6

Ingestion: There may be soreness and redness of the mouth and throat. Inhalation of fumes from the stomach may cause symptoms similar to direct inhalation.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Drowsiness or mental confusion may occur.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

PROPAN-2-OL

Daphnia magna	48H EC50	>100	mg/l
FISH	48H EC50	>100	mg/l

1-METHOXY-2-PROPANOL

FISH 96H LC50 >4600 mg/l		
--------------------------	--	--

12.2. Persistence and degradability

Persistence and degradability: Biodegradable. The surfactant(s) contained in this preparation complies (comply) with

the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on

detergents.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil. Volatile. Soluble in water.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal of packaging: Dispose of as normal industrial waste. Clean with water.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

GLASS CLEANER

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Section 16: Other information

Other information

Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	453/2010.
	IMPORTANT NOTE:
	Risk phases in this section below relate to the INDIVIDUAL COMPONENTS in the
	formulation when used at their FULL CONCENTRATIONS, and not at the reduced levels
	in the mixed product.
	See sections 2 and 3 for the calculated hazard and risk phrases for the blended product.
	Detergent Regulations EC648/2004, the product contains amongst other ingredients:-
	Anionic surfactants <5%
Phrases used in s.2 and s.3:	H225: Highly flammable liquid and vapour.
	H226: Flammable liquid and vapour.
	H315: Causes skin irritation.
	H319: Causes serious eye irritation.
	H336: May cause drowsiness or dizziness.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive
	and shall be used only as a guide. This company shall not be held liable for any
	damage resulting from handling or from contact with the above product. For professional
	and industrial use only.