Artline Paint Marker

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Artline Paint Marker

Product code EK-400XF, EK-440XF, EK-444XF, EK-409XF, EK-419XF, EKPR-BDM, EKPR-GDM,

EK-900XF, EK-990XF, EK-999XF, EK-993XF

CAS No. Not applicable. EC No. Not applicable. REACH Registration No. Not known.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) Permanent paint markers for surfaces.

Uses Advised Against Not known.

1.3 Details of the supplier of the safety data sheet

Manufacturer

Company Identification Shachihata Inc.

Address of Manufacturer 4-69, Amazuka-cho, Nishi-ku,

Nagoya City, 451-0021, Japan

Postal code 451-0021

Telephone: +81-52-521-3600 Fax +81-52-521-3899

E-mail chem-analysis@ngy.shachihata.co.jp

Office hours

Supplier

Company Identification Shachihata (Europe) Ltd
Address of Supplier Unit 8 Ashville Way

Sutton Weaver

Runcorn Cheshire

Postal code WA7 3EZ

Telephone: 01928 790 844
Fax 01928 790 683

E-mail sales@shachihata.eu

Office hours 09:00 - 17:00

1.4 Emergency telephone number

Emergency Phone No. 07799 626 040 Contact Ros Williams

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Regulation (EC) No. 1272/2008 Not classified as dangerous for supply/use. (CLP)

2.2 Label elements

Artline Paint Marker

According to Regulation (EC) No. 1272/2008 (CLP)

Product Name Artline Paint Marker

Hazard Pictogram(s)

Signal Word(s)

Hazard Statement(s)

Precautionary Statement(s)

None.

2.3 Other hazards

Sharp edges may cause injury.

2.4 Additional Information

None.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Articles for Marker: Artline Paint Marker

3.1 Substances

Not applicable.

3.2 Mixtures

7-2 203-624-3 01-2119556887-18-XXXX	25-60	Flam. Liq. 2 H225 Asp. Tox. 1 H304	GHS02 GHS08
7-7 236-675-5 01-2119489379-17-XXXX	1-40	Not classified	None
0-8 231-159-6 01-2119480154-42-XXXX	25-35	Not classified	None
0-5 231-072-3 01-2119529243-45-XXXX	5-15	Not classified	None
	1-10	Not classified	None
5	01-2119489379-17-XXXX 231-159-6 01-2119480154-42-XXXX 231-072-3 01-2119529243-45-XXXX	01-2119489379-17-XXXX 231-159-6 01-2119480154-42-XXXX 20-5 01-2119529243-45-XXXX 36-4 215-609-9 1-10	767-7 236-675-5 1-40 Not classified 01-2119489379-17-XXXX 231-159-6 01-2119480154-42-XXXX 231-072-3 01-2119529243-45-XXXX 215-609-9 1-10 Not classified

4.1 Description of first aid measures

Inhalation Not normally required.

Skin Contact Not normally required. Wash skin with water.

Eye Contact Not normally required. If contact with eyes directly, flush with gently flowing fresh

water thoroughly.

Ingestion Unlikely route of exposure.

4.2 Most important symptoms and effects, both acute and delayed

None anticipated.

4.3 Indication of any immediate medical attention and special treatment needed

No special requirements.

Artline Paint Marker

5.1 Extinguishing media

Suitable Extinguishing media As appropriate for surrounding fire.

Unsuitable extinguishing media None.

5.2 Special hazards arising from the substance or mixture

None anticipated.

5.3 Advice for firefighters

Fire fighters should wear complete protective clothing including self-contained

breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Not normally required.

6.2 Environmental precautions

Do not release large quantities into the surface water or into drains.

6.3 Methods and material for containment and cleaning up

Collect mechanically and dispose of according to Section 13.

6.4 Reference to other sections

See Also Section 8, 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

No special precautions are required for this product. Wash hands and exposed

skin thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Storage temperature Ambient.

Storage life Stable under normal conditions.

Incompatible materials None known.

7.3 Specific end use(s)

Permanent paint markers for surfaces.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure

Limits

Occupational Exposure Limits					
SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	mg/m³)		
Titanium dioxide total inhalable	13463-67-7		10		

Artline Paint Marker

Titanium dioxide respirable	13463-67-7	4		
Carbon black	1333-86-4	3.5	7	
Copper fume (as Cu)	7440-50-8	0.2		
Copper and compounds: dust and mists (as Cu)	7440-50-8	1	2	
Aluminium metal inhalable dust	7429-90-5	10		
Aluminium metal respirable dust	7429-90-5	4		

Region	Source
EU	EU Occupational Exposure Limits
United Kingdom	UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)
Remark	Notes

8.2 Exposure controls

8.2.1. Appropriate engineering No special requirements.

controls

8.2.2. Personal protection

equipment

Eye Protection Not normally required.



Not normally required. Skin protection

Respiratory protection

Normally no personal respiratory protection is necessary.



Thermal hazards Not applicable.

8.2.3. Environmental Exposure

Do not release large quantities into the surface water or into drains.

Controls

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance Solid.

Colour: Various.

Odour Not known. Odour threshold Not known. Not known. Melting point/freezing point Not known. Initial boiling point and boiling Not applicable.

range

Flash Point Not applicable. **Evaporation rate** Not known. Flammability (solid, gas) Non-flammable. Upper/lower flammability or Not known.

explosive limits

24-04-2020

Revision: 1

Artline Paint Marker

Vapour pressure Not known.
Vapour density Not known.
Density (g/ml) Not known.
Relative density Not known.

Solubility(ies) Solubility (Water) : Insoluble in water.

Solubility (Other): Not known.

Partition coefficient: n-

octanol/water

Not known.

Auto-ignition temperature Not known.

Decomposition Temperature Not known.

(°C)

Viscosity Not known.

Explosive properties Not explosive.

Oxidising properties Not oxidising.

9.2 Other information

None.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Stable under normal conditions.

10.2 Chemical Stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.

10.4 Conditions to avoid

None anticipated.

10.5 Incompatible materials

Not known.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity - Ingestion Not classified. Acute toxicity - Skin Contact Not classified. Acute toxicity - Inhalation Not classified. Not classified. Skin corrosion/irritation Serious eye damage/irritation Not classified. Skin sensitization data Not classified. Respiratory sensitization data Not classified. Germ cell mutagenicity Not classified.

Artline Paint Marker

Carcinogenicity Not classified.

Reproductive toxicity Not classified.

Lactation Not classified.

STOT - single exposure Not classified.

STOT - repeated exposure Not classified.

Aspiration hazard Not classified.

11.2 Other information

Not known.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity - Aquatic invertebrates Low toxicity to invertebrates.

Toxicity - Fish Low toxicity to fish.

Toxicity - Algae Low toxicity to algae.

Toxicity - Sediment

Compartment

Not classified.

Toxicity - Terrestrial Not classified.

Compartment

12.2 Persistence and Degradation

The product is not biodegradable.

12.3 Bioaccumulative potential

No information on this formulation.

12.4 Mobility in soil

Insoluble in water. The product is predicted to have low mobility in soil.

12.5 Results of PBT and vPvB assessment

Not classified as PBT or vPvB.

12.6 Other adverse effects

Not known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Dispose at suitable refuse site.

13.2 Additional Information

Dispose of contents in accordance with local, state or national legislation.

SECTION 14: TRANSPORT INFORMATION

Not classified as hazardous for transport.

14.1 UN number

Not applicable

Artline Paint Marker

14.2 UN proper shipping name

Not applicable

14.3 Transport hazard class(es)

Not applicable

14.4 Packing group

Not applicable

14.5 Environmental hazards

Not classified as a Marine Pollutant.

14.6 Special precautions for user

Not known

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not known

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

European Regulations - Authorisations and/or Restrictions On Use

Candidate List of Substances of Not listed

Very High Concern for

Authorisation

REACH: ANNEX XIV list of

Not listed

substances subject to

authorisation

REACH: Annex XVII Restrictions methylcyclohexane (108-87-2)

on the manufacture, placing on the market and use of certain dangerous substances, mixtures

and articles

(CoRAP)

Community Rolling Action Plan

methylcyclohexane (108-87-2), titanium dioxide (13463-67-7), Carbon black

(1333-86-4)

Regulation (EC) N° 850/2004 of Not listed

the European Parliament and of

the Council on persistent

organic pollutants

Regulation (EC) N° 1005/2009 Not listed

on substances that deplete the

ozone layer

Regulation (EU) N° 649/2012 of Not listed

the European Parliament and of the Council concerning the export and import of hazardous chemicals

National regulations

Other Not known.

15.2 Chemical Safety Assessment

A REACH chemical safety assessment has not been carried out.

Artline Paint Marker

SECTION 16: OTHER INFORMATION

The following sections contain 1-16 revisions or new statements:

I FGFND

Hazard Pictogram(s) None.

GHS02: GHS: Flame

GHS07: GHS: Exclamation mark GHS08: GHS: Health hazard GHS09: GHS: Environment

Hazard classification Flam. Lig. 2 : Flammable liquid, Category 2

Asp. Tox. 1 : Aspiration hazard, Category 1 Skin Irrit. 2 : Skin corrosion/irritation, Category 2

STOT SE 3_H336 : Specific target organ toxicity — single exposure, Category 3 Aquatic Chronic 2 : Hazardous to the aquatic environment, Chronic, Category 2

Hazard Statement(s) H225: Highly flammable liquid and vapour.

H304: May be fatal if swallowed and enters airways.

H315: Causes skin irritation.

H336: May cause drowsiness or dizziness.

H411: Toxic to aquatic life with long lasting effects.

Precautionary Statement(s) None

Acronyms CAS : Chemical Abstracts Service

CLP: Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substances and mixtures
DNEL : Derived No Effect Level
EC : European Community

EINECS: European Inventory of Existing Commercial Chemical Substances

LTEL: Long term exposure limit

PBT : Persistent, Bioaccumulative and Toxic PNEC : Predicted No Effect Concentration

REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals STEL : Short term exposure limit STOT : Specific Target Organ Toxicity

vPvB: very Persistent and very Bioaccumulative

Disclaimers Information contained in this publication or as otherwise supplied to Users is

believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Shachihata Inc. gives no warranty as to the fitness of the product for any

particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Shachihata Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be

assumed.