



MFC-L2750DW Compact 4-in-1 Mono Laser Printer



PRINT



COPY



SCAN



FAX



WIRELESS

The MFC-L2750DW is ideal for the busy home and small office, requiring multifunction capabilities. This quiet, compact, desktop printer boasts wired and wireless connectivity, large Auto Document Feeder supporting 2-sided print, scan and copy functionality and 250 sheet paper tray. The addition of NFC (Near-Field Communication) provides the convenience of 'Tap and print' from mobile devices.



Key Features:

- Fast print speeds of up to 34 pages per minute
- Automatic 2-sided print, scan and copy
- 250 sheet paper input
- 50 sheet Auto Document Feeder
- Built in wired and wireless connectivity
- Near-Field Communication (NFC), for mobile print
- Up to 1,200 page* inbox toner
- 6.8cm colour touchscreen
- 256MB memory

Performance designed for businesses of tomorrow

Successor to the BLI Pick Award winning 'MFC-L2740DW', the MFC-L2750DW is engineered to increase efficiency, with fast print speeds of up to 34 pages per minute with automatic 2-sided print, and 50 sheet automatic document feeder for automatic 2-sided copy and scan. Save time by using the print-from and scan-to popular cloud services directly from the 6.8cm touchscreen, including Dropbox, Google Drive™, Evernote, OneNote and more. Enjoy the added benefit of creating up to 12 custom shortcuts on the touchscreen for your most used features. Together with built-in NFC, you can now use your mobile phone and 'touch' to print for added ease of use.

Maximum value for money

More pages can be printed with the large up to 1,200 page* inbox toner, ensuring that you are ready to print, straightaway. Together with a host of feature rich functionality, ensures that your print outs are professional and cost effective.

Quiet without compromise

Print quietly without comprising on speed or quality, operating at the lowest decibel in class (under 50dB). All the models throughout the range are designed to sit on your desk, printing quietly at full speed while you work without interruption.

Designed to go the distance

Built to perform for longer. The MFC-L2750DW, has been designed with you in mind. Made from robust and hardwearing materials and supported by outstanding service as standard, providing the peace of mind that your printer will keep on going.

* Approx declared yield value in accordance with ISO/IEC 19752

General

Technology

Electrophotographic
Laser Printer

Laser Classification

Class 1 Laser Product
(IEC60825-1:2014)

Processor

600MHz

Memory

256MB

Wired Network Interface

10Base-T/100Base-TX

Wireless Network

IEEE 802.11b/g/n

Control Panel

6.8cm colour touchscreen

Local Interface

Hi-Speed USB 2.0

Shortcuts

12

Print

Print Speed Standard (A4)

Up to 34ppm
(pages per
minute)

Print Speed 2-Sided (A4)

Up to 16 sides per minute
(8 sheets per minute)

Resolution

Up to 1,200 x 1,200 dpi

Automatic 2-Sided Printing

Print on to both sides of the
paper

FPOT (First Print Out Time)

Less than 8.5 seconds from
ready mode

Print Languages

PCL6, BR-Script3
(PostScript®3™ Language
Emulation), PDF
version1.7

Embedded Fonts (PCL)

66 scalable fonts, 12 bitmap
fonts, 16 barcodes

Embedded Fonts (Postscript)

66 scalable fonts

Embedded Barcodes (PCL)

Code39, Interleaved 2 of 5,
FIM (US-PostNet, Post Net
(US-PostNet) EAN-8,
EAN-13, UPC-A, UPC-E,
Codabar, ISBN(EAN),
ISBN(UPC-E), Code128
(set A, set B, set C),
EAN128 (set A, set B, set
C), Code93, GS1Databar,
MSI

Printer Functions

N-up Printing³

Reduce up to 2, 4, 9, 16
or 25 A4 pages into just
one A4 page
(Mac, up to 2, 4, 6, 9, or 16)

Watermark Printing⁴

Watermark your documents
with predefined text or with
your own user-defined
messages

Booklet Printing⁴

Print documents in A5
booklet format using
automatic or manual 2-sided
print

Printer Driver

Windows®

Windows®10
(32 & 64 bit editions)
Windows®8
(32 & 64 bit editions)
Windows®7
(32 & 64 bit editions)
Windows® Server 2016
(32 & 64 bit editions)*
Windows® Server 2012,
2012R2 & 2008R2*
Windows® Server 2008
(32 & 64 bit editions)*

Macintosh⁵

macOS 10.8.x or
greater

Linux⁵

CUPS, LPD/LPRng
(32 & 64 bit editions)

PostScript Universal Printer Driver

Driver for Windows® that
enables you to print to any
network or locally-
connected Brother laser
printer that supports
PostScript

PCL Driver

Generic PCL XL driver

* Windows® Server supports network printing
only

1 Approx declared yield value in accordance with ISO/IEC 19752.

2 Calculated with 80g/m² paper.

3 Windows® & Mac® only.

4 Windows® only.

5 Optional download.

6 Maximum number of printed pages per month can be used to compare designed durability between like Brother products.

For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

7 Requires Brother Software.

8 Must be web connected.

All specifications correct at the time
of printing and are subject to
change.

Brother is a registered trademark of Brother
Industries Ltd. Brand product names are
registered trademarks or trademarks of
their respective companies.

Standard Paper Handling

Paper Input²
Standard Tray - 250 sheets
Manual feed slot - 1 sheet

Automatic Document Feeder (ADF) – 50 Sheets

Paper Output²
Face Down - 120 sheets
Face Up (Straight Paper Path) - 1 sheet

Media Specification

Media Types & Weights
Standard
Plain & recycled paper (between 60 - 163g/m²)
Manual feed slot
Plain, Recycled, Bond, Label, Envelope, (between 60 - 230g/m²)
2-sided Print
Plain & recycled paper (between 60 - 105g/m²)

Envelope & Label Printing
Yes, from the Manual feed slot: support for 1 envelope / sheet

Media Sizes
Standard Tray
A4, Letter, A5, A5 (Long Edge), A6, Executive
Manual feed slot
Width: 76.2mm to 215.9mm x
Length: 127mm to 355.6mm
2-sided Print
A4

Mobile / Web Based Printing & Scanning

Brother iPrint&Scan (Android/ iPad / iPhone / iPod/ Windows®Phone/ 8,10 & RT)
Print from, scan to, preview copies and check the machine status from a mobile/ tablet/ laptop device

Google Cloud Print 2.0
Print most common file types from any Google Cloud Print enabled application

AirPrint
Print from and scan to most common file types from any AirPrint enabled application

Brother Print Service Plugin
Print from Android devices without a dedicated App

Mopria
Print most common file types from Mopria supported Android devices

Web Connect⁸
Print from and scan to without using a PC on Box, Dropbox, Evernote, OneDrive, Google Drive™ OneNote

CreativeCentre⁸
Download and print Brother CreativeCenter content

Copy

Speed - (A4)
Up to 34cpm (copies per minute)

FCOT (First Copy Time Out)
Less than 10 seconds from ready mode

Resolution
Up to 600 x 600dpi

1 Approx declared yield value in accordance with ISO/IEC 19752.

2 Calculated with 80g/m² paper.

3 Windows® & Mac® only.

4 Windows® only.

5 Optional download.

6 Maximum number of printed pages per month can be used to compare designed durability between like Brother products.

For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

7 Requires Brother Software.

8 Must be web connected.

All specifications correct at the time of printing and are subject to change.

Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

Scan

Scanner Type
CIS (Contact Image Sensor)

Colour & Mono Scanning
Yes

Scan Speed Mono
23.6ipm (images per minute)

Scan Speed Colour
7.5ipm (images per minute)

Scan Resolution from ADF
Up to 600 x 600dpi

Scan Resolution from Scanner Glass
Up to 1,200 x 1,200dpi

Interpolated Scan Resolution
Up to 19,200 x 19,200dpi

Colour Depth
16,777,216 colour variations (24 bit)

Grey Scale
256 shades of grey (8 bit)

Standard Functions⁷
Scan to E-mail, OCR, Image, File, FTP & Network. Cloud Scanning

Scan Features
Remove Background, Skip Blank Page⁴, ID Scan⁴, 1 to 2 Scan⁴, Split PDF

Scan To Microsoft Office⁷
Scan to Microsoft® Word, Microsoft® Excel & Microsoft® PowerPoint

Scan to Searchable PDF
Scan documents to searchable PDF files

Scan to SharePoint^{4&7}
Scan documents directly into SharePoint

Windows® Web Services Scanning
Scan direct into Windows® (from Windows® 7 & onwards) without needing to install a scanner driver

Scanner Driver

Windows®
TWAIN & WIA
Windows® 10 (32 & 64 bit editions)
Windows® 8.1 (32 & 64 bit editions)
Windows® 8 (32 & 64 bit editions)

Macintosh⁵
TWAIN & AirPrint
macOS 10.8.x or greater

Linux⁵
SANE (32 & 64 bit editions)

Fleet Management Tools

Unattended Installer⁴
Ability to centrally deploy and customise our drivers and software

MSI Installer⁴
Modular installers that can be distributed through Active Directory®

Embedded Web Server
Web based print management software embedded onto the device

BRAdmin Light^{4&5}
LAN/WAN management software

Driver Deployment Wizard⁴
Easily create print drivers for hassle free deployment over your network

PrintSmart Solutions (optional)

PrintSmart Cost Control
Monitor and control printing costs for all Brother and 3rd party devices

For more information on PrintSmart Solutions visit:

Address Book

Speed Dials
200 locations for E-mail addresses and fax numbers

Group Dial
A combination of up to 20 groups can be stored for broadcasting

1 Approx declared yield value in accordance with ISO/IEC 19752.

2 Calculated with 80g/m² paper.

3 Windows® & Mac® only.

4 Windows® only.

5 Optional download.

6 Maximum number of printed pages per month can be used to compare designed durability between like Brother products.

For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

7 Requires Brother Software.

8 Must be web connected.

All specifications correct at the time of printing and are subject to change.

Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

Network and Security

Wired Network

Built in Ethernet 10Base-T/100Base-TX

Network Protocols

TCP/IP (IPv4 and IPv6)

Wired Network Security

SMTP-AUTH, SNMP v3, SSL/TLS (SMTP, HTTP, IPP)

Wireless Network

IEEE 802.11b/g/n (Infrastructure Mode / Adhoc Mode)

Wireless Set-Up Support

Wi-Fi Protected Setup (WPS)

Wireless Applications

Vertical Pairing

IPv4

ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, SMTP Client, IPP/IPPS, FTP Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMP, Web Services (Print), SNTP Client

IPv6

NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, SMTP Client, FTP Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMPv6, SNTP Client, Web Services (Print)

E-mail Notifications

Automatically have the device send e-mail alerts when it requires attention, such as when the toner is low or needs replacing

E-mail Reports

Receive usage reports on a regular basis via e-mail

IP Filter

Restrict which network users can or cannot access the device over the network (IPv4 only)

Setting Lock

Secures access to the device's control panel by locking it

Supplies

Inbox Toner

700 pages¹

Standard Yield Toner

1,200 pages¹ (TN-2410)

High Yield Toner

3,000 pages¹ (TN-2420)

Drum (DR-2400)

Approx 12,000 pages

Carton Contents

Toner cartridge, drum, power supply cord, driver software for Windows®, Quick Set-Up Guide (PC interface cable NOT included)

The frequency of replacement consumables will vary depending on the complexity of the prints, the percentage of coverage, paper size, page per job, and the type of media.

Dimensions and Weights

With Carton (WxDxH)

410 x 398.5 x 318.5 mm - 12.0kg

Without Carton (WxDxH)

580 x 517 x 434 mm - 14.9kg

Duty Cycles

Recommended Monthly

Up to 2,000 pages monthly print volume

Maximum Monthly⁶

Up to 15,000 pages monthly print volume

¹ Approx declared yield value in accordance with ISO/IEC 19752.

² Calculated with 80g/m² paper.

³ Windows® & Mac® only.

⁴ Windows® only.

⁵ Optional download.

⁶ Maximum number of printed pages per month can be used to compare designed durability between like Brother products.

For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

⁷ Requires Brother Software.

⁸ Must be web connected.

All specifications correct at the time of printing and are subject to change.

Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

Environment

Power Consumption

Printing - 440W (260W in quiet mode),
Ready - 42W,
Sleep - 6.2W,
Deep sleep - 0.6W, Off - 0.03W

TEC Value

1.348kWh / Week

Sound Pressure Level

Printing
49dbA,
Quiet mode
printing 44dbA,
Ready
Up to 30dbA

Power Saving

This enables the printer to consume less energy when not in use

Toner Saving

This reduces the toner usage and helps to reduce the total cost of printer ownership

Energy Star

Yes

Eco Mode

Yes

Fax

Fax Modem

33,600bps (Super G3)

PC Fax Send^{9&3}

Send faxes directly from your PC

PC Fax Receive^{9&4}

Receive faxes directly to your PC

Fax Forwarding

Sends a fax received in memory to another pre-programmed fax number

1 Approx declared yield value in accordance with ISO/IEC 19752.

2 Calculated with 80g/m² paper.

3 Windows® & Mac® only.

4 Windows® only.

5 Optional download.

6 Maximum number of printed pages per month can be used to compare designed durability between like Brother products.

For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

7 Requires Brother Software.

8 Must be web connected.

All specifications correct at the time of printing and are subject to change.

Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.