

PRODUCT SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

1.1 Identification of the substance or preparation

Cellulose Adhesive

1.2 Use of the substance/preparation

The Cellulose adhesive is intended for use as paper glue, for paper Mache and as a thickening agent for water based paints.

1.3 Company/undertaking identification

Colorlord Ltd Regent Mill Regent Street Rochdale OL12 0HQ United Kingdom

Tel: +44 (0)1706 666620 Fax: +44 (0)1706 666621 Email: info@colorlord.com Web: www.colorlord.com

1.4 Emergency telephone

+44 (0)1706 666620 (Office hours)

2. HAZARDS IDENTIFICATION

Not classified as hazardous as supplied

The Cellulose adhesive conforms to all relevant parts of the European Toy Safety regulations (EN71).

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Label elements Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name CAS Numbers Proportion

Sodium Carboxymethyl Cellulose 9004-32-4 >99%

No ingredients according to the criteria in Regulation (EC) No. 1907/2006 (Annex II)

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) - Status - Not Applicable

4. FIRST AID MEASURES

Inhalation

No special first aid measures.

Skin contact

No special first aid measures necessary. Wash with warm, soapy water.

Eye Contact

Wash with copious quantities of water. Seek medical attention if irritation persists

Ingestion

Do not induce vomiting. Give water to drink. Consult a physician if the amount is significant or the affected person appears unwell.

4. FIRE FIGHTING MEASURES

This Cellulose adhesive is not considered a fire hazard as supplied.

The Cellulose adhesive is not flammable; however it is combustible and may release harmful fumes.

Suitable extinguishing media are – Water spray, dry powder, foam & CO₂

6. ACCIDENTAL RELEASE MEASURES

Personal precautions
No special requirements

Environmental precautions
No special requirements

7. HANDLING AND STORAGE

7.1 Handling

Ensure good ventilation if dust may be generated.

7.2 Storage

Store in closed container provided.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Exposure limit values

Not applicable.

8.2 Exposure controls

No special requirements given the intended use of the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 General information

Appearance
Off-white fine granule / powder

Odour Odourless

10.

STABILITY AND REACTIVITY

The Cellulose adhesive is stable under normal conditions and use.

11. TOXICOLOGICAL INFORMATION

Exposure to Sodium carboxymethyl cellulose (SCMC) dust may cause slight irritation of the skin, eyes, mouth and nose on prolonged repeated exposure. The particular grade of SCMC we use for the Cellulose adhesive is mainly granular resulting in very little dust.

All of the information we have on the Cellulose adhesive indicates extremely low acute toxicity.

12. ECOLOGICAL INFORMATION

No specific adverse effects known.

13. DISPOSAL CONSIDERATIONS

Dispose of any unwanted material and/or residue from spillages in accordance with local regulations.

14. TRANSPORT INFORMATION

No special precautions are required.

15. REGULATORY INFORMATION

Not classified under regulations relating to dangerous substances and preparations.

16. OTHER INFORMATION

The Cellulose adhesive conforms to all relevant parts of the European Toy Safety regulations (EN71).

Individuals with allergies or sensitivities to particular substances should contact us on +44 (0)1706 666620 for more detailed information on the components of the preparation.

Material use: The Cellulose adhesive is intended for use as

paper glue, for paper Mache and as a thickening agent for water based paints.

Restrictions on use: Not recommended for children < 36 months

The Cellulose adhesive should be used with

appropriate adult supervision.

Issue Date : 22nd Nov 2017

Revision Number : 2 Safety Data Sheet N° . : BC26

Disclaimer: This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date compiled. However, no warranty, guarantee or representation is made as to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use.