

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

BOSTIK BLU TACK GREY Supercedes Date: 05-Mar-2021 Revision date 05-Mar-2021 Revision Number 1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name Pure substance/mixture BOSTIK BLU TACK GREY Mixture

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Uses advised against

Consumer use. Adhesive. None known

1.3. Details of the supplier of the safety data sheet

#### Company Name

Bostik Limited Common Rd ST16 3EH Stafford UK Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

### E-mail address

SDS.box-EU@bostik.com

## 1.4. Emergency telephone number

United Kingdom Ireland +44 (1785) 272650 +353 (1) 8624900 (Monday- Friday 9am-5pm)

## SECTION 2: Hazards identification

## 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

## 2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Signal word None

#### Hazard statements This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

## 2.3. Other hazards

May be harmful in contact with skin.

## PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

## SECTION 3: Composition/information on ingredients

## **BOSTIK BLU TACK GREY**

## 3.1 Substances

Not applicable

## 3.2 Mixtures

Chemical name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
White mineral oil, petroleum	232-455-8	8042-47-5	1 - <5	Asp. Tox. 1 (H304)		01-2119487078- 27-xxxx
Distillates, petroleum, hydrotreated light paraffinic (IP346 <3% DMSO)	265-158-7	64742-55-8	1 - <5	Asp. Tox. 1 (H304)		01-2119487077- 29-XXXX

### Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures					
4.1. Description of first aid measures					
General advice	Show this safety data sheet to the doctor in attendance.				
Inhalation	Remove to fresh air. IF exposed or concerned: Get medical advice/attention.				
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor.				
Skin contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a doctor.				
Ingestion	Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person.				
4.2. Most important symptoms and effects, both acute and delayed					
Symptoms	No information available.				
4.3. Indication of any immediate medical attention and special treatment needed					
Note to doctors Treat symptomatically.					
SECTION 5: Firefighting me	asures				
5.1. Extinguishing media					
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.				
Unsuitable extinguishing media	No information available.				
United Kingdom, Ireland - EN	Page 2 / 10				

## **BOSTIK BLU TACK GREY**

Supercedes Date: 05-Mar-2021

5.2. Special hazards arising from the	ne substance or mixture
Specific hazards arising from the chemical	No information available.
Hazardous combustion products	Carbon dioxide (CO2).
5.3. Advice for firefighters	
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
SECTION 6: Accidental relea	ase measures
6.1. Personal precautions, protecti	ve equipment and emergency procedures
Personal precautions	Ensure adequate ventilation.
For emergency responders	Use personal protection recommended in Section 8.
6.2. Environmental precautions	
Environmental precautions	See Section 12 for additional Ecological Information.
6.3. Methods and material for conta	ainment and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.
6.4. Reference to other sections	
Reference to other sections	See section 8 for more information. See section 13 for more information.
SECTION 7: Handling and st	orage
7.1. Precautions for safe handling	_
Advice on safe handling	Ensure adequate ventilation.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.
7.2. Conditions for safe storage, in	cluding any incompatibilities
Storage Conditions	Keep container tightly closed in a dry and well-ventilated place.
7.3. Specific end use(s)	
<b>Specific use(s)</b> Consumer use. Adhesive.	
Risk Management Methods (RMM)	The information required is contained in this Safety Data Sheet.
Other information	Observe technical data sheet.
SECTION 8: Exposure control	ols/personal protection

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

## **Exposure Limits**

## BOSTIK BLU TACK GREY

Supercedes Date: 05-Mar-2021

#### Revision date 05-Mar-2021 Revision Number 1

Chemical name	European Union	Ireland	United Kingdom
Limestone	-	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
1317-65-3		TWA: 4 mg/m <sup>3</sup>	TWA: 4 mg/m <sup>3</sup>
		STEL: 30 mg/m <sup>3</sup>	STEL: 30 mg/m <sup>3</sup>
		STEL: 12 mg/m <sup>3</sup>	STEL: 12 mg/m <sup>3</sup>

Derived No Effect Level (DNEL)

No information available

Derived No Effect Level (DNEL)					
White mineral oil, petroleum (8042	White mineral oil, petroleum (8042-47-5)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
worker Long term Systemic health effects	Inhalation	164.56 mg/m³			
worker Long term Systemic health effects	Dermal	217.05 mg/kg bw/d			

Derived No Effect Level (DNEL)					
White mineral oil, petroleum	White mineral oil, petroleum (8042-47-5)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
Consumer Long term Systemic health effects	Inhalation	34.78 mg/m³			
Consumer Long term Systemic health effects	Dermal	93.02 mg/kg bw/d			
Consumer Long term Systemic health effects	Oral	25 mg/kg bw/d			

Predicted No Effect Concentration No information available. (PNEC)

## 8.2. Exposure controls

**Engineering controls** 

Ensure adequate ventilation, especially in confined areas.

Remarks • Method

## Personal protective equipment

Eye/face protection	No special technical protective measures are necessary
Hand protection	Hand protection is not required.
Skin and body protection	None under normal use conditions.

Environmental exposure controls No information available.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state	Solid
Appearance	Solid
Colour	Grey
Odour	Slight
Odour threshold	No information available
Property	<b>Values</b>
pH	No data available

BOSTIK BLU TACK GREY Supercedes Date: 05-Mar-2021

#### Revision date 05-Mar-2021 Revision Number 1

Melting point / freezing point Initial boiling point and boiling	No data available No data available
range	No data available
Flash point	No data available No data available
Evaporation rate	No data available
Flammability	NO GALA AVAIIADIE
Flammability Limit in Air	No data available
Upper flammability or explosive limits	NU Uala avaliable
Lower flammability or explosive	No data available
limits	NO Gala available
Vapour pressure	No data available
Relative vapour density	No data available
Relative density	No data available
Water solubility	Insoluble in water
Solubility(ies)	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Decomposition temperature	No data available
Kinematic viscosity	No data available
Dynamic viscosity	No data available
Explosive properties	No data available
Oxidising properties	No data available
9.2. Other information	
Solid content (%)	No information available
VOC Content (%)	No information available
Liquid Density	No information available

## SECTION 10: Stability and reactivity

10.1. Reactivity	
Reactivity	No information available.
10.2. Chemical stability	
Stability	Stable under normal conditions.
Explosion data	
Sensitivity to mechanical impact	None.
Sensitivity to static discharge	None.
10.3. Possibility of hazardous react	tions
Possibility of hazardous reactions	None under normal processing.
10.4. Conditions to avoid	
Conditions to avoid	None known based on information supplied.
10.5. Incompatible materials	
Incompatible materials	None known based on information supplied.
10.6. Hazardous decomposition pro	oducts
Hazardous decomposition products	None under normal use conditions. Stable under recommended storage conditions.

BOSTIK BLU TACK GREY

## SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure

## **Product Information**

Inhalation	Based on available data, the classification criteria are not met.	
Eye contact	Based on available data, the classification criteria are not met.	
Skin contact	May be harmful in contact with skin.	
Ingestion	Based on available data, the classification criteria are not met.	
Symptoms related to the physical, chemical and toxicological characteristics		

Symptoms

No information available.

Numerical measures of toxicity

### Acute toxicity The following values are calculated based on chapter 3.1 of the GHS document ATEmix (dermal) 3,029.20 mg/kg

.

.

## **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
White mineral oil, petroleum 8042-47-5	>5000 mg/kg (Rattus)		CL50 (4h) >5mg/l (Rattus)
Distillates, petroleum, hydrotreated light paraffinic (IP346 <3% DMSO) 64742-55-8	LD50 > 5000 mg/kg (Rattus)	LD50> 5000 mg/kg (Oryctolagus cuniculus) OECD 402	=3900 mg/m³ (Rattus) 4 h

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Based on available data, the classification criteria are not met.
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.
Respiratory or skin sensitisation	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.
Reproductive toxicity	Based on available data, the classification criteria are not met.

## BOSTIK BLU TACK GREY Supercedes Date: 05-Mar-2021

#### Revision date 05-Mar-2021 Revision Number 1

STOT - single exposure	Based on available data, the classification criteria are not met.		
STOT - repeated exposure	Based on available data, the classification criteria are not met.		
Aspiration hazard	Based on available data, the classification criteria are not met.		
11.2. Information on other hazards			
11.2.1. Endocrine disrupting properties			
Endocrine disrupting properties	No information available.		
11.2.2. Other information			
Other adverse effects	No information available.		

## SECTION 12: Ecological information

## 12.1. Toxicity

## Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
White mineral oil, petroleum 8042-47-5	-	LC50: >10000mg/L (96h, Lepomis macrochirus)	-	LC50 (48h) >100 mg/l Daphnia magna		
Distillates, petroleum, hydrotreated light paraffinic (IP346 <3% DMSO) 64742-55-8	-	LC50: >5000mg/L (96h, Oncorhynchus mykiss)	-	EC50: >1000mg/L (48h, Daphnia magna)		

### 12.2. Persistence and degradability

Persistence and degradability No information available.

### 12.3. Bioaccumulative potential

## **Bioaccumulation**

There is no data for this product.

### **Component Information**

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
White mineral oil, petroleum	6	-
8042-47-5		

## 12.4. Mobility in soil

Mobility in soil

No information available.

.

### 12.5. Results of PBT and vPvB assessment

#### PBT and vPvB assessment

Chemical name	PBT and vPvB assessment
White mineral oil, petroleum	The substance is not PBT / vPvB

## BOSTIK BLU TACK GREY

Supercedes Date: 05-Mar-2021

#### Revision date 05-Mar-2021 Revision Number 1

8042-47-5	PBT assessment does not apply
Distillates, petroleum, hydrotreated light paraffinic (IP346 <3% DMSO) 64742-55-8	The substance is not PBT / vPvB

## 12.6. Other adverse effects

Other adverse effects

No information available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

## **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1 UN number or ID number	Not regulated	
14.2 Proper Shipping Name	Not regulated	
14.3 Transport hazard class(es)	Not regulated	
14.4 Packing group	Not regulated	
14.5 Environmental hazards	Not applicable	
14.6 Special Provisions	None	
IMDG		
14.1 UN number or ID number	Not regulated	
14.2 Proper Shipping Name	Not regulated	
14.3 Transport hazard class(es)	Not regulated	
14.4 Packing group	Not regulated	
14.5 Marine pollutant	NP	
14.6 Special Provisions	None	
14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code No.		

Air transport (ICAO-TI / IATA-DGR)			
Not regulated			
Not applicable			
None			

## Section 15: REGULATORY INFORMATION

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## European Union

## Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

## BOSTIK BLU TACK GREY

Supercedes Date: 05-Mar-2021

### SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

#### Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

## Persistent Organic Pollutants

Not applicable

## National regulations

## 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

## **SECTION 16: Other information**

## Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H304 - May be fatal if swallowed and enters airways

Legend	
TWA	TWA (time-weighted average)
STEL	STEL (Short Term Exposure Limit)
Ceiling	Ceiling Limit Value
*	Skin designation
SVHC	Substance(s) of Very High Concern
PBT	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
vPvB	Very Persistent and very Bioaccumulative (vPvB) Chemicals
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
EWC	European Waste Catalogue

#### Key literature references and sources for data No information available

Prepared By	Product Safety & Regulatory Affairs
Revision date	05-Mar-2021
Indication of changes	
Revision note	Not applicable.

BOSTIK BLU TACK GREY Supercedes Date: 05-Mar-2021 Revision date 05-Mar-2021 Revision Number 1

Training Advice No information available

**Further information** 

No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet