

PIXMA G1530




FAST PRINTS. HUGE SAVINGS

A fast, cost-efficient everyday printer for productive students, families and home users.



- **Ultra-low running costs**
Make huge savings over the printer's lifetime thanks to refillable high-yield ink tanks that can deliver 8,100¹ prints on a single set of ink bottles and greatly reduce the total cost of ownership
- **Simple operation**
Easy, straightforward day-to-day use thanks to single-action print head installation
- **High-speed productivity**
Get your documents faster thanks to print speeds of 11.0 ipm (mono) and 6.0 ipm (colour)
- **Easy at-home maintenance**
Keep downtime to a minimum thanks to the user-replaceable maintenance cartridge and mechanical ID no-squeeze ink bottles
- **Work with more media**
Get creative at home with the ability to print on magnetic and matte photo paper



PRODUCT RANGE



PIXMA G3570



PIXMA G2570



PIXMA G1530

PIXMA G4570
PIXMA G3570
PIXMA G2570
PIXMA G1530



Live for the story_

¹ Colour page yield is the estimated value based on Canon individual test method using the ISO/IEC 24712 chart and continuous printing simulation in economy mode with the replacement after initial setup.

TECHNICAL SPECIFICATIONS

PIXMA G1530

GENERAL SPECIFICATIONS

Functions

Print

PRINTER SPECIFICATIONS

Print Resolution

Up to 4800 x 1200 dpi^[1]

Print Technology

2 FINE Print Head (Black and Colour)
Refillable ink tank printer

Mono Print Speed

approx. 11 ipm^[2]

Colour Print Speed

approx. 6.0 ipm^[2]

Photo Print Speed

Borderless 10x15cm : Approx. 45 seconds^[3]

Borderless Printing

Yes
A4, B5, LTR, 4" x 6", 5" x 7", 7" x 10", 8" x 10",
Square (89 mm x 89 mm), Square (127 mm x 127 mm),
Card Size (91 mm x 55 mm)^[1,5]
Manual operation

Two Sided Printing

Manual operation

CARTRIDGES AND YIELDS

Standard Ink Cartridges

GI-51 <PGBK>
GI-51 <C>
GI-51 <M>
GI-51 <Y>

Cartridge Yield (Plain paper)

A4 colour documents printing^[4]
Black: 6,000 pages
(Economy mode 7,600 pages)^[1,9]
Colour: 7,700 pages
(Economy mode 8,100 pages)^[1,9]
* Estimated supplemental yield

Cartridge Yield (Photo print)

10x15cm colour photo printing
Colour: 2,200 photos
* Estimated supplemental yield

PAPER SUPPORT

Paper Types

Plain Paper
Red Label Superior 80 g/m² (WOP111),
Canon Océ Office Colour Paper 80 g/m² (SAT213)
Photo Paper Pro Luster (LU-101),
Photo Paper Plus Glossy II (PP-201)
Matte Photo Paper (MP-101),
Glossy Photo Paper "Everyday Use" (GP-501)
High Resolution Paper (HR-101N),
Envelope,
Photo Paper Plus Semi-gloss (SG-201),
Greeting Card (manufactured by Avery and RedRiverPaper),
Cardstock (manufactured by Neenah Paper and INKPRESS),
Restickable Photo Paper (RP-101)
Magnetic Photo Paper (MG-101)
Dark Fabric Iron on Transfers (DF-101),
Light Fabric Iron on Transfers (LF-101),
Double sided Matte Paper (MP-101D)

Maximum Paper Input

Rear Tray: Max. 100 sheets (plain paper)

Paper Sizes

A4, A5, A6, B5, LTR, LGL, Executive
(184.2 mm x 266.7 mm), Legal (215 mm x 345 mm),
4" x 6", 5" x 7", 7" x 10", 8" x 10", Envelopes DL,
Envelopes COM10, Envelopes C5,
Square (89 mm x 89 mm), Square (127 mm x 127 mm),
Card Size (91 mm x 55 mm)

Paper Weight

[Custom size] width 55 mm - 216 mm,
length 89 mm - 1200 mm
Rear Tray: Plain paper: 64 - 105 g/m²
Canon specialty paper: max paper weight :
approx. 265 g/m²
(Photo Paper Plus Glossy II PP-201)

GENERAL

Display

N/A

Standard Interface

Hi-Speed USB (USB B Port)

OS Compatibility

Windows 11, Windows 10, Windows 8.1, Windows 7
SP1
Operation can only be guaranteed on a PC with
pre-installed Windows 7 or later.
Printer driver, IJ Printer Assistant Tool and IJ Network
Device Setup Utility are available with following OS.
Windows Server 2008 R2 SP1, Windows Server 2012 R2,
Windows Server 2016, Windows Server 2019,
Windows Server 2022

Mac: OS X 10.14.6 ~ macOS 12

Chrome OS^[23]

Windows: 2.0GB or more

Mac: 1.0GB or more

Note: for bundled software installation. The
necessary amount of hard disk space required.

Display: 1024 x 768 XGA

Printer Driver

IJ Printer Assistant Tool

Minimum System Requirements

Software Included

PHYSICAL FEATURES

Weight

approx. 4.6 kg

Dimensions (W x D x H)

Approx. 416 x 330 x 146 mm (with trays retracted)
Approx. 416 x 557 x 267 mm (with trays extended)
approx. 49.0dB(A)^[7]

Acoustic Noise Levels

Operating Temperature

5-35°C

Operating Humidity

10-90%RH (no dew condensation)

Power Source

AC 100-240V, 50/60Hz

Power Consumption

Off: Approx. 0.1W
Standby (USB connection to PC): Approx. 0.6W
Standby (all ports connected): Approx. 0.6W
Time to enter Standby mode: 4minutes 21sec
Printing: Approx. 14W^[5]

*The wait time for standby cannot be changed (Lot26)

0.10 kWh^[8]

Typical Electricity Consumption

Live for the story_

TECHNICAL SPECIFICATIONS

PIXMA G1530

Footnotes:

- [1] Ink droplets can be placed with a minimum pitch of 1/4800 inch
- [2] A4 document print speed on plain paper is measured based on average of ESAT in Office Category Test of ISO/IEC 24734 standard.
- [3] Photo print speed is based on default driver setting using ISO/JIS-SCID N2 standard on Canon Photo Paper Plus Glossy II and does not take into account data processing time on host computer.
- [4] Page Yield is the estimated value based on Canon individual test method using the ISO/IEC 24712 chart and continuous printing simulation with the replacement after initial setup.
- [5] Page Yield is the estimated value based on Canon individual test method using the ISO/IEC 29103 chart and continuous printing simulation with the replacement after initial setup.
- [7] Plain Paper(A4, B/W). Acoustic Noise is measured based on ISO7779 standard.
- [8] Typical Electricity Consumption (TEC) value: TEC value was calculated assuming the unit will be constantly switched among operational mode, sleep mode, and power-off mode for 5 days, and that it will be either in sleep or power-off mode for the remaining 2 days within the same week. The TEC value of this product is calculated by Canon on their own accord using TEC measurement procedure regulated in International ENERGY STAR Program.
- [9] Print: When printing ISO/JIS-SCID N2 on A4 size plain paper using default settings.
- [15] Paper types NOT supported for borderless printing are as follows: Envelope, High Resolution Paper, T-Shirt Transfer, Photo Stickers
- [19] The economy mode reduces the black ink consumption by lowering the density, 26% more pages than the standard mode can be printed
- [23] Some functions may not be available with these Operating Systems. Please refer to the manual or website for details.

Standard disclaimers

- All specifications subject to change without notice.
- Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.
- Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see www.canon-europe.com/ink/yield
- All brand and product names are trademarks of their respective companies.
- Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.



FAST PRINTS. HUGE SAVINGS

PIXMA G1530

A fast, cost-efficient everyday printer for productive students, families and home users.

Sales Start Date: January 2023



PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code
PIXMA G1530	5809C008AA	4549292205923

PRODUCT CODES FOR CONSUMABLES:

Product Name	Mercury Code	EAN Code
Standard size		
GI-51PGBK	4529C001AA	4549292169546
GI-51C	4546C001AA	4549292169829
GI-51M	4547C001AA	4549292169843
GI-51Y	4548C001AA	4549292169867
Maintenance Cartridge		
MC-G04	5813C001AA	4549292206029

What's in the box?

- PIXMA G1530 Refillable MegaTank Inkjet Printer
- 4 high-yield ink bottles (1 x Black and 1 x C/M/Y)
- Power cord
- Manuals and other documents



Live for the story_