



SAFETY DATA SHEET Aqua Dosa S11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name B1933 Aqua Dosa S11

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Ready to use sanitising liquid

1.3. Details of the supplier of the safety data sheet

Supplier Aqua Cure Ltd
Aqua Cure House,
Hall Street, Southport,
Merseyside, Pr9 0SE
Tel: +44 (0) 1704 516 916
Fax: +44 (0) 1704 544 916
sales@aquacure.co.uk

1.4. Emergency telephone number

Emergency telephone +44 (0) 1925 742 000
(Available only within office hours 9am - 5pm)

National emergency telephone number National Poisons Information Service (24-hour service)
Tel: +44 (0) 844 892 0111 (UK only)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified
Health hazards Not Classified
Environmental hazards Aquatic Chronic 3 - H412

2.2. Label elements

Hazard statements H412 Harmful to aquatic life with long lasting effects.
Precautionary statements P273 Avoid release to the environment.
P501 Dispose of contents/ container in accordance with national regulations.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

Aqua Dosa S11

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Didecyldimethylammonium chloride (DDAC)

<1%

CAS number: 7173-51-5

EC number: 230-525-2

M factor (Acute) = 10

M factor (Chronic) = 1

Classification

Met. Corr. 1 - H290

Acute Tox. 3 - H301

Acute Tox. 4 - H312

Skin Corr. 1B - H314

Aquatic Acute 1 - H400

Aquatic Chronic 1 - H410

Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-C16))

<1%

CAS number: 68424-85-1

EC number: 270-325-2

M factor (Acute) = 10

M factor (Chronic) = 1

Classification

Met. Corr. 1 - H290

Acute Tox. 4 - H302

Skin Corr. 1B - H314

Aquatic Acute 1 - H400

Aquatic Chronic 1 - H410

Polyhexamethylene biguanide hydrochloride

<1%

CAS number: 27083-27-8

M factor (Acute) = 10

M factor (Chronic) = 1

Classification

Acute Tox. 4 - H302

Acute Tox. 2 - H330

Eye Dam. 1 - H318

Skin Sens. 1B - H317

Carc. 2 - H351

STOT RE 1 - H372

Aquatic Acute 1 - H400

Aquatic Chronic 1 - H410

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Not expected to present a significant inhalation hazard under anticipated conditions of normal use.

Aqua Dosa S11

Ingestion	Do not induce vomiting. Get medical attention if symptoms are severe or persist. Rinse mouth thoroughly with water. Give plenty of water to drink. Never give anything by mouth to an unconscious person.
Skin contact	Skin irritation should not occur when used as recommended. Wash with plenty of water.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

General information The product is considered to be a low hazard under normal conditions of use.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Carbon dioxide (CO₂). Powder. Water spray. Alcohol-resistant foam.

Unsuitable extinguishing media None known.

5.2. Special hazards arising from the substance or mixture

Specific hazards None known.

Hazardous combustion products Toxic gases and fumes may be released in a fire.

5.3. Advice for firefighters

Protective actions during firefighting Use fire-extinguishing media suitable for the surrounding fire. Fight fire with normal precautions from a reasonable distance. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Control run-off water by containing and keeping it out of sewers and watercourses. Contain and collect extinguishing water.

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel In case of fire: Wear self-contained breathing apparatus. Wear protective clothing, gloves, eye and face protection. Keep unnecessary and unprotected personnel away from the spillage. Eliminate all sources of ignition. Ventilate closed spaces before entering them.

For emergency responders Wear self-contained breathing apparatus. Wear protective clothing, gloves, eye and face protection. Do not allow uncontrolled discharge of product into the environment. Evacuate unnecessary personnel.

6.2. Environmental precautions

Environmental precautions Avoid discharge to the aquatic environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Contain spillage with sand, earth or other suitable non-combustible material. Contain and dispose of waste according to local regulations.

6.4. Reference to other sections

Aqua Dosa S11

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions	Avoid contact with eyes.
Advice on general occupational hygiene	Do not eat, drink or smoke when using this product. No specific hygiene procedures recommended but good personal hygiene practices should always be observed when working with chemical products.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep containers upright. Store in tightly-closed, original container in a dry, cool and well-ventilated place. Protect from freezing and direct sunlight. Avoid contact with oxidising agents. Store at temperatures not exceeding 35°C.
Storage class	Miscellaneous hazardous material storage.

7.3. Specific end use(s)

Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
----------------------------	---

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

This product does not contain any substances with occupational exposure limit values.

8.2. Exposure controls

Appropriate engineering controls	Wash hands at the end of each work shift and before eating, smoking and using the toilet.
Eye/face protection	Eye protection not required.
Hand protection	Hand protection not required.
Respiratory protection	Respiratory protection not required.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance	Clear liquid.
Colour	Colourless to pale yellow.
Odour	Characteristic.
Odour threshold	Not determined.
pH	pH (concentrated solution): 6.00 - 8.00
Melting point	Not determined.
Initial boiling point and range	100 - 101°C
Flash point	Not determined.
Evaporation rate	Not determined.
Evaporation factor	Not determined.
Flammability (solid, gas)	Not relevant.

Aqua Dosa S11

Upper/lower flammability or explosive limits	Not relevant.
Other flammability	Not relevant.
Vapour pressure	Not determined.
Vapour density	Not determined.
Relative density	0.99-1.01 @ 20°C
Bulk density	Not relevant.
Solubility(ies)	Soluble in water.
Partition coefficient	Not determined.
Auto-ignition temperature	Not determined.
Decomposition Temperature	Not determined.
Viscosity	Not relevant.
Explosive properties	Not considered to be explosive.
Explosive under the influence of a flame	Not considered to be explosive.
Oxidising properties	The mixture itself has not been tested but none of the ingredient substances meet the criteria for classification as oxidising.
Comments	Information given is applicable to the product as supplied.

9.2. Other information

Other information 2 years shelf life

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Stable at normal ambient temperatures and when used as recommended.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Stable at normal ambient temperatures and when used as recommended.

10.4. Conditions to avoid

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

Materials to avoid Anionics. Hypochlorite. Oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition products None known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Aqua Dosa S11

Skin corrosion/irritation

Skin corrosion/irritation Not classified.

Serious eye damage/irritation

Serious eye damage/irritation Not classified.

Respiratory sensitisation

Respiratory sensitisation Not classified.

Skin sensitisation

Skin sensitisation Not classified.

Germ cell mutagenicity

Genotoxicity - in vitro Not classified.

Genotoxicity - in vivo Not classified.

Carcinogenicity

Carcinogenicity Not classified.

Reproductive toxicity

Reproductive toxicity - fertility Not classified.

Reproductive toxicity - development Not classified.

Specific target organ toxicity - single exposure

STOT - single exposure Not classified.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified.

Aspiration hazard

Aspiration hazard Not classified.

SECTION 12: Ecological Information

12.1. Toxicity

Toxicity When used as instructed, the product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

12.2. Persistence and degradability

Persistence and degradability Not determined.

12.3. Bioaccumulative potential

Partition coefficient Not determined.

12.4. Mobility in soil

Mobility Not determined.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects Not determined.

SECTION 13: Disposal considerations

Aqua Dosa S11

13.1. Waste treatment methods

General information	The generation of waste should be minimised or avoided wherever possible.
Disposal methods	Dispose of waste product or used containers in accordance with local regulations Do not discharge into drains or watercourses or onto the ground. Containers with collected spillage must be properly labelled with correct contents and hazard symbol.

SECTION 14: Transport information

General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).
----------------	--

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).
-----------------------	--

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Revision date	10/03/2017
Revision	2
SDS number	5098

Aqua Dosa S11

Hazard statements in full

H290 May be corrosive to metals.
H301 Toxic if swallowed.
H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H330 Fatal if inhaled.
H351 Suspected of causing cancer.
H372 Causes damage to organs (Respiratory tract) through prolonged or repeated exposure.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.