(according to Regulation (EC) No. 2015/830)



# SC Johnson Professional Glade® Aerosol - Clean Linen

Version 1.1 Revision Date 14.02.2019 Print Date 08.10.2019 Specification Number: 350000035092 SITE FORM Number:

30000000000000023624.002

#### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**1.1 Product identifier** : SC Johnson Professional Glade® Aerosol - Clean Linen

1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use of the Substance/Mixture**: Air care products

Uses advised against : None known.

1.3 Details of the supplier of the :

safety data sheet

SC Johnson Professional Ltd.

Denby DE5 8JZ

UK

SC Johnson Professional GmbH

Girmesgath 47803 Krefeld

EU

**Telephone** : +44 (0) 1773 855 100

E-mail address : talktous@scj.com

1.4 Emergency telephone

number

Care Center:

UK - 0800 353 353

Ireland - 1800 409 176

Irish Poison Center: Ireland - (01)809 2166

### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Hazard classification	Hazard category	Hazards identification
Aerosol	Category 2	Flammable aerosol.

#### 2.2 Label elements

(according to Regulation (EC) No. 2015/830)



# SC Johnson Professional Glade® Aerosol - Clean Linen

Version 1.1 Revision Date 14.02.2019 Print Date 08.10.2019
Specification Number: 350000035092
SITE FORM Number: 30000000000000023624.002

Labelling according to Regulation (EC) No. 1272/2008 (CLP) Hazard symbols



# Signal word

Warning

### **Hazard statements**

(H223) Flammable aerosol.

(H229) Pressurised container: May burst if heated.

#### **Precautionary statements**

(P102) Keep out of reach of children.

(P410 + P412) Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

(P210) Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

(P211) Do not spray on an open flame or other ignition source.

(P251) Do not pierce or burn, even after use.

#### **Additional Labelling**

Use only in well-ventilated areas.

Store in a cool, dry place.

People suffering from perfume sensitivity should be cautious when using this product.

Air fresheners do not replace good hygiene practices.

For professional use only.

(according to Regulation (EC) No. 2015/830)



# SC Johnson Professional Glade® Aerosol - Clean Linen

Version 1.1 Revision Date 14.02.2019 Print Date 08.10.2019 Specification Number: 350000035092 SITE FORM Number: 30000000000000023624.002

2.3 Other hazards : Intentional misuse by deliberately concentrating and inhaling contents can

be harmful or fatal.

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.2 Mixtures

## **Hazardous components**

Chemical name	CAS-No./EC No	Reg. No	Classification according to Regulation (EC) No 1272/2008 (CLP)	Weight percent
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	68424-85-1 270-325-2	01-2119983287-23	Skin corrosion Category 1 H314 Serious eye damage Category 1 H318 Long-term (chronic) aquatic hazard Category 1 H410 Short-term (acute) aquatic hazard Category 1 H400 Acute toxicity Category 4 H302	>= 0.00 - < 0.10

(according to Regulation (EC) No. 2015/830)



# SC Johnson Professional Glade® Aerosol - Clean Linen

Version 1.1 Revision Date 14.02.2019 Print Date 08.10.2019 Specification Number: 350000035092 SITE FORM Number: 30000000000000023624.002

Acute toxicity
Category 3
н311
Acute toxicity
Category 2
Н330
M-Factor Acute - 10
M-Factor Chronic - 1

WEL substance				
butane	106-97-8 203-448-7	01-2119474691-32	Flammable gases Category 1 H220 Gases under pressure	>= 5.00 - < 10.00
			H280	
2-methylbutane	78-78-4 201-142-8	01-2119475602-38	Flammable liquids Category 1 H224 Specific target organ toxicity - single exposure Category 3 H336 Aspiration hazard Category 1 H304 Long-term (chronic)	>= 0.00 - < 0.10

(according to Regulation (EC) No. 2015/830)



# SC Johnson Professional Glade® Aerosol - Clean Linen

Version 1.1 Revision Date 14.02.2019 Print Date 08.10.2019 Specification Number: 350000035092 SITE FORM Number: 30000000000000023624.002

propane-1,2-diol	57-55-6 200-338-0	01-2119456809-23	aquatic hazard Category 2 H411	>= 0.00 - < 0.10
1,3-butadiene	106-99-0 203-450-8	01-2119449808-24	Flammable gases Category 1 H220 Gases under pressure  H280 Germ cell mutagenicity Category 1B H340 Carcinogenicity Category 1A H350	>= 0.00 - < 0.10

### **Additional Information**

For the full text of the H-Statements mentioned in this Section, see Section 16.

### **SECTION 4: FIRST AID MEASURES**

#### 4.1 Description of first aid measures

Inhalation : Move to fresh air.

If breathing is affected, get medical attention.

Skin contact : Rinse with plenty of water.

(according to Regulation (EC) No. 2015/830)



# SC Johnson Professional Glade® Aerosol - Clean Linen

Version 1.1 Revision Date 14.02.2019 Print Date 08.10.2019 Specification Number: 350000035092 SITE FORM Number: 30000000000000023624.002

Get medical attention if irritation develops and persists.

Eye contact : Rinse with plenty of water.

Get medical attention if irritation develops and persists.

Ingestion : If symptoms persist, call a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

Eyes : May irritate eyes.

No adverse effects expected when used as directed.

Skin effect : May cause skin irritation.

No adverse effects expected when used as directed.

Inhalation : Intentional misuse by deliberately concentrating and inhaling contents can

be harmful or fatal.

No adverse effects expected when used as directed.

Ingestion : May cause abdominal discomfort.

No adverse effects expected when used as directed.

## 4.3 Indication of any immediate medical attention and special treatment needed

See Description of first aid measures unless otherwise stated.

#### **SECTION 5: FIREFIGHTING MEASURES**

# 5.1 Extinguishing media

Suitable : Use extinguishing measures that are appropriate to local circumstances

and the surrounding environment.

Unsuitable : High volume water jet

5.2 Special hazards arising from

the substance or mixture

Heating may cause an explosion.

In case of fire and/or explosion do not breathe fumes.

Exposure to decomposition products may be a hazard to health.

(according to Regulation (EC) No. 2015/830)



# SC Johnson Professional Glade® Aerosol - Clean Linen

Version 1.1 Revision Date 14.02.2019 Print Date 08.10.2019 Specification Number: 350000035092 SITE FORM Number: 30000000000000023624.002

**5.3 Advice for firefighters** : In the event of fire, wear self-contained breathing apparatus.

Wear suitable protective clothing and gloves.

Refer to current EN or National standard as appropriate.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

6.1 Personal precautions, protective equipment and emergency procedures Use personal protective equipment. Remove all sources of ignition.

Beware of vapours accumulating to form explosive concentrations. Vapours

can accumulate in low areas.

**6.2 Environmental precautions** : Outside of normal use, avoid release to the environment.

Prevent large amounts of product from entering drains. Do not flush into surface water or sanitary sewer system.

Use appropriate containment to avoid environmental contamination.

6.3 Methods and materials for containment and cleaning up

If damage occurs to aerosol can:

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

Clean residue from spill site.

Dike large spills.

Use only non-sparking equipment.

**6.4 Reference to other sections** : For personal protection see section 8.

For disposal considerations see section 13.

### **SECTION 7: HANDLING AND STORAGE**

**7.1 Precautions for safe handling** : For personal protection see section 8.

Do not breathe vapours or spray mist.

Do not use in areas without adequate ventilation.

Do not puncture.

Use explosion-proof equipment.

Keep away from sources of ignition - No smoking.

Do not spray on a naked flame or any incandescent material. Take measures to prevent the build up of electrostatic charge.

(according to Regulation (EC) No. 2015/830)



# SC Johnson Professional Glade® Aerosol - Clean Linen

Version 1.1 Revision Date 14.02.2019 Print Date 08.10.2019 Specification Number: 350000035092 SITE FORM Number: 30000000000000023624.002

7.2 Conditions for safe storage, including any incompatibilities

No smoking. Store in cool place. Do not freeze.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.

Keep out of the reach of children.

No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Professional uses: Public domain (administration, education, entertainment,

services, craftsmen)
Air care products

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

### 8.1 Control parameters

### **Occupational Exposure Limit Values**

CAS-No.	mg/m3	ppm	Form of exposure	List
106-97-8	1,810	750 ppm		UK_WELSTEL
	mg/m3			
	1,450	600 ppm		UK_WELTWAS
	mg/m3			
78-78-4	3,000	1,000		EUOEL_TWAS
	mg/m3	ppm		
	1,800	600 ppm		UK_WELTWAS
	mg/m3			
	5,400	1,800		UK_WELSTEL
	mg/m3	ppm		
57-55-6	1,422	450 ppm	total particulate	UK_WELSTEL
	mg/m3		and vapour	
	30 mg/m3		particulate	UK_WELSTEL
	474	150 ppm	total particulates	UK_WELTWAS
	mg/m3		and vapour	
	10 mg/m3		particulate	UK_WELTWAS
106-99-0	22 mg/m3	10 ppm		UK_WELTWAS
	66 mg/m3	30 ppm		UK_WELSTEL
	78-78-4 57-55-6	106-97-8 1,810 mg/m3 1,450 mg/m3 78-78-4 3,000 mg/m3 1,800 mg/m3 5,400 mg/m3 57-55-6 1,422 mg/m3 30 mg/m3 474 mg/m3 10 mg/m3 10 mg/m3	106-97-8	106-97-8

(according to Regulation (EC) No. 2015/830)



# SC Johnson Professional Glade® Aerosol - Clean Linen

Version 1.1 Revision Date 14.02.2019 Print Date 08.10.2019 Specification Number: 350000035092 SITE FORM Number: 30000000000000023624.002

Refer to current EN or National standard as appropriate.

#### 8.2 Exposure controls

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection : Wear suitable gloves.

Nitrile gloves – Thickness 0.12mm; Breakthrough time >2 hours. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. Before removing gloves clean them with soap and water.

Eye/face protection : No special requirements.

Skin and body protection : Wash contaminated clothing before re-use.

Other information : Wash hands before breaks and at the end of workday.

Environmental Exposure Controls : Refer to section 6.

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1 Information on basic physical and chemical properties

Appearance : aerosol

Colour : colourless

Odour : powder

Odour Threshold : Test not applicable for this product type

pH : Test not applicable for this product type

Melting point/freezing point : Test not applicable for this product type

Initial boiling point and boiling range : Test not applicable for this product type

Flash point : 79 °C

Method: Tag Closed Cup (TCC)

(according to Regulation (EC) No. 2015/830)



# SC Johnson Professional Glade® Aerosol - Clean Linen

Version 1.1 Revision Date 14.02.2019 Print Date 08.10.2019 Specification Number: 350000035092 SITE FORM Number: 30000000000000023624.002

liquid

-7 °C

Method: Tag Closed Cup (TCC)

Propellant

Evaporation rate : Test not applicable for this product type

Flammability (solid, gas) : Sustains combustion

Upper/lower flammability or

explosive limits

: Test not applicable for this product type

Vapour pressure : Test not applicable for this product type

Vapour density : Test not applicable for this product type

Relative density : 0.86 g/cm3 at 20 °Cestimated

Solubility(ies) : partly miscible

Partition coefficient: n-

octanol/water

: Test not applicable for this product type

Auto-ignition temperature : not auto-flammable

Decomposition temperature : Test not applicable for this product type

Viscosity, dynamic : Test not applicable for this product type

Viscosity, kinematic : Test not applicable for this product type

Explosive properties : Test not applicable for this product type

Oxidizing properties : Test not applicable for this product type

9.2 Other information

Other information : None identified :

#### **SECTION 10: STABILITY AND REACTIVITY**

(according to Regulation (EC) No. 2015/830)



# SC Johnson Professional Glade® Aerosol - Clean Linen

Version 1.1 Revision Date 14.02.2019 Print Date 08.10.2019
Specification Number: 350000035092
SITE FORM Number:

3000000000000023624.002

**10.1 Reactivity** : No dangerous reaction known under conditions of normal use.

**10.2 Chemical stability** : Stable under recommended storage conditions.

10.3 Possibility of hazardous

reactions

: None known.

**10.4 Conditions to avoid** : Heat, flames and sparks.

**10.5 Incompatible materials** : None known.

10.6 Hazardous decomposition

products

: No decomposition if stored and applied as directed.

## SECTION 11: TOXICOLOGICAL INFORMATION

# 11.1 Information on toxicological effects

### **Acute oral toxicity**

Name	Method	Species	Dose
Product	LD50		> 2,000 mg/kg
	Calculated		

#### Acute inhalation toxicity

Name	Method	Species	Dose	Exposure time
Product	LC50 (dust and		> 5 mg/l	
	mist)			
	Calculated			

#### **Acute dermal toxicity**

Name	Method	Species	Dose
Product	LD50		> 2,000 mg/kg
	estimated		

## Acute oral toxicity

(according to Regulation (EC) No. 2015/830)



# SC Johnson Professional Glade® Aerosol - Clean Linen

Version 1.1 Revision Date 14.02.2019 Print Date 08.10.2019 Specification Number: 350000035092 SITE FORM Number: 30000000000000023624.002

Name	Method	Species	Dose
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	LD50	Rat	426 mg/kg

### Acute inhalation toxicity

Name	Method	Species	Dose	Exposure time
Quaternary ammonium	No data available			
compounds, benzyl-C12-16-				
alkyldimethyl, chlorides				

### **Acute dermal toxicity**

Name	Method	Species	Dose
Quaternary ammonium	LD50	Rat	930 mg/kg
compounds, benzyl-C12-16-			
alkyldimethyl, chlorides			

 ${\tt Skin\ corrosion/irritation} \qquad \qquad {\tt :} \qquad {\tt Based\ on\ available\ data,\ the\ classification\ criteria\ are\ not\ met}.$ 

Serious eye damage/eye

irritation

Based on available data, the classification criteria are not met.

Skin sensitisation : Based on available data, the classification criteria are not met.

Germ cell mutagenicity : Based on available data, the classification criteria are not met.

Carcinogenicity : Based on available data, the classification criteria are not met.

Toxicity for reproduction : Based on available data, the classification criteria are not met.

STOT - single exposure : Based on available data, the classification criteria are not met.

STOT - repeated exposure : Based on available data, the classification criteria are not met.

(according to Regulation (EC) No. 2015/830)



# SC Johnson Professional Glade® Aerosol - Clean Linen

Version 1.1 Revision Date 14.02.2019 Print Date 08.10.2019 Specification Number: 350000035092 SITE FORM Number: 30000000000000023624.002

Aspiration hazard : Based on available data, the classification criteria are not met.

### **SECTION 12: ECOLOGICAL INFORMATION**

**Product**: The product itself has not been tested.

12.1 Toxicity

Toxicity to fish

Components	End point	Species	Value	Exposure time
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	LC50 Measured	Pimephales promelas (fathead minnow)	0.28 mg/l	96 h
	NOEC	Pimephales promelas (fathead minnow)	0.03 mg/l	34 d
butane	LC50 QSAR	Fish	27.98 mg/l	96 h
2-methylbutane	LC50	Oncorhynchus mykiss (rainbow trout)	4.26 mg/l	96 h
	NOELR QSAR	Fish	7.6 mg/l	21 d
propane-1,2-diol	LC50 static test Measured	Oncorhynchus mykiss (rainbow trout)	40,613 mg/l	96 h
	Chronic Toxicity Value QSAR	Fish	2,500 mg/l	30 d
1,3-butadiene	LC50 QSAR	Fish	43 mg/l	96 h

# Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure time
Quaternary ammonium	EC50	Daphnia magna (Water	0.016 mg/l	48 h

(according to Regulation (EC) No. 2015/830)



# SC Johnson Professional Glade® Aerosol - Clean Linen

Version 1.1 Revision Date 14.02.2019 Print Date 08.10.2019 Specification Number: 350000035092 SITE FORM Number: 30000000000000023624.002

compounds, benzyl-C12-16- alkyldimethyl, chlorides		flea)		
, , ,	NOEC	Daphnia magna	0.0042 mg/l	21 d
butane	No data available			
2-methylbutane	EC50 Measured	Daphnia magna (Water flea)	2.3 mg/l	48 h
	NOELR QSAR	Daphnia magna	13.29 mg/l	21 d
propane-1,2-diol	EC50 static test Measured	Ceriodaphnia dubia	18,340 mg/l	48 h
	NOEC semi-static test Measured	Ceriodaphnia sp.	13,020 mg/l	7 d
1,3-butadiene	EC50 QSAR	Daphnia (water flea)	33 mg/l	48 h

# **Toxicity to aquatic plants**

Components	End point	Species	Value	Exposure time
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	EC50	Selenastrum capricornutum, Skeletonema costatum	0.026 mg/l	72 h
butane	EC50 QSAR	Green algae	7.71 mg/l	96 h
2-methylbutane	EC50 QSAR	Scenedesmus capricornutum (fresh water algae)	10.7 mg/l	72 h
propane-1,2-diol	EC50 static test Measured	Scenedesmus capricornutum (fresh water algae)	19,000 mg/l	96 h
1,3-butadiene	EC50 QSAR	Algae	11 mg/l	96 h

# 12.2 Persistence and degradability

(according to Regulation (EC) No. 2015/830)



# SC Johnson Professional Glade® Aerosol - Clean Linen

Version 1.1 Revision Date 14.02.2019 Print Date 08.10.2019 Specification Number: 350000035092 SITE FORM Number: 30000000000000023624.002

Component	Biodegradation	Exposure time	Summary
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	95.5 %	28 d	Readily biodegradable.
butane	100 %	385.5 h	Readily biodegradable.
2-methylbutane	71.43 %	28 d	Readily biodegradable.
propane-1,2-diol	81.7 % Measured	28 d	Readily biodegradable.
1,3-butadiene	No data available		

# 12.3 Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n-Octanol/water (log)
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	79 Measured	3.91
butane	No data available	2.89
2-methylbutane	171 Read-across (Analogy)	4.9 Measured
propane-1,2-diol	0.09	-1.07
1,3-butadiene	13 - 19.1	1.85

# 12.4 Mobility in soil

Component	End point	Value
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	No data available	
butane	No data available	
2-methylbutane	log Koc	2.9 Read-across (Analogy)
propane-1,2-diol	Кос	2.9 Measured

(according to Regulation (EC) No. 2015/830)



# SC Johnson Professional Glade® Aerosol - Clean Linen

Version 1.1 Revision Date 14.02.2019 Print Date 08.10.2019 Specification Number: 350000035092 SITE FORM Number: 30000000000000023624.002

1,3-butadiene	No data available	

#### 12.5 Results of PBT and vPvB assessment

Component	Results
Quaternary ammonium compounds, benzyl- C12-16-alkyldimethyl, chlorides	Not fulfilling PBT and vPvB criteria
butane	Not fulfilling PBT and vPvB criteria
2-methylbutane	Not fulfilling PBT and vPvB criteria
propane-1,2-diol	Not fulfilling PBT and vPvB criteria
1,3-butadiene	Not fulfilling PBT and vPvB criteria

12.6 Other adverse effects

None known.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

# 13.1 Waste treatment methods

Product : Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Disposal should be in accordance with local, state or

 $national\ legislation.$ 

Please recycle empty packaging.

Packaging : Do not re-use empty containers.

### **SECTION 14: TRANSPORT INFORMATION**

	Land transport	Sea transport	Air transport
14.1 UN number	1950	1950	1950
14.2 UN proper shipping	AEROSOLS, Flammable	AEROSOLS, Flammable	AEROSOLS, Flammable
name			

(according to Regulation (EC) No. 2015/830)



# SC Johnson Professional Glade® Aerosol - Clean Linen

Version 1.1 Revision Date 14.02.2019 Print Date 08.10.2019 Specification Number: 350000035092 SITE FORM Number: 30000000000000023624.002

14.3 Transport hazard class(es)	2	2	2.1
14.4 Packing group			
14.5 Environmental			
hazards			
14.6 Special precautions	Limited quantities	Limited quantities	Limited quantities
for user	derogation may be applicable to this product, please check transport documents.	derogation may be applicable to this product, please check transport documents.	derogation may be applicable to this product, please check transport documents.
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Product not transported as bulk.	Product not transported as bulk.	Product not transported as bulk.

### **SECTION 15: REGULATORY INFORMATION**

15.1 Safety, health and environmental

This safety datasheet complies with the requirements of Regulation (EC)

No. 1907/2006.

regulations/legislation specific for

the substance or mixture

15.2 Chemical safety assessment

#### **SECTION 16: OTHER INFORMATION**

If applicable, revision(s) are noted by the bold bars || in left-hand margin.

### Key abbreviations or acronyms used

EC - European Community

EEC – European Economic Community

CLP - Classification Labelling & Packaging

EN – European Standard or European Norm

PBT - Persistent, Bioaccumulative & Toxic

vPvB – very persistent, very bioaccumulative

UN – United Nations

### **Evaluation methods**

Unless otherwise stated in section 11, the procedure used to derive the human health classification is the relevant calculation

(according to Regulation (EC) No. 2015/830)



# SC Johnson Professional Glade® Aerosol - Clean Linen

Version 1.1 Revision Date 14.02.2019 Print Date 08.10.2019 Specification Number: 350000035092 SITE FORM Number: 30000000000000023624.002

method according to CLP regulation (EC) No 1272/2008 as amended.

Unless otherwise stated in section 12, the procedure used to derive the environmental classification is the summation of the classified components method according to CLP regulation (EC) No 1272/2008 as amended.

#### **Full text of H-Statements**

H314	Causes severe skin burns and eye damage.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.