

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Mixture identification: Trade name: Ink Cartridge, T0612 1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use: Ink for inkjet printing 1.3. Details of the supplier of the safety data sheet Company: EPSON EUROPE B.V. Azie building, Atlas ArenA, Hoogoorddreef 5,1101 BA Amsterdam Zuidoost The Netherlands Phone number: +31-20-314-5000 Competent person responsible for the safety data sheet: chemicals@epson.eu Date: 20/10/2020 Revision: 3.0 1.4. Emergency telephone number Phone number: +31-20-314-5000 United Kingdom; 01952 607111 Monday to Friday 9am to 5:30pm. Emergency Action: In the event of a medical enquiry involving this product, please contact your doctor or local hospital accident and emergency department. +353 (01) 809 2566 or +353 (01) 809 2166 Ireland: 2545 0000 or 21224071 Malta:

SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture
 - EC regulation criteria 1272/2008 (CLP)
 - The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).
 - Adverse physicochemical, human health and environmental effects:
 - No other hazards
- 2.2. Label elements

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP). Hazard pictograms:

- None
- Hazard statements:

None

Precautionary statements:

None

Special Provisions:

EUH210 Safety data sheet available on request.

EUH208 Contains 2,4,7,9-tetramethyldec-5-yne-4,7-diol. May produce an allergic reaction.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

Special provisions according to Annex XVII of REACH and subsequent amendments: None

2.3. Other hazards

vPvB Substances: None - PBT Substances: None Other Hazards:

CLP, T0612_en Page n. 1 of 9



No other hazards

SECTION 3: Composition/information on ingredients

- 3.1. Substances
 - No
- 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

| Qty | Name | Ident. Numb | er | Classification |
|--------------------|--|---------------------------------|---|---|
| 65% ~ 80% | Water | CAS: EC: | 7732-18-5 231-791-2 | The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP). |
| 12.5% ~ 15% | Glycerol | CAS: EC: | 56-81-5 200-289-5 | The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP). |
| 1% ~ 3% | 2-[2-(2-butoxyethoxy)et hoxy]ethanol; TEGBE; triethylene glycol monobutyl ether | number: CAS: EC: | 603-183-00-0 143-22-6 205-592-6 01-21194751 07-38 | 3.3/1 Eye Dam. 1 H318 Specific Concentration Limits: C >= 30%: Eye Dam. 1 H318 20% <= C < 30%: Eye Irrit. 2 H319 |
| 1% ~ 3% | Triethanolamine | CAS: EC: | 102-71-6 203-049-8 | The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP). |
| 0.1% ~ 0.25% | 2,4,7,9-tetramethyldec- 5-yne-4,7-diol | CAS: EC: REACH No.: | 126-86-3 204-809-1 01-21199543 90-39 | 3.3/1 Eye Dam. 1 H318 3.4.2/1B Skin Sens. 1B H317 4.1/C3 Aquatic Chronic 3 H412 |
| 0.0015% ~ 0.05% | 1,2-benzisothiazol-3(2 H)-one; 1,2-benzisothiazolin-3- one | Index number: CAS: EC: | 613-088-00-6 2634-33-5 220-120-9 | 3.1/4/Oral Acute Tox. 4 H302 3.2/2 Skin Irrit. 2 H315 3.3/1 Eye Dam. 1 H318 3.4.2/1 Skin Sens. 1 H317 4.1/A1 Aquatic Acute 1 H400 Specific Concentration Limits: 0.005% <= C < 0.05%: EUH208 C >= 0.05%: Skin Sens. 1 H317 |

SECTION 4: First aid measures

4.1. Description of first aid measures

- In case of skin contact:
 - Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed None

CLP, T0612_en Page n. 2 of 9



4.3. Indication of any immediate medical attention and special treatment needed Treatment: None

SECTION 5: Firefighting measures

- 5.1. Extinguishing media
 - Suitable extinguishing media:
 - Water.
 - Carbon dioxide (CO2).
 - Extinguishing media which must not be used for safety reasons:
 - None in particular.
- 5.2. Special hazards arising from the substance or mixture
 - Do not inhale explosion and combustion gases.
 - Burning produces heavy smoke.
- 5.3. Advice for firefighters
 - Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures Wear personal protection equipment.
 - Remove persons to safety.

See protective measures under point 7 and 8.

- 6.2. Environmental precautions
 - Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it. In case of gas escape or of entry into waterways, soil or drains, inform the responsible
 - In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.
 - Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up
 - Wash with plenty of water.
- 6.4. Reference to other sections See also section 8 and 13

SECTION 7: Handling and storage

- 7.1. Precautions for safe handling
 - Avoid contact with skin and eyes, inhalation of vapours and mists.
 See also section 8 for recommended protective equipment.
 Advice on general occupational hygiene:
 Do not eat or drink while working.
- 7.2. Conditions for safe storage, including any incompatibilities Keep away from food, drink and feed. Incompatible materials: None in particular. Instructions as regards storage premises:
 - Adequately ventilated premises.
- 7.3. Specific end use(s)
 - None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

CLP, T0612_en Page n. 3 of 9



Glycerol - CAS: 56-81-5 - OEL Type: OSHA - TWA: 5 mg/m3 - Notes: Respirable dust - OEL Type: OSHA - TWA: 15 mg/m3 - Notes: Total dust Triethanolamine - CAS: 102-71-6 - OEL Type: ACGIH - TWA(8h): 5 mg/m3 **DNEL Exposure Limit Values** No data available **PNEC Exposure Limit Values** 2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutyl ether -CAS: 143-22-6 Target: Fresh Water - Value: 1.5 mg/l Target: Freshwater sediments - Value: 5.77 mg/kg Target: Marine water - Value: 0.15 mg/l Target: Marine water sediments - Value: 0.13 mg/kg Target: Microorganisms in sewage treatments - Value: 200 mg/l 2,4,7,9-tetramethyldec-5-yne-4,7-diol - CAS: 126-86-3 Target: Fresh Water - Value: 0.04 mg/l Target: Marine water - Value: 0.004 mg/l Target: Freshwater sediments - Value: 0.32 mg/kg Target: Marine water sediments - Value: 0.032 mg/kg 8.2. Exposure controls 8.2.1. Appropriate engineering controls: None 8.2.2. Individual protection measures, such as personal protective equipment Eye protection: Use personal protective equipment as required. Protection for skin: Use personal protective equipment as required. Protection for hands: Use personal protective equipment as required. Respiratory protection: Use personal protective equipment as required. Thermal Hazards: None 8.2.3. Environmental exposure controls: None Appropriate engineering controls: None **SECTION 9: Physical and chemical properties** 9.1. Information on basic physical and chemical properties

| Appearance and colour: | Cyan Liquid |
|---|--------------------|
| Odour: | Slightly |
| Odour threshold: | No data available |
| pH: | 8.5 ~ 9.5 at 20 °C |
| Melting point / freezing point: | No data available |
| Initial boiling point and boiling range: | No data available |
| Solid/gas flammability: | No data available |
| Upper/lower flammability or explosive limits: | No data available |
| Vapour density: | No data available |
| Flash point: | No data available |
| Evaporation rate: | No data available |
| Vapour pressure: | No data available |
| Relative density: | No data available |
| | |

CLP, T0612_en Page n. 4 of 9



Solubility in water: Solubility in oil: Partition coefficient (n-octanol/water): Auto-ignition temperature: Decomposition temperature: Viscosity: Explosive properties: Oxidizing properties: 9.2. Other information

9.2. Other information Miscibility: Fat Solubility: Conductivity:

SECTION 10: Stability and reactivity

- 10.1. Reactivity
- Stable under normal conditions 10.2. Chemical stability
- Stable under normal conditions 10.3. Possibility of hazardous reactions
- None
- 10.4. Conditions to avoid Stable under normal conditions.
- 10.5. Incompatible materials None in particular.
- 10.6. Hazardous decomposition products None.

SECTION 11: Toxicological information

- 11.1. Information on toxicological effects
 - Toxicological information of the product:

f) carcinogenicity:

- Does not contain carcinogens (Ref. 1)
- g) reproductive toxicity:
 - Does not contain reproductive toxicity and developmental toxic substances (Ref. 2)
- Toxicological information of the main substances found in the product:
 - Glycerol CAS: 56-81-5
 - a) acute toxicity:
 - Test: LD50 Route: Oral Species: Guinea pig = 7750 mg/kg Source: Journal of Industrial Hygiene and Toxicology. Vol. 23, Pg. 259, 1941
 - Test: LDLo Route: Oral Species: Human = 1428 mg/kg Source: "Toxicology of Drugs and Chemicals," Deichmann, W.B., New York, Academic Press, Inc., 1969Vol. -, Pg. 288, 1969.
 - 2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutyl ether CAS: 143-22-6

a) acute toxicity:

- Test: LD50 Route: Dermal Species: Rabbit = 3.54 ml/kg Source: American Industrial Hygiene Association Journal. Vol. 23, Pg. 95, 1962.
- Test: LD50 Route: Oral Species: Rat = 5300 mg/kg Source: Office of Toxic Substances Report. Vol. OTS,
- Triethanolamine CAS: 102-71-6
- a) acute toxicity:
 - Test: LD50 Route: Oral Species: Guinea pig = 2200 mg/kg Source:
 - "Toxicometric Parameters of Industrial Toxic Chemicals Under Single Exposure,"

Complete No data available No data available No data available No data available < 5 mPa·s at 20 °C No data available No data available

No data available No data available No data available



Izmerov, N.F., et al., Moscow, Centre of International Projects, GKNT, 1982Vol. -, Pg. 114, 1982.

Test: LD50 - Route: Oral - Species: Mouse = 5846 mg/kg - Source: Science Reports of the Research Institutes, Tohoku University, Series C: Medicine. Vol. 36(1-4), Pg. 10, 1989.

- 2,4,7,9-tetramethyldec-5-yne-4,7-diol CAS: 126-86-3
- a) acute toxicity:
- Test: LD50 Route: Dermal Species: Rat > 2000 mg/kg b) skin corrosion/irritation:
 - Test: Skin Irritant Species: Rabbit Mild irritant
- c) serious eye damage/irritation:

Test: Eye Irritant - Species: Rabbit Highly irritating

- d) respiratory or skin sensitisation:
- Test: Skin Sensitisation Route: LLNA Species: Mouse Sensitiser
- e) germ cell mutagenicity:
 - Test: Mutagenesis Species: Salmonella Typhimurium Negative

If not differently specified, the information required in Regulation (EU) 2015/830 listed below must be considered as 'No data available':

- a) acute toxicity;
- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. Toxicological information of the product:

No data available

Toxicological information of the main substances found in the product:

- 2,4,7,9-tetramethyldec-5-yne-4,7-diol CAS: 126-86-3
 - a) Aquatic acute toxicity:
 - Endpoint: LC50 Species: Fish = 36 mg/l Duration h: 96
 - Endpoint: EC50 Species: Daphnia = 88 mg/l Duration h: 48
 - Endpoint: EC50 Species: Algae = 15 mg/l Duration h: 72
 - c) Bacteria toxicity:
 - Endpoint: EC50 Species: activated sludge = 630 mg/l Duration h: 0.5
- 12.2. Persistence and degradability
 - No data available
- 12.3. Bioaccumulative potential
 - No data available
- 12.4. Mobility in soil
 - No data available
- 12.5. Results of PBT and vPvB assessment
 - vPvB Substances: None PBT Substances: None
- 12.6. Other adverse effects None



SECTION 13: Disposal considerations

13.1. Waste treatment methods Recover if possible. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

- 14.1. UN number
 - Not classified as dangerous in the meaning of transport regulations.
- 14.2. UN proper shipping name No data available
- 14.3. Transport hazard class(es)
- No data available 14.4. Packing group
 - No data available
- 14.5. Environmental hazards
- No data available
- 14.6. Special precautions for user No data available
- 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) 2015/830 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Regulation (EU) n. 2016/918 (ATP 8 CLP) Regulation (EU) n. 2016/1179 (ATP 9 CLP) Regulation (EU) n. 2017/776 (ATP 10 CLP) Regulation (EU) n. 2018/669 (ATP 11 CLP) Regulation (EU) n. 2018/1480 (ATP 13 CLP) Regulation (EU) n. 2019/521 (ATP 12 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: Restrictions related to the product: No restriction. Restrictions related to the substances contained: No restriction. Where applicable, refer to the following regulatory provisions : Directive 2012/18/EU (Seveso III) Regulation (EC) nr 648/2004 (detergents). Dir. 2004/42/EC (VOC directive) Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 None CLP, T0612_en

Page n. 7 of 9



- 15.2. Chemical safety assessment
 - No Chemical Safety Assessment has been carried out for the mixture.

SECTION 16: Other information

Full text of phrases referred to in Section 3:

- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H317 May cause an allergic skin reaction.
- H412 Harmful to aquatic life with long lasting effects.
- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H400 Very toxic to aquatic life.

EUH208 Contains (name of sensitising substance). May produce an allergic reaction.

| Hazard class and hazard category | Code | Description |
|-------------------------------------|------------|--|
| Acute Tox. 4 | 3.1/4/Oral | Acute toxicity (oral), Category 4 |
| Skin Irrit. 2 | 3.2/2 | Skin irritation, Category 2 |
| Eye Dam. 1 | 3.3/1 | Serious eye damage, Category 1 |
| Eye Irrit. 2 | 3.3/2 | Eye irritation, Category 2 |
| Skin Sens. 1 | 3.4.2/1 | Skin Sensitisation, Category 1 |
| Skin Sens. 1B | 3.4.2/1B | Skin Sensitisation, Category 1B |
| Aquatic Acute 1 | 4.1/A1 | Acute aquatic hazard, category 1 |
| Aquatic Chronic 3 | 4.1/C3 | Chronic (long term) aquatic hazard, category 3 |

Paragraphs modified from the previous revision:

SECTION 1: Identification of the substance/mixture and of the company/undertaking

SECTION 3: Composition/information on ingredients

SECTION 6: Accidental release measures

SECTION 7: Handling and storage

SECTION 8: Exposure controls/personal protection

SECTION 11: Toxicological information

SECTION 12: Ecological information

SECTION 15: Regulatory information

SECTION 16: Other information

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

Ref. 1 •IARC Monographs on the Evaluation Carcinogenic Risks to Humans (IARC: International Agency for Research on Cancer) •Journal of Occupational Health (JOH) (Japan Society of Occupational Health (JSOH)) •TLVs and BEIs (ACGIH: American Conference of Governmental Industrial Hygienists)

IRIS Carcinogenic Assessment (IRIS: Integrated Risk Information System of US EPA)
 National Toxicology Program (NTP) Report on Carcinogens (USA)
 Annex VI of REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT

AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

·MAK und BAT Werte Liste (DFG: German Research Foundation)



•TRGS 905, Verzeichnis krebserzeugender, keimzell mutagener oder reproduktionstoxischer Stoffe (AGS: Committee on Hazardous Substances, Germany)

Ref. 2 •Annex VI of REGULATION (ÈC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 •TRGS 905, Verzeichnis krebserzeugender, keimzell mutagener oder reproduktionstoxischer Stoffe (AGS: Committee on Hazardous Substances, Germany)

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This Safety Data Sheet cancels and replaces any preceding release.

| ADR: | European Agreement concerning the International Carriage of Dangerous Goods by Road. |
|-------------|---|
| ATE: | Acute Toxicity Estimate |
| ATEmix: | Acute toxicity Estimate (Mixtures) |
| CAS: | Chemical Abstracts Service (division of the American Chemical |
| 040. | Society). |
| CLP: | Classification, Labeling, Packaging. |
| DNEL: | Derived No Effect Level. |
| EINECS: | European Inventory of Existing Commercial Chemical Substances. |
| GefStoffVO: | Ordinance on Hazardous Substances, Germany. |
| GHS: | Globally Harmonized System of Classification and Labeling of |
| 0110. | Chemicals. |
| IATA: | International Air Transport Association. |
| IATA-DGR: | Dangerous Goods Regulation by the "International Air Transport |
| | Association" (IATA). |
| ICAO: | International Civil Aviation Organization. |
| ICAO-TI: | Technical Instructions by the "International Civil Aviation Organization" |
| | (ICAO). |
| IMDG: | International Maritime Code for Dangerous Goods. |
| INCI: | International Nomenclature of Cosmetic Ingredients. |
| KSt: | Explosion coefficient. |
| LC50: | Lethal concentration, for 50 percent of test population. |
| LD50: | Lethal dose, for 50 percent of test population. |
| PNEC: | Predicted No Effect Concentration. |
| RID: | Regulation Concerning the International Transport of Dangerous Goods |
| | by Rail. |
| STEL: | Short Term Exposure limit. |
| STOT: | Specific Target Organ Toxicity. |
| TLV: | Threshold Limiting Value. |
| TWA: | Time-weighted average |
| WGK: | German Water Hazard Class. |



SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier
 - Mixture identification: Trade name:

Singlepack Magenta T0613 DURABrite Ultra Ink

1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use:

Ink for inkjet printing

1.3. Details of the supplier of the safety data sheet Company:

| | EPSON EUROPE E | B.V. | | |
|-------------------------|---|------------------|--|--|
| | Azie building, Atlas ArenA, Hoogoorddreef 5,1101 BA Amsterdam | | | |
| | Zuidoost The Nethe | erlands | | |
| | Phone number: | +31-20-314-5000 | | |
| Competent person | responsible for the | | | |
| | chemicals@epson- | -europe.com | | |
| Date: | 02/11/2 | /2016 | | |
| Revision: | 1.0 | | | |
| 1.4. Emergency telephon | ne number | | | |
| Phone number: | +31-20 | 0-314-5000 | | |
| Giftnotruf Berlin; | +48 (| (0) 30 30686 790 | | |

SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture
 - EC regulation criteria 1272/2008 (CLP)

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Adverse physicochemical, human health and environmental effects:

- No other hazards
- 2.2. Label elements

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP). Hazard pictograms:

None

Hazard statements:

None

Precautionary statements:

None

Special Provisions:

EUH210 Safety data sheet available on request.

EUH208 Contains 2,4,7,9-tetramethyldec-5-yne-4,7-diol. May produce an allergic reaction.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

Special provisions according to Annex XVII of REACH and subsequent amendments: None

2.3. Other hazards

vPvB Substances: None - PBT Substances: None Other Hazards: No other hazards

SECTION 3: Composition/information on ingredients

- 3.1. Substances
 - No
- 3.2. Mixtures

C13T061340_en

Page n. 1 of 8



| Qty | Name | Ident. Numb | er | Classification |
|-----------------|--|---|---|--|
| 65% ~ 80% | Water | CAS: EC: | 7732-18-5 231-791-2 | The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP). |
| 10% ~ 12.5% | Glycerol | CAS: EC: | 56-81-5 200-289-5 | The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP). |
| 1% ~ 3% | 2-[2-(2-butoxyethoxy)et hoxy]ethanol; TEGBE; triethylene glycol monobutyl ether | Index number: CAS: EC: REACH No.: | 603-183-00-0 143-22-6 205-592-6 01-21194751 07-38 | � 3.3/1 Eye Dam. 1 H318 |
| 1% ~ 3% | Triethanol amine | CAS: EC: | 102-71-6 203-049-8 | The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP). |
| 0.25% ~ 0.5% | 2,4,7,9-tetramethyldec- 5-yne-4,7-diol | CAS: EC: | 126-86-3 204-809-1 | 3.3/1 Eye Dam. 1 H318 3.4.2/1B Skin Sens. 1B H317 4.1/C3 Aquatic Chronic 3 H412 |
| < 0.05% | 1,2-benzisothiazol-3(2 H)-one; 1,2-benzisothiazolin-3- one | Index number: CAS: EC: | 613-088-00-6 2634-33-5 220-120-9 | 3.1/4/Oral Acute Tox. 4 H302 3.2/2 Skin Irrit. 2 H315 3.3/1 Eye Dam. 1 H318 3.4.2/1-1A-1B Skin Sens. 1,1A,1B H317 4.1/A1 Aquatic Acute 1 H400 |

Hazardous components within the meaning of the CLP regulation and related classification:

SECTION 4: First aid measures

- 4.1. Description of first aid measures
 - In case of skin contact:
 - Wash with plenty of water and soap.
 - In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

- 4.2. Most important symptoms and effects, both acute and delayed
- None
- 4.3. Indication of any immediate medical attention and special treatment needed Treatment:

None

SECTION 5: Firefighting measures

- 5.1. Extinguishing media
 - Suitable extinguishing media: Water.

C13T061340_en Page n. 2 of 8



Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures Wear personal protection equipment.
 - Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

- Wash with plenty of water.
- 6.4. Reference to other sections See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists. Do not eat or drink while working.

See also section 8 for recommended protective equipment.

- 7.2. Conditions for safe storage, including any incompatibilities Keep away from food, drink and feed. Incompatible materials:
 - None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

- 7.3. Specific end use(s)
 - None in particular

SECTION 8: Exposure controls/personal protection

- 8.1. Control parameters
 - Glycerol CAS: 56-81-5
 - OEL Type: OSHA LTE: 5 mg/m3 Notes: PEL, as mist, respirable fraction

- OEL Type: OSHA - LTE: 15 mg/m3 - Notes: PEL, as mist, total dust

- DNEL Exposure Limit Values
- No data available
- PNEC Exposure Limit Values

2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutyl ether - CAS: 143-22-6

Target: Fresh Water - Value: 1.5 mg/l

Target: Freshwater sediments - Value: 5.77 mg/kg

C13T061340_en Page n. 3 of 8 Version 8.0 Revison 1.0



Target: Marine water - Value: 0.15 mg/l Target: Marine water sediments - Value: 0.13 mg/kg Target: Microorganisms in sewage treatments - Value: 200 mg/l 2,4,7,9-tetramethyldec-5-yne-4,7-diol - CAS: 126-86-3 Target: Fresh Water - Value: 0.04 mg/l Target: Marine water - Value: 0.004 mg/l Target: Freshwater sediments - Value: 0.32 mg/kg Target: Marine water sediments - Value: 0.032 mg/kg 8.2. Exposure controls Eye protection: Not needed for normal use. Anyway, operate according good working practices. Protection for skin: No special precaution must be adopted for normal use. Protection for hands: Not needed for normal use. Respiratory protection: Not needed for normal use. Thermal Hazards: None Environmental exposure controls: None Appropriate engineering controls: None

SECTION 9: Physical and chemical properties

| 9.1. Information on basic physical and chemical prope | rties |
|---|--------------------|
| Appearance and colour: | Magenta Liquid |
| Odour: | Slightly |
| Odour threshold: | No data available |
| pH: | 8.5 ~ 9.5 at 20 °C |
| Melting point / freezing point: | No data available |
| Initial boiling point and boiling range: | No data available |
| Solid/gas flammability: | No data available |
| Upper/lower flammability or explosive limits: | No data available |
| Vapour density: | No data available |
| Flash point: | No data available |
| Evaporation rate: | No data available |
| Vapour pressure: | No data available |
| Relative density: | No data available |
| Solubility in water: | Complete |
| Solubility in oil: | No data available |
| Partition coefficient (n-octanol/water): | No data available |
| Auto-ignition temperature: | No data available |
| Decomposition temperature: | No data available |
| Viscosity: | < 5 mPa⋅s at 20 °C |
| Explosive properties: | No data available |
| Oxidizing properties: | No data available |
| 9.2. Other information | |
| Miscibility: | No data available |
| Fat Solubility: | No data available |
| Conductivity: | No data available |

SECTION 10: Stability and reactivity

10.1. Reactivity

C13T061340_en Page n. 4 of 8



Stable under normal conditions

- 10.2. Chemical stability Stable under normal conditions
- 10.3. Possibility of hazardous reactions None
- 10.4. Conditions to avoid Stable under normal conditions.
- 10.5. Incompatible materials None in particular.
- 10.6. Hazardous decomposition products None.

SECTION 11: Toxicological information

- 11.1. Information on toxicological effects
 - Toxicological information of the mixture: No data available

Toxicological information of the main substances found in the mixture:

Glycerol - CAS: 56-81-5

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Guinea pig = 7750 mg/kg - Source: Journal of Industrial Hygiene and Toxicology. Vol. 23, Pg. 259, 1941

Test: LDLo - Route: Oral - Species: Human = 1428 mg/kg - Source: "Toxicology of Drugs and Chemicals," Deichmann, W.B., New York, Academic Press, Inc., 1969Vol. -, Pg. 288, 1969. - Notes: BEHAVIORAL: HEADACHE

GASTROINTESTINAL: NAUSEA OR VOMITING

2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutyl ether - CAS: 143-22-6

a) acute toxicity:

Test: LD50 - Route: Dermal - Species: Rabbit = 3.54 ml/kg - Source: American Industrial Hygiene Association Journal. Vol. 23, Pg. 95, 1962.

Test: LD50 - Route: Oral - Species: Rat = 5300 mg/kg - Source: Office of Toxic Substances Report. Vol. OTS,

Triethanol amine - CAS: 102-71-6

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Guinea pig = 2200 mg/kg - Source: "Toxicometric Parameters of Industrial Toxic Chemicals Under Single Exposure," Izmerov, N.F., et al., Moscow, Centre of International Projects, GKNT, 1982Vol. -, Pg. 114, 1982.

Test: LD50 - Route: Oral - Species: Mouse = 5846 mg/kg - Source: Science Reports of the Research Institutes, Tohoku University, Series C: Medicine. Vol. 36(1-4), Pg. 10, 1989. - Notes: GASTROINTESTINAL: "HYPERMOTILITY, DIARRHEA" KIDNEY, URETER, AND BLADDER: OTHER CHANGES BEHAVIORAL: CONVULSIONS OR EFFECT ON SEIZURE THRESHOLD

2,4,7,9-tetramethyldec-5-yne-4,7-diol - CAS: 126-86-3

a) acute toxicity:

Test: LD50 - Route: Dermal - Species: Rat > 2000 mg/kg - Notes: OECD TG No.402

b) skin corrosion/irritation:

Test: Skin Irritant - Species: Rabbit Mild irritant - Notes: OECD TG No.404 c) serious eye damage/irritation:

Test: Eye Irritant - Species: Rabbit Highly irritating - Notes: EPA OTS 798.4500 d) respiratory or skin sensitisation:

Test: Skin Sensitisation - Route: LLNA - Species: Mouse Sensitiser - Notes: OECD TG No.429



e) germ cell mutagenicity:

Test: Mutagenesis - Species: Salmonella Typhimurium Negative - Notes: OECD TG No.471

If not differently specified, the information required in Regulation (EU) 2015/830 listed below must be considered as 'No data available':

a) acute toxicity;

b) skin corrosion/irritation;

- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;

f) carcinogenicity;

- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.

SECTION 12: Ecological information

- 12.1. Toxicity
 - Adopt good working practices, so that the product is not released into the environment. 2,4,7,9-tetramethyldec-5-yne-4,7-diol CAS: 126-86-3
 - a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 36 mg/l - Duration h: 96 - Notes: OECD TG No.203 Endpoint: EC50 - Species: Daphnia = 88 mg/l - Duration h: 48 - Notes: OECD TG No.202

Endpoint: EC50 - Species: Algae = 15 mg/l - Duration h: 72 - Notes: OECD TG No.201 c) Bacteria toxicity:

Endpoint: EC50 - Species: activated sludge = mg/l - Notes: OECD TG No.209

- 12.2. Persistence and degradability No data available
- 12.3. Bioaccumulative potential No data available
- 12.4. Mobility in soil No data available
- 12.5. Results of PBT and vPvB assessment vPvB Substances: None - PBT Substances: None
- 12.6. Other adverse effects None

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

- 14.1. UN number
 - Not classified as dangerous in the meaning of transport regulations.
- 14.2. UN proper shipping name No data available
- 14.3. Transport hazard class(es)
 - No data available
- 14.4. Packing group
 - No data available
- 14.5. Environmental hazards

C13T061340_en

Page n. 6 of 8



No data available

14.6. Special precautions for user

No data available

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) 2015/830 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: Restrictions related to the product: No restriction. Restrictions related to the substances contained: No restriction. Where applicable, refer to the following regulatory provisions : Directive 2003/105/CE ('Activities linked to risks of serious accidents') and subsequent amendments. Regulation (EC) nr 648/2004 (detergents). 1999/13/EC (VOC directive)

Provisions related to directives 82/501/EC(Seveso), 96/82/EC(Seveso II):

No data available

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of phrases referred to in Section 3:

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H400 Very toxic to aquatic life.

| Hazard class and hazard category | Code | Description |
|----------------------------------|---------------|--------------------------------------|
| Acute Tox. 4 | 3.1/4/Oral | Acute toxicity (oral), Category 4 |
| Skin Irrit. 2 | 3.2/2 | Skin irritation, Category 2 |
| Eye Dam. 1 | 3.3/1 | Serious eye damage, Category 1 |
| Skin Sens. 1,1A,1B | 3.4.2/1-1A-1B | Skin Sensitisation, Category 1,1A,1B |
| Skin Sens. 1B | 3.4.2/1B | Skin Sensitisation, Category 1B |
| Aquatic Acute 1 | 4.1/A1 | Acute aquatic hazard, category 1 |



| Aquatic Chron | ic 3 4.1/C3 | Chronic (long term) aquatic hazard, category 3 | | |
|--|--|---|--|--|
| This document was prepared by a competent person who has received appropriate training. Main bibliographic sources: | | | | |
| ECDIN | Environmental Chemicals | Data and Information Network - Joint Research Centre, | | |
| SAX's E | | munities S OF INDUSTRIAL MATERIALS - Eight Edition - Van | | |
| | id Reinold Appendix 1 | | | |
| | Inther consulted bibliograph | V | | |
| | | d on our state of knowledge at the above-specified date. It constitutes no guarantee of particular quality. | | |
| | | s information is appropriate and complete with respect to | | |
| the specific us | | en e | | |
| This Safety Da | ata Sheet cancels and repla | aces any preceding release. | | |
| ADR: | | ncerning the International Carriage of | | |
| CAS: | | ce (division of the American Chemical | | |
| CLP: | Society). Classification, Labeling, F | Packaging | | |
| DNEL: | Derived No Effect Level. | ackaying. | | |
| EINECS: | | sisting Commercial Chemical Substances. | | |
| GefStoffVO: | Ordinance on Hazardous | | | |
| GHS: | Globally Harmonized Sys Chemicals. | tem of Classification and Labeling of | | |
| IATA: | International Air Transpor | | | |
| IATA-DGR: | Dangerous Goods Regula Association" (IATA). | ation by the "International Air Transport | | |
| ICAO: | International Civil Aviation | n Organization. | | |
| ICAO-TI: | | the "International Civil Aviation Organization" | | |
| IMDG: | | de for Dangerous Goods. | | |
| INCI: | | re of Cosmetic Ingredients. | | |
| KSt: | Explosion coefficient. | | | |
| LC50: | | 50 percent of test population. | | |
| LD50: | Lethal dose, for 50 perce | nt of test population. | | |
| LTE: | Long-term exposure. | | | |
| PNEC: | Predicted No Effect Conc Regulation Concerning th | | | |
| RID: | by Rail. | e International Transport of Dangerous Goods | | |
| STE: | Short-term exposure. | | | |
| STEL: | Short Term Exposure limit. | | | |
| STOT: | Specific Target Organ Toxicity. | | | |
| TLV: | Threshold Limiting Value | | | |
| TWATLV: | | the Time Weighted Average 8 hour day. | | |
| WGK: | German Water Hazard C | lass. | | |



SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Mixture identification: Trade name: Ink Cartridge, T0611 1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use: Ink for inkjet printing 1.3. Details of the supplier of the safety data sheet Company: EPSON EUROPE B.V. Azie building, Atlas ArenA, Hoogoorddreef 5,1101 BA Amsterdam Zuidoost The Netherlands Phone number: +31-20-314-5000 Competent person responsible for the safety data sheet: chemicals@epson.eu Date: 19/10/2020 Revision: 3.0 1.4. Emergency telephone number Phone number: +31-20-314-5000 United Kingdom; 01952 607111 Monday to Friday 9am to 5:30pm. Emergency Action: In the event of a medical enquiry involving this product, please contact your doctor or local hospital accident and emergency department. +353 (01) 809 2566 or +353 (01) 809 2166 Ireland: 2545 0000 or 21224071 Malta:

SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture
 - EC regulation criteria 1272/2008 (CLP)
 - The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).
 - Adverse physicochemical, human health and environmental effects:
 - No other hazards
- 2.2. Label elements

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP). Hazard pictograms:

- None
- Hazard statements:

None

Precautionary statements:

None

Special Provisions:

EUH210 Safety data sheet available on request.

- Special provisions according to Annex XVII of REACH and subsequent amendments: None
- 2.3. Other hazards
 - vPvB Substances: None PBT Substances: None Other Hazards: No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

CLP, T0611_en Page n. 1 of 9



No 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

| Qty | Name | Ident. Numb | er | Classification |
|----------------|--|---|---|--|
| 65% ~ 80% | Water | CAS: EC: | 7732-18-5 231-791-2 | The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP). |
| 10% ~ 12.5% | Glycerol | CAS: EC: | 56-81-5 200-289-5 | The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP). |
| 3% ~ 5% | Carbon black | CAS: EC: | 1333-86-4 215-609-9 | The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP). |
| 1% ~ 3% | 2-[2-(2-butoxyethoxy)et hoxy]ethanol; TEGBE; triethylene glycol monobutyl ether | Index number: CAS: EC: REACH No.: | 603-183-00-0 143-22-6 205-592-6 01-21194751 07-38 | 3.3/1 Eye Dam. 1 H318 Specific Concentration Limits: C >= 30%: Eye Dam. 1 H318 20% <= C < 30%: Eye Irrit. 2 H319 |

SECTION 4: First aid measures

- 4.1. Description of first aid measures
 - In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

- 4.2. Most important symptoms and effects, both acute and delayed
 - None
- 4.3. Indication of any immediate medical attention and special treatment needed Treatment:

None

SECTION 5: Firefighting measures

- 5.1. Extinguishing media
 - Suitable extinguishing media:

Water.

- Carbon dioxide (CO2).
- Extinguishing media which must not be used for safety reasons: None in particular.
- 5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

- 5.3. Advice for firefighters
 - Use suitable breathing apparatus.
 - Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

CLP, T0611_en Page n. 2 of 9



SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures
 - Wear personal protection equipment.
 - Remove persons to safety.
 - See protective measures under point 7 and 8.
- 6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

- 6.3. Methods and material for containment and cleaning up Wash with plenty of water.
- 6.4. Reference to other sections See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Avoid contact with skin and eyes, inhalation of vapours and mists. See also section 8 for recommended protective equipment. Advice on general occupational hygiene: Do not eat or drink while working.
- 7.2. Conditions for safe storage, including any incompatibilities Keep away from food, drink and feed. Incompatible materials:
 - None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s) None in particular

SECTION 8: Exposure controls/personal protection

- 8.1. Control parameters
 - Glycerol CAS: 56-81-5
 - OEL Type: OSHA TWA: 5 mg/m3 Notes: Respirable dust
 - OEL Type: OSHA TWA: 15 mg/m3 Notes: Total dust
 - Carbon black CAS: 1333-86-4
 - OEL Type: ACGIH TWA(8h): 3 mg/m3
 - OEL Type: OSHA TWA: 3.5 mg/m3
 - OEL Type: JSOH TWA: 1 mg/m3 Notes: as Class 2 Dusts (Respirable dust)
 - OEL Type: JSOH TWA: 4 mg/m3 Notes: as Class 2 Dusts (Total dust)
 - Notes: as total dust
 - DNEL Exposure Limit Values
 - No data available

PNEC Exposure Limit Values

2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutyl ether - CAS: 143-22-6

Target: Fresh Water - Value: 1.5 mg/l

Target: Freshwater sediments - Value: 5.77 mg/kg

Target: Marine water - Value: 0.15 mg/l

Target: Marine water sediments - Value: 0.13 mg/kg

Target: Microorganisms in sewage treatments - Value: 200 mg/l

8.2. Exposure controls

CLP, T0611_en Page n. 3 of 9



- 8.2.1. Appropriate engineering controls: None
- 8.2.2. Individual protection measures, such as personal protective equipment Eye protection:

Use personal protective equipment as required.

Protection for skin:

Use personal protective equipment as required.

Protection for hands:

Use personal protective equipment as required. Respiratory protection:

Use personal protective equipment as required. Thermal Hazards:

- None
- 8.2.3. Environmental exposure controls:
- None Appropriate engineering controls: None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties Appearance and colour: Black Liquid Slightly Odour: Odour threshold: No data available 8.6 ~ 9.4 at 20 °C pH: Melting point / freezing point: No data available Initial boiling point and boiling range: No data available Solid/gas flammability: No data available Upper/lower flammability or explosive limits: No data available Vapour density: No data available Flash point: Not detected until 120 °C / 248 ° F (closed cup method, ASTM D 3278) Evaporation rate: No data available Vapour pressure: No data available Relative density: 1.071 at 20 °C Solubility in water: Complete Solubility in oil: No data available Partition coefficient (n-octanol/water): No data available Auto-ignition temperature: No data available Decomposition temperature: No data available Viscosity: < 5 mPa⋅s at 20 °C Explosive properties: No data available Oxidizing properties: No data available 9.2. Other information Miscibility: No data available Fat Solubility: No data available Conductivity: No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

- 10.2. Chemical stability Stable under normal conditions
- 10.3. Possibility of hazardous reactions None

CLP, T0611_en Page n. 4 of 9



- 10.4. Conditions to avoid Stable under normal conditions.
- 10.5. Incompatible materials None in particular.
- 10.6. Hazardous decomposition products None.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological information of the product:

a) acute toxicity:

- Test: LD50 Route: Dermal Species: Rat > 2000 mg/kg
- Test: LD50 Route: Oral Species: Rat > 2500 mg/kg
- b) skin corrosion/irritation:

Test: Skin Irritant - Species: Rabbit Mild irritant

- c) serious eye damage/irritation:
 - Test: Eye Irritant Species: Rabbit Mild irritant
- d) respiratory or skin sensitisation:
- Test: Skin Sensitisation Route: LLNA Species: Mouse Non-sensitiser e) germ cell mutagenicity:
 - Test: Mutagenesis Species: Salmonella Typhimurium and Escherichia coli Negative
- f) carcinogenicity:

Components do not come under carcinogens (Ref. 1), except for Carbon black g) reproductive toxicity:

Does not contain reproductive toxicity and developmental toxic substances (Ref. 2)

Toxicological information of the main substances found in the product:

Glycerol - CAS: 56-81-5

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Guinea pig = 7750 mg/kg - Source: Journal of Industrial Hygiene and Toxicology. Vol. 23, Pg. 259, 1941

Test: LDLo - Route: Oral - Species: Human = 1428 mg/kg - Source: "Toxicology of Drugs and Chemicals," Deichmann, W.B., New York, Academic Press, Inc., 1969Vol. -, Pg. 288, 1969.

Carbon black - CAS: 1333-86-4

a) acute toxicity:

Test: LD50 - Route: Dermal - Species: Rabbit > 3 g/kg - Source: Acute Toxicity Data. Journal of the American College of Toxicology, Part B. Vol. 15 Test: LD50 - Route: Oral - Species: Rat > 15400 mg/kg - Source: Acute Toxicity

Test: LD50 - Route: Oral - Species: Rat > 15400 mg/kg - Source: Acute Toxicity Data. Journal of the American College of Toxicology, Part B. Vol. 15

2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutyl ether - CAS: 143-22-6

a) acute toxicity:

Test: LD50 - Route: Dermal - Species: Rabbit = 3.54 ml/kg - Source: American Industrial Hygiene Association Journal. Vol. 23, Pg. 95, 1962.

Test: LD50 - Route: Oral - Species: Rat = 5300 mg/kg - Source: Office of Toxic Substances Report. Vol. OTS,

Carbon black - CAS: 1333-86-4

With excessive exposure, carbon black has been listed as a possible human carcinogen. However, as engineered within this ink cartridge, emissions to air of carbon black during normal printing use have not been found. IARC, the International Agency for Research on Cancer, has found printing inks to be not classifiable as human carcinogens.



If not differently specified, the information required in Regulation (EU) 2015/830 listed below must be considered as 'No data available':

- a) acute toxicity;
- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. Toxicological information of the product:

No data available

Toxicological information of the main substances found in the product:

- No data available 12.2. Persistence and degradability No data available
- 12.3. Bioaccumulative potential
- No data available
- 12.4. Mobility in soil
 - No data available
- 12.5. Results of PBT and vPvB assessment vPvB Substances: None - PBT Substances: None
- 12.6. Other adverse effects None

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

- 14.1. UN number
 - Not classified as dangerous in the meaning of transport regulations.
- 14.2. UN proper shipping name
 - No data available
- 14.3. Transport hazard class(es) No data available
- 14.4. Packing group
 - No data available
- 14.5. Environmental hazards
 - No data available
- 14.6. Special precautions for user No data available
- 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code No data available

CLP, T0611_en Page n. 6 of 9



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) 2015/830 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Regulation (EU) n. 2016/918 (ATP 8 CLP) Regulation (EU) n. 2016/1179 (ATP 9 CLP) Regulation (EU) n. 2017/776 (ATP 10 CLP) Regulation (EU) n. 2018/669 (ATP 11 CLP) Regulation (EU) n. 2018/1480 (ATP 13 CLP) Regulation (EU) n. 2019/521 (ATP 12 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: Restrictions related to the product: No restriction. Restrictions related to the substances contained: No restriction. Where applicable, refer to the following regulatory provisions : Directive 2012/18/EU (Seveso III) Regulation (EC) nr 648/2004 (detergents). Dir. 2004/42/EC (VOC directive) Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 None

15.2. Chemical safety assessment No Chemical Safety Assessment has been carried out for the mixture.

SECTION 16: Other information

Full text of phrases referred to in Section 3: H318 Causes serious eye damage. H319 Causes serious eye irritation.

| Hazard class and hazard category | Code | Description |
|-------------------------------------|-------|--------------------------------|
| Eye Dam. 1 | 3.3/1 | Serious eye damage, Category 1 |
| Eye Irrit. 2 | 3.3/2 | Eye irritation, Category 2 |

Paragraphs modified from the previous revision:

SECTION 1: Identification of the substance/mixture and of the company/undertaking

SECTION 3: Composition/information on ingredients

SECTION 7: Handling and storage

SECTION 8: Exposure controls/personal protection

SECTION 11: Toxicological information

SECTION 15: Regulatory information

CLP, T0611_en Page n. 7 of 9



SECTION 16: Other information

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

Ref. 1 •IARC Monographs on the Evaluation Carcinogenic Risks to Humans (IARC: International Agency for Research on Cancer)

Journal of Occupational Health (JOH) (Japan Society of Occupational Health (JSOH))
TLVs and BEIs (ACGIH: American Conference of Governmental Industrial Hygienists)
IRIS Carcinogenic Assessment (IRIS: Integrated Risk Information System of US EPA)
National Toxicology Program (NTP) Report on Carcinogens (USA)
Annex VI of REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
MAK und BAT Werte Liste (DFG: German Research Foundation)
TRGS 905, Verzeichnis krebserzeugender, keimzell mutagener oder reproduktionstoxischer Stoffe (AGS: Committee on Hazardous Substances, Germany)

Ref. 2 •Annex VI of REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 •TRGS 905, Verzeichnis krebserzeugender, keimzell mutagener oder reproduktionstoxischer Stoffe (AGS: Committee on Hazardous Substances, Germany)

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This Safety Data Sheet cancels and replaces any preceding release.

| ADR: | European Agreement concerning the International Carriage of Dangerous Goods by Road. |
|-------------|---|
| ATE: | Acute Toxicity Estimate |
| ATEmix: | Acute toxicity Estimate (Mixtures) |
| CAS: | Chemical Abstracts Service (division of the American Chemical Society). |
| CLP: | Classification, Labeling, Packaging. |
| DNEL: | Derived No Effect Level. |
| EINECS: | European Inventory of Existing Commercial Chemical Substances. |
| GefStoffVO: | Ordinance on Hazardous Substances, Germany. |
| GHS: | Globally Harmonized System of Classification and Labeling of Chemicals. |
| IATA: | International Air Transport Association. |
| IATA-DGR: | Dangerous Goods Regulation by the "International Air Transport Association" (IATA). |
| ICAO: | International Civil Aviation Organization. |
| ICAO-TI: | Technical Instructions by the "International Civil Aviation Organization" (ICAO). |
| IMDG: | International Maritime Code for Dangerous Goods. |
| INCI: | International Nomenclature of Cosmetic Ingredients. |
| KSt: | Explosion coefficient. |



LC50: Lethal concentration, for 50 percent of test population. Lethal dose, for 50 percent of test population. LD50: Predicted No Effect Concentration. PNEC: RID: Regulation Concerning the International Transport of Dangerous Goods by Rail. STEL: Short Term Exposure limit. Specific Target Organ Toxicity. Threshold Limiting Value. Time-weighted average STOT: TLV: TWA: German Water Hazard Class. WGK: