

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

HP Color LaserJet CF413A-X-XC Magenta Print Cartridge

Registration number

Synonyms None.

Issue date 16-Oct-2015

Version number 05

Revision date 13-Aug-2018 Supersedes date 31-Mar-2016

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses This product is a magenta toner preparation that is used in HP Color LaserJet Pro M452, HP Color

LaserJet Pro MFP M477, HP Color LaserJet Pro MFP M377 series printers.

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

HP Inc. UK Limited
Cain Road, Amen Corner
Bracknell. Berkshire RG12 1HN

United Kingdom

Telephone 44 (0) 879 013 0790

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048

HP Inc. Customer Care

Line

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

1.4 Emergency telephone

number

0207771 5307

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Amorphous silica, Pigment, Styrene acrylate copolymer, Wax

Hazard pictograms None.

Signal word None.

Hazard statements The mixture does not meet the criteria for classification.

Precautionary statements

PreventionNot available.ResponseNot available.StorageNot available.DisposalNot available.

Supplemental label information None

2.3. Other hazardsNone of the other ingredients in this preparation are classified as carcinogens according to

ACGIH, EU, IARC, MAK, NTP or OSHA. This preparation contains no component classified as Persistent, Bioaccumulative, and Toxic (PBT) or very Persistent and very Bioaccumulative (vPvB)

as defined under Regulation (EC) 1907/2006.

Material name: CF413A-X-XC SDS UK

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Styrene acrylate copolymer	<85	Trade Secret	-	-	
Classification:		-			
Pigment	<10	Trade Secret	-	-	
Classification: -		-			
Wax	<10	Trade Secret	-	-	
Classification:		-			
Amorphous silica	<3	7631-86-9 231-545-4	01-2119379499-16-xxxx	-	
Classification: -					

SECTION 4: First aid measures

General information Not available.

4.1. Description of first aid measures

Inhalation Move person to fresh air immediately. If irritation persists, consult a physician.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at Eye contact

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a Ingestion

physician.

4.2. Most important symptoms and effects, both acute and

delayed

Not available.

4.3. Indication of any immediate medical attention and special treatment needed Not available.

SECTION 5: Firefighting measures

General fire hazards Not available.

5.1. Extinguishing media

Suitable extinguishing

CO2, water, or dry chemical

media

Unsuitable extinguishing

media

None known.

5.2. Special hazards arising from the substance or mixture Like most organic material in powder form, toner can form explosive dust-air mixtures when finely

dispersed in air.

5.3. Advice for firefighters

Special protective equipment for firefighters Not available.

Special fire fighting

procedures

If fire occurs in the printer, treat as an electrical fire.

Specific methods None established.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Minimize dust generation and accumulation.

For emergency responders Not available.

6.2. Environmental precautions Do not flush into surface water or sanitary sewer system. See also section 13 Disposal

considerations.

Material name: CF413A-X-XC 13775 Version #: 05 Revision date: 13-Aug-2018 Issue date: 16-Oct-2015 SDS UK

6.3. Methods and material for containment and cleaning up

Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust

explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with

federal, state, and local regulations.

6.4. Reference to other

sections

Not available.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with

adequate ventilation. Keep away from excessive heat, sparks, and open flames.

7.2. Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store

away from strong oxidizers.

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

No exposure limits noted for ingredient(s).

Biological limit values

No biological exposure limits noted for the ingredient(s).

Recommended monitoring

Not available.

procedures

(DNELs)

Derived no effect levels

Not available.

Predicted no effect

Not available.

concentrations (PNECs)

Exposure guidelines

, 5 mg/m3 (Respirable Fraction)

, 3 mg/m3 (Respirable Particulate)

Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10

mg/m3

TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion)

UK WEL: 10 mg/m3 (Respirable Dust), 5 mg/m3 (Inhalable Dust)

8.2. Exposure controls

Appropriate engineering

controls

Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

General information No personal respiratory protective equipment required under normal conditions of use.

Eye/face protection

Skin protection

Not available. - Hand protection Not available. - Other Not available. Respiratory protection Thermal hazards Not available. Not available. Hygiene measures

Environmental exposure controls

Not available.

Not available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Fine powder Appearance Solid. **Physical state** Form solid Color Magenta

Slight plastic odor Odor Not available. Odor threshold Not applicable Melting point/freezing point Not available.

Material name: CF413A-X-XC SDS UK

13775 Version #: 05 Revision date: 13-Aug-2018 Issue date: 16-Oct-2015

Initial boiling point and boiling

range

Not applicable

Flash point Not applicable **Evaporation rate** Not applicable Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not flammable

Flammability limit - upper

Not available.

Not applicable Vapor pressure Vapor density Not applicable

Solubility(ies)

Negligible in water. Partially soluble in toluene and xylene. Solubility (water)

Partition coefficient Not available

(n-octanol/water)

Auto-ignition temperature Not applicable > 392 °F (> 200 °C) **Decomposition temperature** Not applicable **Viscosity** Not available. **Explosive properties**

Oxidizing properties No information available.

9.2. Other information

Percent volatile 0 % estimated

176 - 266 °F (80 - 130 °C) Softening point

Specific gravity 1 - 1.2

SECTION 10: Stability and reactivity

Not available. 10.1. Reactivity

Stable under normal storage conditions. 10.2. Chemical stability

10.3. Possibility of hazardous

reactions

Will not occur.

Imaging Drum: Exposure to light 10.4. Conditions to avoid

10.5. Incompatible materials Strong oxidizers

Carbon monoxide and carbon dioxide. 10.6. Hazardous

decomposition products

SECTION 11: Toxicological information

General information Not available.

Information on likely routes of exposure

Under normal conditions of intended use, this material is not expected to be an inhalation hazard. Inhalation

Skin contact Contact with skin may result in mild irritation. Contact with eyes may result in mild irritation. Eye contact Ingestion is not a likely route of exposure Ingestion

Not available. **Symptoms**

11.1. Information on toxicological effects

Based on available data, the classification criteria are not met. Acute toxicity Skin corrosion/irritation Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Serious eye damage/eye

irritation

Based on available data, the classification criteria are not met. Respiratory sensitization Skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Reproductive toxicity

Material name: CF413A-X-XC SDS UK

13775 Version #: 05 Revision date: 13-Aug-2018 Issue date: 16-Oct-2015

Specific target organ toxicity -

single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. Aspiration hazard

Mixture versus substance

information

Not available

Other information Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

SECTION 12: Ecological information

12.1. Toxicity LC50: > 100 mg/l, Fish, 96.00 Hours

Product Species Test Results

CF413A-X-XC

Aquatic

Fish LC50 Fish > 100 mg/l, 96 Hours

12.2. Persistence and

degradability

Not available.

12.3. Bioaccumulative potential Not available. Partition coefficient Not available.

n-octanol/water (log Kow)

Not available. **Bioconcentration factor (BCF)** Not available 12.4. Mobility in soil

12.5. Results of PBT

Not a PBT or vPvB substance or mixture.

and vPvB assessment

Not available. 12.6. Other adverse effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Not available. Not available. Contaminated packaging Not available. **EU** waste code

Disposal methods/information Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely

dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal,

state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

SECTION 14: Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I

Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Material name: CF413A-X-XC SDS UK

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Not listed

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA

Not listed.

Authorizations

Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not regulated.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

Other information This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830.

Classification according to Regulation (EC) No 1272/2008 as amended.

National regulations

15.2. Chemical safety

assessment

See attached SUMI or GEIS document, if applicable.

SECTION 16: Other information

References Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation,

Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals

Agency (REACH).

Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.

Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of

substances and mixtures, and amendments (CLP).

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

Full text of any H-statements not written out in full under

Sections 2 to 15

Training information

None.

Revision information SECTION 5: Firefighting measures: 5.2. Special hazards arising from the substance or mixture

SECTION 6: Accidental release measures: 6.3. Methods and material for containment and

cleaning up

SECTION 11: Toxicological information: Eye contact SECTION 11: Toxicological information: Ingestion SECTION 11: Toxicological information: Inhalation SECTION 11: Toxicological information: Skin contact SECTION 15: Regulatory information: Other information SECTION 15: Regulatory information: National regulations

SECTION 16: Other information: Disclaimer

SECTION 16: Other information: Information on evaluation method leading to the classification of

mixture

SECTION 16: Other information: References

SECTION 16: Other information: Training information Follow training instructions when handling this material.

Material name: CF413A-X-XC sps uk

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: CF413A-X-XC SDS UK



SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

HP Color LaserJet CF410A-X-XC Black Print Cartridge

of the mixture

Registration number -

Synonyms None.

Issue date 16-Oct-2015

Version number 05

Revision date 20-Jan-2019 Supersedes date 31-Mar-2016

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses This product is a black toner preparation that is used in HP Color LaserJet Pro M452, HP Color

LaserJet Pro MFP M477, HP Color LaserJet Pro MFP M377 series printers.

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

HP Inc. UK Limited
Cain Road, Amen Corner
Bracknell. Berkshire RG12 1HN

United Kingdom

Telephone 44 (0) 879 013 0790

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048

HP Inc. Customer Care

Line

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

1.4 Emergency telephone

number

0207771 5307

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Carbon black, Styrene acrylate copolymer, Wax

Hazard pictograms None.

Signal word None.

Hazard statements The mixture does not meet the criteria for classification.

Precautionary statements

PreventionNot available.ResponseNot available.StorageNot available.DisposalNot available.

Supplemental label information None.

Material name: CF410A-X-XC SDS UK

13773 Version #: 05 Revision date: 20-Jan-2019 Issue date: 16-Oct-2015

2.3. Other hazards

This preparation contains no component classified as Persistent, Bioaccumulative, and Toxic (PBT) or very Persistent and very Bioaccumulative (vPvB) as defined under Regulation (EC)

1907/2006.

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Styrene acrylate copolymer	<85	Trade Secret	-	-	
Classification:		-			
Carbon black	<10	1333-86-4 215-609-9	01-2119384822-32-XXXX	-	
Classification: -					
Wax	<10	Trade Secret	-	-	
Classification: -		-			

SECTION 4: First aid measures

General information Not available.

4.1. Description of first aid measures

Move person to fresh air immediately. If irritation persists, consult a physician. Inhalation

Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation Skin contact

develops or persists.

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at Eye contact

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a Ingestion

physician.

4.2. Most important symptoms

and effects, both acute and

delayed

Not available.

4.3. Indication of any immediate medical attention and special treatment needed Not available.

SECTION 5: Firefighting measures

General fire hazards Not available.

5.1. Extinguishing media

Suitable extinguishing

media

CO2, water, or dry chemical

Unsuitable extinguishing

media

None known.

5.2. Special hazards arising from the substance or mixture Like most organic material in powder form, toner can form explosive dust-air mixtures when finely dispersed in air.

5.3. Advice for firefighters

Special protective equipment for firefighters Not available.

Special fire fighting

procedures

If fire occurs in the printer, treat as an electrical fire.

None established. Specific methods

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Minimize dust generation and accumulation. For non-emergency

personnel

Material name: CF410A-X-XC SDS UK For emergency responders Not available.

6.2. Environmental precautions Do not flush into surface water or sanitary sewer system. See also section 13 Disposal

considerations.

6.3. Methods and material for containment and cleaning up

Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a

damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with

federal, state, and local regulations.

6.4. Reference to other

sections

Not available.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with

adequate ventilation. Keep away from excessive heat, sparks, and open flames.

7.2. Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store

away from strong oxidizers.

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

UK. EH40 Workplace Exposure Limits (WELs)

Components	Туре	Value
Carbon black (CAS 1333-86-4)	STEL	7 mg/m3
1000 00 1,	TWA	3.5 mg/m3

Biological limit values N

No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Pre

Not available.

Derived no effect levels (DNELs)

Carbon black (CAS 1333-86-4)

Components	Type	Route	Value	Form
Carbon black (CAS 1333-86-4)	Consumers	Inhalation	1.75 mg/m3	Local long term
		Inhalation	0.06 mg/m3	Systemic long term
	Workers	Inhalation	2 mg/m3	Local long term
		Inhalation	1 mg/m3	Systemic long term
edicted no effect concentrations (PNEC	s)			
Components	Туре	Route	Value	Form

Exposure guidelines , 5 mg/m3 (Respirable Fraction)

, 3 mg/m3 (Respirable Particulate)

Not applicable

Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10

Marine water 5 mg/l

5 mg/l

Freshwater

mg/m3

TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion)

UK WEL: 10 mg/m3 (Respirable Dust), 5 mg/m3 (Inhalable Dust)

8.2. Exposure controls

Appropriate engineering

Use in a well ventilated area.

controls

Individual protection measures, such as personal protective equipment

General informationNo personal respiratory protective equipment required under normal conditions of use.

Eye/face protection

Not available.

Skin protection

Hand protection Not available.
 Other Not available.
 Respiratory protection Not available.
 Thermal hazards Not available.

Material name: CF410A-X-XC SDS UK

Hygiene measures Not available.

Environmental exposure Not available.

controls

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Fine powder

Physical stateSolid.FormsolidColorBlack.

Odor Slight plastic odor
Odor threshold Not available.

pH Not applicable

Melting point/freezing point Not available.

Initial boiling point and boiling Not applicable

range

Flash point Not applicable
Evaporation rate Not applicable
Flammability (solid, gas) Not available.
Upper/lower flammability or explosive limits

Flammability limit - lower

Not flammable

(%)

Flammability limit - upper

Not available.

(%)

Vapor pressure Not applicable
Vapor density Not applicable

Solubility(ies)

Solubility (water) Negligible in water. Partially soluble in toluene and xylene.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot applicableDecomposition temperature> 392 °F (> 200 °C)ViscosityNot applicableExplosive propertiesNot available.

Oxidizing properties No information available.

9.2. Other information

Percent volatile 0 % estimated

Softening point 176 - 266 °F (80 - 130 °C)

Specific gravity 1 - 1.2 (H2O = 1)

SECTION 10: Stability and reactivity

10.1. Reactivity Not available.

10.2. Chemical stability Stable under normal storage conditions.

10.3. Possibility of hazardous

reactions

Will not occur.

10.4. Conditions to avoid Imaging Drum: Exposure to light

10.5. Incompatible materials Strong oxidizers

10.6. Hazardous Carbon monoxide and carbon dioxide.

decomposition products

SECTION 11: Toxicological information

General information Not available.

Information on likely routes of exposure

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin contactContact with skin may result in mild irritation.Eye contactContact with eyes may result in mild irritation.IngestionIngestion is not a likely route of exposure.

Material name: CF410A-X-XC

SDS UK

Not available. **Symptoms**

11.1. Information on toxicological effects

Based on available data, the classification criteria are not met. **Acute toxicity**

Components **Species Test Results**

Carbon black (CAS 1333-86-4)

Acute Oral

LD50 Rat > 10000 mg/kg

Skin corrosion/irritation Serious eye damage/eye Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

irritation

Respiratory sensitization Skin sensitization

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

> Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation. None of the ingredients have been classified as carcinogens

according to EU, IARC, MAK, NTP, OSHA or ACGIH. IARC Monographs. Overall Evaluation of Carcinogenicity

Carbon black (CAS 1333-86-4)

2B Possibly carcinogenic to humans.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

Based on available data, the classification criteria are not met.

single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard Mixture versus substance

information

Not available.

Other information

Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

SECTION 12: Ecological information

LC50: > 100 mg/l, Fish, 96.00 Hours 12.1. Toxicity

Product Species Test Results

CF410A-X-XC

Aquatic

Fish LC50 Fish > 100 mg/l, 96 Hours

12.2. Persistence and

degradability

Not available.

12.3. Bioaccumulative potential

Not available.

Partition coefficient n-octanol/water (log Kow) Not available.

Bioconcentration factor (BCF)

Not available.

12.4. Mobility in soil

Not available.

12.5. Results of PBT

Not a PBT or vPvB substance or mixture.

and vPvB assessment

12.6. Other adverse effects Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Not available Residual waste Not available. Contaminated packaging

Material name: CF410A-X-XC SDS UK

Not available. EU waste code

Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely Disposal methods/information

dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal,

state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

SECTION 14: Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I

Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA

Not listed.

Authorizations

Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not regulated.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

Not available.

Other information This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830.

Classification according to Regulation (EC) No 1272/2008 as amended.

National regulations

assessment

15.2. Chemical safety

See attached SUMI or GEIS document, if applicable.

Material name: CF410A-X-XC

13773 Version #: 05 Revision date: 20-Jan-2019 Issue date: 16-Oct-2015

SECTION 16: Other information

References

Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).

Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.

Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any H-statements not written out in full under Sections 2 to 15

None.

Revision information

SECTION 5: Firefighting measures: 5.2. Special hazards arising from the substance or mixture SECTION 6: Accidental release measures: 6.3. Methods and material for containment and cleaning up

SECTION 11: Toxicological information: Eye contact SECTION 11: Toxicological information: Ingestion SECTION 11: Toxicological information: Inhalation SECTION 11: Toxicological information: Skin contact SECTION 15: Regulatory information: Other information SECTION 15: Regulatory information: National regulations

SECTION 16: Other information: Disclaimer

SECTION 16: Other information: Information on evaluation method leading to the classification of mixture

SECTION 16: Other information: References

SECTION 16: Other information: Training information Follow training instructions when handling this material.

Training information Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Material name: CF410A-X-XC SDS UK

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: CF410A-X-XC



SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

HP Color LaserJet CF411A-X-XC Cyan Print Cartridge

Registration number

Synonyms

None

Issue date

16-Oct-2015

Version number

05

Revision date Supersedes date

19-Jan-2019 31-Mar-2016

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

This product is a cyan toner preparation that is used in HP Color LaserJet Pro M452, HP Color

LaserJet Pro MFP M477, HP Color LaserJet Pro MFP M377 series printers.

Uses advised against

None known

1.3. Details of the supplier of the safety data sheet

HP Inc. UK Limited Cain Road. Amen Corner Bracknell, Berkshire RG12 1HN

United Kingdom

Telephone

44 (0) 879 013 0790

HP Inc. health effects line

(Toll-free within the US)

1-800-457-4209

(Direct)

1-760-710-0048

HP Inc. Customer Care

(Toll-free within the US)

1-800-474-6836

(Direct) Email:

1-208-323-2551

1.4 Emergency telephone

hpcustomer.inquiries@hp.com

0207771 5307

number

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Amorphous silica, Pigment, Styrene acrylate copolymer, Wax

Hazard pictograms None. Signal word None.

The mixture does not meet the criteria for classification. **Hazard statements**

Precautionary statements

Not available. Prevention Not available. Response Not available. Storage Not available. Disposal

Supplemental label information

2.3. Other hazards None of the other ingredients in this preparation are classified as carcinogens according to

ACGIH, EU, IARC, MAK, NTP or OSHA. This preparation contains no component classified as Persistent, Bioaccumulative, and Toxic (PBT) or very Persistent and very Bioaccumulative (vPvB)

as defined under Regulation (EC) 1907/2006.

Material name: CF411A-X-XC

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Styrene acrylate copolymer	<85	Trade Secret	-	-	
Classification:		-			
Wax	<10	Trade Secret	-	-	
Classification: -		-			
Pigment	<5	Trade Secret	-	-	
Classification: -		-			
Amorphous silica	<3	7631-86-9 231-545-4	01-2119379499-16-xxxx	-	
Classification: -					

SECTION 4: First aid measures

General information Not available.

4.1. Description of first aid measures

Inhalation Move person to fresh air immediately. If irritation persists, consult a physician.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at Eye contact

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Ingestion Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a

physician.

4.2. Most important symptoms and effects, both acute and

delayed

Not available.

4.3. Indication of any immediate medical attention

and special treatment needed

Not available

SECTION 5: Firefighting measures

General fire hazards Not available.

5.1. Extinguishing media

Suitable extinguishing

CO2, water, or dry chemical

media

Unsuitable extinguishing

media

None known.

5.2. Special hazards arising from the substance or mixture Like most organic material in powder form, toner can form explosive dust-air mixtures when finely

dispersed in air.

5.3. Advice for firefighters

Special protective equipment for firefighters Not available.

Special fire fighting

procedures

If fire occurs in the printer, treat as an electrical fire.

Specific methods None established.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Minimize dust generation and accumulation.

For emergency responders Not available.

Do not flush into surface water or sanitary sewer system. See also section 13 Disposal 6.2. Environmental precautions

considerations.

Material name: CF411A-X-XC 13774 Version #: 05 Revision date: 19-Jan-2019 Issue date: 16-Oct-2015 6.3. Methods and material for containment and cleaning up

Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust

explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with

federal, state, and local regulations.

6.4. Reference to other

sections

Not available.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with

adequate ventilation. Keep away from excessive heat, sparks, and open flames.

7.2. Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store

away from strong oxidizers.

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

No exposure limits noted for ingredient(s).

Biological limit values

No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures

Not available.

Derived no effect levels

(DNELs)

Not available.

Predicted no effect concentrations (PNECs)

Not available.

Exposure guidelines

, 5 mg/m3 (Respirable Fraction)

, 3 mg/m3 (Respirable Particulate)

Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10

mg/m3

TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion)

UK WEL: 10 mg/m3 (Respirable Dust), 5 mg/m3 (Inhalable Dust)

8.2. Exposure controls

Appropriate engineering

l

Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

General information No personal respiratory protective equipment required under normal conditions of use.

Eye/face protection

Skin protection
- Hand protection

Not available.

Not available

Other
 Respiratory protection
 Thermal hazards

Not available.

Hygiene measures
Environmental exposure

Not available.

controls

controls

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Fine powder
Physical state Solid.
Form solid
Color Cyan

Odor Slight plastic odor
Odor threshold Not available.

pH Not applicable

Melting point/freezing point Not available.

Material name: CF411A-X-XC SDS UK

13774 Version #: 05 Revision date: 19-Jan-2019 Issue date: 16-Oct-2015

Initial boiling point and boiling

range

Not applicable

Flash point Not applicable **Evaporation rate** Not applicable Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not flammable

Flammability limit - upper

Not available.

Not applicable Vapor pressure Vapor density Not applicable

Solubility(ies)

Negligible in water. Partially soluble in toluene and xylene. Solubility (water)

Partition coefficient Not available

(n-octanol/water)

Auto-ignition temperature Not applicable > 392 °F (> 200 °C) **Decomposition temperature** Not applicable **Viscosity** Not available. **Explosive properties**

Oxidizing properties No information available.

9.2. Other information

Percent volatile 0 % estimated

176 - 266 °F (80 - 130 °C) Softening point

Specific gravity 1 - 1.2

SECTION 10: Stability and reactivity

Not available. 10.1. Reactivity

Stable under normal storage conditions. 10.2. Chemical stability

10.3. Possibility of hazardous

reactions

Will not occur.

Imaging Drum: Exposure to light 10.4. Conditions to avoid

10.5. Incompatible materials Strong oxidizers

Carbon monoxide and carbon dioxide. 10.6. Hazardous

decomposition products

SECTION 11: Toxicological information

General information Not available.

Information on likely routes of exposure

Under normal conditions of intended use, this material is not expected to be an inhalation hazard. Inhalation

Skin contact Contact with skin may result in mild irritation. Contact with eyes may result in mild irritation. Eye contact Ingestion is not a likely route of exposure Ingestion

Not available.

Symptoms

11.1. Information on toxicological effects

Based on available data, the classification criteria are not met. Acute toxicity Skin corrosion/irritation Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Serious eye damage/eye

irritation

Based on available data, the classification criteria are not met. Respiratory sensitization Skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Reproductive toxicity

Material name: CF411A-X-XC SDS UK Specific target organ toxicity -

single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

Aspiration hazard

repeated exposure

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Mixture versus substance

information

Not available

Other information Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

SECTION 12: Ecological information

12.1. Toxicity LC50: > 100 mg/l, Fish, 96.00 Hours

Product Species Test Results

CF411A-X-XC

Aquatic

Fish LC50 Fish > 100 mg/l, 96 Hours

12.2. Persistence and

degradability

Not available.

12.3. Bioaccumulative potential Not available. Partition coefficient Not available. n-octanol/water (log Kow)

Bioconcentration factor (BCF)

Not available. Not available

12.4. Mobility in soil 12.5. Results of PBT

Not a PBT or vPvB substance or mixture.

and vPvB assessment

Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

12.6. Other adverse effects

Residual waste Not available. Not available. Contaminated packaging Not available. **EU** waste code

Disposal methods/information

Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal,

state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

SECTION 14: Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I

Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Material name: CF411A-X-XC SDS UK

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA

Not listed.

Authorizations

Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization

Not listed

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not regulated.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed

Other regulations All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

Other information This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830.

Classification according to Regulation (EC) No 1272/2008 as amended.

National regulations

15.2. Chemical safety

assessment

See attached SUMI or GEIS document, if applicable.

SECTION 16: Other information

References Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation.

Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals

Agency (REACH).

Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.

Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of

substances and mixtures, and amendments (CLP).

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

Full text of any H-statements not written out in full under

Sections 2 to 15

Training information

None.

Revision information SECTION 5: Firefighting measures: 5.2. Special hazards arising from the substance or mixture

SECTION 6: Accidental release measures: 6.3. Methods and material for containment and

cleaning up

SECTION 11: Toxicological information: Eye contact SECTION 11: Toxicological information: Ingestion SECTION 11: Toxicological information: Inhalation SECTION 11: Toxicological information: Skin contact SECTION 15: Regulatory information: Other information SECTION 15: Regulatory information: National regulations

SECTION 16: Other information: Disclaimer

SECTION 16: Other information: Information on evaluation method leading to the classification of

mixture

SECTION 16: Other information: References

SECTION 16: Other information: Training information Follow training instructions when handling this material.

Material name: CF411A-X-XC SDS UK

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: CF411A-X-XC SDS UK



SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

HP Color LaserJet CF412A-X-XC Yellow Print Cartridge

Registration number

Synonyms None

16-Oct-2015 Issue date

Version number 05

Revision date 03-Sep-2018 31-Mar-2016 Supersedes date

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses This product is a yellow toner preparation that is used in HP Color LaserJet Pro M452, HP Color

LaserJet Pro MFP M477, HP Color LaserJet Pro MFP M377 series printers.

Uses advised against None known

1.3. Details of the supplier of the safety data sheet

HP Inc. UK Limited Cain Road. Amen Corner Bracknell, Berkshire RG12 1HN

United Kingdom

Telephone 44 (0) 879 013 0790

HP Inc. health effects line

1-800-457-4209 (Toll-free within the US) (Direct) 1-760-710-0048

HP Inc. Customer Care

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

hpcustomer.inquiries@hp.com Email:

1.4 Emergency telephone

number

0207771 5307

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Amorphous silica, Pigment, Styrene acrylate copolymer, Wax

Hazard pictograms None. Signal word None.

The mixture does not meet the criteria for classification. **Hazard statements**

Precautionary statements

Not available. Prevention Not available. Response Not available. Storage Not available. Disposal

Supplemental label information

2.3. Other hazards None of the other ingredients in this preparation are classified as carcinogens according to

ACGIH, EU, IARC, MAK, NTP or OSHA. This preparation contains no component classified as Persistent, Bioaccumulative, and Toxic (PBT) or very Persistent and very Bioaccumulative (vPvB)

as defined under Regulation (EC) 1907/2006.

Material name: CF412A-X-XC

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Styrene acrylate copolymer	<85	Trade Secret	-	-	
Classification:		-			
Pigment	<10	Trade Secret	-	-	
Classification: -		-			
Wax	<10	Trade Secret	-	-	
Classification:		-			
Amorphous silica	<3	7631-86-9 231-545-4	01-2119379499-16-xxxx	-	
Classification: -					

SECTION 4: First aid measures

General information Not available.

4.1. Description of first aid measures

Inhalation Move person to fresh air immediately. If irritation persists, consult a physician.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Ingestion Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a

physician.

4.2. Most important symptoms and effects, both acute and

delayed

Not available.

4.3. Indication of any immediate medical attention and special treatment needed Not available.

SECTION 5: Firefighting measures

General fire hazards Not available.

5.1. Extinguishing media

Suitable extinguishing

CO2, water, or dry chemical

media

Unsuitable extinguishing

media

None known.

5.2. Special hazards arising from the substance or mixture

Like most organic material in powder form, toner can form explosive dust-air mixtures when finely

dispersed in air.

5.3. Advice for firefighters

Special protective equipment for firefighters

Not available.

Special fire fighting

procedures

If fire occurs in the printer, treat as an electrical fire.

Specific methods None established.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Minimize dust generation and accumulation.

For emergency responders Not available.

6.2. Environmental precautions Do not flush into surface water or sanitary sewer system. See also section 13 Disposal

considerations.

Material name: CF412A-X-XC 13779 Version #: 05 Revision date: 03-Sep-2018 Issue date: 16-Oct-2015 6.3. Methods and material for containment and cleaning up

Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust

explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with

federal, state, and local regulations.

6.4. Reference to other

sections

Not available.

SECTION 7: Handling and storage

7.1. Precautions for safe

handling

7.2. Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.

Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store away from strong oxidizers.

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

No exposure limits noted for ingredient(s).

No biological exposure limits noted for the ingredient(s).

Biological limit values

Recommended monitoring procedures

Not available.

Derived no effect levels

(DNELs)

Not available.

Predicted no effect concentrations (PNECs) Not available.

Exposure guidelines

, 5 mg/m3 (Respirable Fraction)

, 3 mg/m3 (Respirable Particulate)

Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10

mg/m3

TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion)

UK WEL: 10 mg/m3 (Respirable Dust), 5 mg/m3 (Inhalable Dust)

8.2. Exposure controls

Appropriate engineering

controls

Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

Not available

General information No personal respiratory protective equipment required under normal conditions of use.

Eye/face protection

Skin protection

Not available. - Hand protection Not available. - Other Not available. Respiratory protection Thermal hazards Not available. Not available. Hygiene measures Not available. **Environmental exposure**

controls

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Fine powder Appearance Solid. **Physical state** Form solid Color Yellow

Slight plastic odor Odor Not available. Odor threshold Not applicable Melting point/freezing point Not available.

Material name: CF412A-X-XC SDS UK

13779 Version #: 05 Revision date: 03-Sep-2018 Issue date: 16-Oct-2015

Initial boiling point and boiling

range

Not applicable

Flash point Not applicable
Evaporation rate Not applicable
Flammability (solid, gas) Not available.
Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not flammable

Flammability limit - upper

(%)

Not available.

Vapor pressure Not applicable
Vapor density Not applicable

Solubility(ies)

Solubility (water) Negligible in water. Partially soluble in toluene and xylene.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot applicableDecomposition temperature> 392 °F (> 200 °C)ViscosityNot applicableExplosive propertiesNot available.

Oxidizing properties No information available.

9.2. Other information

Percent volatile 0 % estimated

Softening point 176 - 266 °F (80 - 130 °C)

Specific gravity 1 - 1.2

SECTION 10: Stability and reactivity

10.1. Reactivity Not available.

10.2. Chemical stability Stable under normal storage conditions.

10.3. Possibility of hazardous

reactions

Will not occur.

10.4. Conditions to avoid Imaging Drum: Exposure to light

10.5. Incompatible materials Strong oxidizers

10.6. Hazardous Carbon monoxide and carbon dioxide.

decomposition products

SECTION 11: Toxicological information

General information Not available.

Information on likely routes of exposure

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin contactContact with skin may result in mild irritation.Eye contactContact with eyes may result in mild irritation.IngestionIngestion is not a likely route of exposure.

Symptoms Not available.

11.1. Information on toxicological effects

Acute toxicityBased on available data, the classification criteria are not met.Skin corrosion/irritationBased on available data, the classification criteria are not met.Serious eye damage/eyeBased on available data, the classification criteria are not met.

irritation

Respiratory sensitizationBased on available data, the classification criteria are not met. **Skin sensitization**Based on available data, the classification criteria are not met.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Based on available data, the classification criteria are not met.

CarcinogenicityBased on available data, the classification criteria are not met. **Reproductive toxicity**Based on available data, the classification criteria are not met.

Material name: CF412A-X-XC SDS UK

Specific target organ toxicity -

single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

Aspiration hazard

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Mixture versus substance

information

Not available

Other information

Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

SECTION 12: Ecological information

12.1. Toxicity LC50: > 100 mg/l, Fish, 96.00 Hours

Product Species Test Results

CF412A-X-XC

Aquatic

Fish

LC50 Fish > 100 mg/l, 96 Hours

12.2. Persistence and

degradability

Not available.

12.3. Bioaccumulative potential Not available. Partition coefficient Not available.

n-octanol/water (log Kow)

Bioconcentration factor (BCF)

Not available. Not available

12.4. Mobility in soil 12.5. Results of PBT

Not a PBT or vPvB substance or mixture.

and vPvB

assessment Not available. 12.6. Other adverse effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Not available. Not available. Contaminated packaging Not available. **EU** waste code

Disposal methods/information Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely

dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal,

state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

SECTION 14: Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I

Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Material name: CF412A-X-XC SDS UK

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA

Not listed.

Authorizations

Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization

Not listed

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not regulated.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed

Other regulations All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

Other information This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830.

Classification according to Regulation (EC) No 1272/2008 as amended.

National regulations

15.2. Chemical safety

assessment

See attached SUMI or GEIS document, if applicable.

SECTION 16: Other information

References Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation.

Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals

Agency (REACH).

Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.

Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of

substances and mixtures, and amendments (CLP).

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

Full text of any H-statements not written out in full under

Sections 2 to 15

Training information

None.

Revision information SECTION 5: Firefighting measures: 5.2. Special hazards arising from the substance or mixture

SECTION 6: Accidental release measures: 6.3. Methods and material for containment and

cleaning up

SECTION 11: Toxicological information: Eye contact SECTION 11: Toxicological information: Ingestion SECTION 11: Toxicological information: Inhalation SECTION 11: Toxicological information: Skin contact SECTION 15: Regulatory information: Other information SECTION 15: Regulatory information: National regulations

SECTION 16: Other information: Disclaimer

SECTION 16: Other information: Information on evaluation method leading to the classification of

mixture

SECTION 16: Other information: References

SECTION 16: Other information: Training information Follow training instructions when handling this material.

Material name: CF412A-X-XC SDS UK

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: CF412A-X-XC SDS UK