

# SAFETY DATA SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

Important information	*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action		
	being taken by HP. ***		
1.1. Product identifier			
Trade name or designation	C4906Series		
of the mixture			
Registration number	-		
Synonyms	None.		
Issue date	05-Mar-2015		
Version number	07		
Revision date	19-May-2019		
Supersedes date	02-Jun-2018		
1.2. Relevant identified uses of	the substance or mixture and uses advised against		
Identified uses	Inkjet printing		
Uses advised against	None known.		
1.3. Details of the supplier of the safety data sheet			
	HP Inc. UK Limited		
	Cain Road, Amen Corner		
	Bracknell, Berkshire RG12 1HN		
	United Kingdom		
Telephone	44 (0) 879 013 0790		
HP Inc. health effects line			
(Toll-free within the US)	1-800-457-4209		
(Direct)	1-760-710-0048		
HP Inc. Customer Care			
Line (Toll free within the US)	1-800-474-6836		
(Toll-free within the US)	1-000-474-0030		
(Direct) Email:	hpcustomer.inquiries@hp.com		
1.4 Emergency telephone	0207771 5307		
number	0201111 3301		

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

#### 2.2. Label elements

#### Label according to Regulation (EC) No. 1272/2008 as amended

Contains:	2-pyrrolidone, Modified carbon black 11, Water
Hazard pictograms	None.
Signal word	None.
Hazard statements	None
Precautionary statements	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.
Supplemental label information	None.

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA. Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions. Complete toxicity data are not available for this specific formulation.

#### **SECTION 3: Composition/information on ingredients** 3.2. Mixtures **General information REACH Registration No.** % CAS-No. / EC No. Index No. **Chemical name** Notes Water 7732-18-5 70-80 231-791-2 **Classification:** 2-pyrrolidone < 20 616-45-5 01-2119475471-37-XXXX 210-483-1 **Classification:** Eye Irrit. 2;H319 Modified carbon black 11 <5 Proprietary **Classification: Composition comments** This ink supply contains an aqueous ink formulation. Carbon black is present only in a bound form in this preparation. **SECTION 4: First aid measures** General information Not available. 4.1. Description of first aid measures Move to fresh air. If symptoms persist, get medical attention. Inhalation Wash affected areas thoroughly with mild soap and water. If irritation persists get medical Skin contact attention. Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at Eye contact least 15 minutes or until particles are removed. If irritation persists get medical attention. Ingestion If ingestion of a large amount does occur, seek medical attention. Not available. 4.2. Most important symptoms and effects, both acute and delayed 4.3. Indication of any Not available immediate medical attention and special treatment needed

### SECTION 5: Firefighting measures

General fire hazards	Not available.
5.1. Extinguishing media	
Suitable extinguishing media	CO2, water, dry chemical, or foam For small (incipient) fires, use media such as foam, sand, dry chemical, or carbon dioxide. For large fires use very large (flooding) quantities of water and/or foam, applied as a mist or spray.
Unsuitable extinguishing media	None known.
5.2. Special hazards arising from the substance or mixture	Not available.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Not available.
Special fire fighting procedures	Not available.
Specific methods	None established.

# **SECTION 6: Accidental release measures**

ctive equipment and emergency procedures		
Wear appropriate personal protective equipment.		
Not available.		
Do not let product enter drains. Do not flush into surface water or sanitary sewer system.		
Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.		
Not available.		
l storage		
Avoid contact with skin, eyes and clothing.		
Keep out of the reach of children. Keep away from excessive heat or cold.		
Not available.		

## **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters

Occupational exposure limits	No exposure limits noted for ingredient(s).
Biological limit values	No biological exposure limits noted for the ingredient(s).
Recommended monitoring procedures	Not available.

### Derived no effect levels (DNELs)

Components	Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)	Consumers	Dermal Dermal Inhalation Oral Oral	6 mg/kg bw/d 167 mg/kg bw/d 17.1 mg/m3 5.2 mg/kg bw/d 33.3 mg/kg bw/d	Systemic long term Systemic acute short term Systemic long term Systemic long term Systemic acute short term
	Workers	Dermal	277 mg/kg bw/d	Systemic acute short term
		Dermal Inhalation	10 mg/kg bw/d 57.8 mg/m3	Systemic long term Systemic long term
Predicted no effect concentration	ne (DNECe)	Innalation	57.8 mg/m3	Systemic long term
Components	Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)	Not applicable	Freshwater Intermittent Marine water	0.5 mg/l 0.5 mg/l 0.05 mg/l	Releases
		Sediment Soil	0.4205 mg/kg 0.0612 mg/kg	Freshwater
		STP	10 mg/l	Sewage Treatment Plant
Exposure guidelines	Exposure limits have not been es	tablished for this	product.	
8.2. Exposure controls				
Appropriate engineering controls	Use in a well ventilated area.			
Individual protection measures,		-		
General information	Use personal protective equipme	nt to minimize exp	posure to skin and e	eye.
Eye/face protection	Not available.			
Skin protection				
- Hand protection	Not available.			
- Other	Not available.			
<b>Respiratory protection</b>	Not available.			
Thermal hazards	Not available.			
Hygiene measures	Handle in accordance with good	industrial hygiene	and safety practice	
Environmental exposure controls	Not available.			

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Appearance		
Physical state	Not available.	
Form	Not available.	
Color	Black. or Dark Grey	
Odor	Not available.	
Odor threshold	Not available.	
рН	9.3 - 9.7	
Melting point/freezing point	Not available.	
Initial boiling point and boiling range	Not determined	
Flash point	> 230.0 °F (> 110.0 °C) Setaflash Closed Tester	
Evaporation rate	Not determined	
Flammability (solid, gas)	Not available.	
Upper/lower flammability or explosive limits		
Flammability limit - lower (%)	Not determined	
Flammability limit - upper (%)	Not available.	
Vapor pressure	Not determined	
Vapor density	>= 1 (air = 1.0)	
Solubility(ies)		
Solubility (water)	Soluble in water	
Partition coefficient (n-octanol/water)	Not available.	
Auto-ignition temperature	Not available.	
Decomposition temperature	Not available.	
Viscosity	>= 2 cp	
Explosive properties	Not available.	
Oxidizing properties	Not determined	
9.2. Other information		
VOC	< 182 g/l	

# **SECTION 10: Stability and reactivity**

Not available.
Stable under recommended storage conditions.
Will not occur.
Not available.
Incompatible with strong bases and oxidizing agents.
Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

# **SECTION 11: Toxicological information**

General information	Not available.		
Information on likely routes of exposure			
Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.		
Skin contact	Contact with skin may result in mild irritation.		
Eye contact	Contact with eyes may result in mild irritation.		
Ingestion	Health injuries are not known or expected under normal use.		
Symptoms	Not available.		
11.1. Information on toxicological effects			
Acute toxicity	Based on available data, the classification criteria are not met.		

Components	Species	Test Results
2-pyrrolidone (CAS 616-45-5)		
<u>Acute</u>		
Oral		
LD50	Rat	> 5000 mg/kg
Skin corrosion/irritation	Based on available data, th	e classification criteria are not met.
Serious eye damage/eye irritation	Based on available data, th Not classified as an irritant	e classification criteria are not met. according to, OECD 405.
Respiratory sensitization	Based on available data, th	e classification criteria are not met.
Skin sensitization	Based on available data, th	e classification criteria are not met.
Germ cell mutagenicity	Based on available data, th	e classification criteria are not met.
Carcinogenicity	Based on available data, th	e classification criteria are not met.
	2B) and by the State of Ca organizations indicate that bound within a product ma bound form in this preparat	as a carcinogen by the IARC (possibly carcinogenic to humans, Group ifornia under Proposition 65. In their evaluations of carbon black, both exposure to carbon black, per se, does not occur when it remains rix, specifically, rubber, ink, or paint. Carbon black is present only in a ion. None of the other ingredients in this preparation are classified as CGIH, EU, IARC, MAK, NTP or OSHA.
Reproductive toxicity	Based on available data, th	e classification criteria are not met.
Specific target organ toxicity - single exposure	Based on available data, th	e classification criteria are not met.
Specific target organ toxicity - repeated exposure	Based on available data, th	e classification criteria are not met.
Aspiration hazard	Based on available data, th	e classification criteria are not met.
Mixture versus substance information	Not available.	
Other information		not available for this specific formulation ntial health effects and Section 4 for first aid measures.

# **SECTION 12: Ecological information**

Aquatic toxicity	This product h	as not been tested for ecological effects.	
	This product h	C C	
Components		Species	Test Results
2-pyrrolidone (CAS 616-45-5)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia pulex)	13.21 mg/l, 48 hours
12.2. Persistence and degradability	Not available.		
12.3. Bioaccumulative potential	Not available.		
Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone		-0.85	
Bioconcentration factor (BCF)	Not available.		
12.4. Mobility in soil	Not available.		
12.5. Results of PBT and vPvB assessment	Not a PBT or v	PvB substance or mixture.	
12.6. Other adverse effects	Not available.		

13.1. Waste treatment methods			
Residual waste	Not available.		
Contaminated packaging	Not available.		
EU waste code	Not available.		

 Disposal methods/information
 Do not dispose of together with general office waste. Do not allow this material to drain into sewers/water supplies.

 Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.
 Ensure collection and disposal with an appropriately licensed waste contractor.

 HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies.
 For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

### **SECTION 14: Transport information**

#### DOT

Not regulated as dangerous goods.

#### ΙΑΤΑ

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

#### ADR

Not regulated as dangerous goods.

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulations

**Further information** 

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

#### Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry Not listed.

# Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA Not listed.

#### Authorizations

Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization

#### Not listed.

### **Restrictions on use**

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not regulated.

#### Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

Other information	This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830.
	Classification according to Regulation (EC) No 1272/2008 as amended.
	Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).
National regulations	Not available.
15.2. Chemical safety assessment	See attached SUMI or GEIS document, if applicable.
SECTION 16: Other inform	nation
References	Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).
	Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.
	Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.
Full text of any H-statements not written out in full under Sections 2 to 15	H319 Causes serious eye irritation.
Revision information	<ol> <li>Product and Company Identification: Alternate Trade Names SECTION 1: Identification of the substance/mixture and of the company/undertaking: Important information</li> </ol>
Training information	Follow training instructions when handling this material.
Disclaimer	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.
	This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

### **Explanation of abbreviations**

	American Conference of Covernmental Industrial University
ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds

# Safe Use of Mixture Information (SUMI)

# Water Based Ink: WB01 \*English\*

#### Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

, , , , , , , , , , , , , , , , , , ,	3, where upplicable, completes an extended product 3D3.		
Operational conditions			
Maximum duration	Up to 8 hours per day		
Frequency of exposure	< 240 days per year		
Process conditions	Covers use at ambient temperatures. Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides guidelines to ensure acceptable air quality in the workspace. Avoid direct contact. Regular cleaning of equipment and work area. Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions		
	followed.		
Risk management measures			
Conditions and measures	Wear safety glasses with side shields (or goggles), if splashing is possible.		
related to Personal Protection			
	Wear appropriate chemical resistent gloves: see section 8 of the SDS.		
Equipment, hygiene and	Wear appropriate chemical resistent clothing.		
health evaluation	In case of inadequate ventilation wear respiratory protection.		
	Eye wash fountain and emergency showers are recommended.		
	Avoid breathing mist/vapours.		
	Avoid contact with skin, eyes and clothing.		
	Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.		
Good practice advice			
Use personal protective equipme	ent as required.		
Wash hands before breaks and a	after work.		
Keep good industrial hygiene and	d safety practice.		
Use only with adequate ventilati			
Do no eat, drink or smoke when			
Wash contaminated clothing be			
Store at room temperature.			
Environmental measures			
	in intercourse/unitercourselies		
Do not allow this material to dra			
-	ding to Local, State, Federal and Provincial Environmental Regulations.		
	ith appropriately licenced waste contractor.		
Use descriptors			
IS-Use at industrial sites			
PW-Widespread use by profession	onal workers		
SU7-Printing and reproduction n	nedia		
PC18-Inks and Toners			
PROC1-Chemical production or r	refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.		
PROC2-Chemical production or r	refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions		
condition PROC8a-Transfer of substance o	tion in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment r mixture (charging and discharging) at non-dedicated facilities r mixture (charging and discharging) at dedicated facilities		
ERC5-Use at industrial site leading to inclusion into/onto article			
ERCS-Use at industrial site leading to inclusion into/onto article ERC8c-Widespread use leading to inclusion into/onto article (indoor)			
Additional information on prod			
	s on the label, the classification of the mixture is provided.		
Most of the water based inks are			
The classification of the mixture is based on the individuel ingredients and their concentration within the mixture.			
All ingredients contributing to the classification are stated in Section 3 of the SDS.			
	nts on which the exposure assessment is based, are listed in section 8 of the SDS.		
	zing ingredients that may cause allergic reaction to certain people.		
Section 2 of the SDS states these			
I	WB01 English.pdf		



# SAFETY DATA SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

Important information	*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. ***
1.1. Product identifier	
glossary_trade_name	C4907 Series
Identification number	-
Registration number	-
Synonyms	None.
Issue date	29-Sep-2018
Version number	03
Revision date	26-May-2019
Supersedes date	25-May-2019
1.2. Relevant identified uses of	the substance or mixture and uses advised against
Identified uses	Inkjet printing
Uses advised against	None known.
1.3. Details of the supplier of the	ne safety data sheet
	HP Inc. UK Limited
	Cain Road, Amen Corner
	Bracknell, Berkshire RG12 1HN
	United Kingdom
Telephone	44 (0) 879 013 0790
HP Inc. health effects line	
(Toll-free within the US)	1-800-457-4209
(Direct)	1-760-710-0048
HP Inc. Customer Care Line	
(Toll-free within the US)	1-800-474-6836
(Direct)	1-208-323-2551
Email:	hpcustomer.inquiries@hp.com
1.4 Emergency telephone number	0207771 5307

## **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

#### 2.2. Label elements

### Label according to Regulation (EC) No. 1272/2008 as amended

Contains:	1-(2-hydroxyethyl)-2-pyrrolidone, 2,4,7,9-Tetramethyl-5-decyne-4,7-diol, 2-pyrrolidone, Water
Hazard pictograms	None.
Signal word	None.
Hazard statements	None
Precautionary statements	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.
Supplemental label information	Contains 1,2-Benzisothiazolin-3-one and 2-Methyl-2H-isothiazol-3-one. May produce an allergic reaction.

Complete toxicity data are not available for this specific formulation. Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions. None of the components present in this formulation at concentrations equal to or greater than 0.1% are listed by EU, MAK, IARC, NTP or OSHA.

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

General	information
001101 ai	

eneral information					
Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Water	75-85	7732-18-5		-	
		231-791-2			
Classification: -					
1-(2-hydroxyethyl)-2-pyrrolide	one < 10	3445-11-2 222-359-4	01-2119977089-21-XXXX	-	
Classification: -					
2-pyrrolidone	< 7.5	616-45-5 210-483-1	01-2119475471-37-XXXX	-	
Classification: Ey	e Irrit. 2;H319				
2,4,7,9-Tetramethyl-5-decyne	e-4,7-diol <1	126-86-3 204-809-1	01-2119954390-39-XXXX	-	
Classification: Sk	in Sens. 1;H317, Ey	/e Dam. 1;H318, Aqu	atic Chronic 3;H412		
Crodafos 03a	<1	39464-69-2	-	-	
Classification:		-			
omposition comments	This ink supply c	ontains an aqueous i	nk formulation.		
ECTION 4: First aid mea	asures				
eneral information	Wash affected a	reas thoroughly with r	mild soap and water.		
I. Description of first aid mea	sures				
Inhalation	Move to fresh air	. If symptoms persist	, get medical attention.		
Skin contact	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.				
Eye contact		Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.			
Ingestion	If ingestion of a l	arge amount does oc	cur, seek medical attention.		
2. Most important symptoms d effects, both acute and layed	Not available.				
3. Indication of any mediate medical attention d special treatment needed	Not available.				
ECTION 5: Firefighting	measures				
eneral fire hazards	Not available.				
I. Extinguishing media Suitable extinguishing media	Dry chemical, CO	D2, water spray or reo	gular foam.		

Unsuitable extinguishing None known. media 5.2. Special hazards arising Not available. from the substance or mixture

5.3. Advice for firefighters **Special protective** Not available. equipment for firefighters

# SECTION 6: Accidental release measures

6.1. Personal precautions, prote	ctive equipment and emergency procedures			
For non-emergency personnel	Wear appropriate personal protective equipment.			
For emergency responders	Not available.			
6.2. Environmental precautions	Do not let product enter drains. Do not flush into surface water or sanitary sewer system.			
6.3. Methods and material for containment and cleaning up	Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.			
6.4. Reference to other sections	Not available.			
SECTION 7: Handling and	storage			
7.1. Precautions for safe handling	Avoid contact with skin, eyes and clothing.			
7.2. Conditions for safe storage, including any incompatibilities	Keep out of the reach of children. Keep away from excessive heat or cold.			

7.3. Specific end use(s) Not available.

# **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters

Occupational exposure limits	No exposure limits noted for ingredient(s).
Biological limit values	No biological exposure limits noted for the ingredient(s).
Recommended monitoring	Not available.
procedures	

# Derived no effect levels (DNELs)

Components	Туре	Route	Value	Form
2,4,7,9-Tetramethyl-5-decyne-4,7-diol (CAS 126-86-3)	Consumers	Inhalation	1.29 mg/m3	Systemic short term
		Inhalation	0.43 mg/m3	Systemic long term
	Workers	Inhalation	5.28 mg/m3	Systemic short term
		Inhalation	1.76 mg/m3	Systemic long term
2-pyrrolidone (CAS 616-45-5)	Consumers	Dermal	6 mg/kg bw/d	Systemic long term
		Dermal	167 mg/kg bw/d	Systemic acute short term
		Inhalation	17.1 mg/m3	Systemic long term
		Oral	5.2 mg/kg bw/d	Systemic long term
		Oral	33.3 mg/kg bw/d	Systemic acute short term
	Workers	Dermal	277 mg/kg bw/d	Systemic acute short term
		Dermal	10 mg/kg bw/d	Systemic long term
		Inhalation	57.8 mg/m3	Systemic long term

Components	Туре	Route	Value	Form
2,4,7,9-Tetramethyl-5-decyne-4,7-diol (CA 126-86-3)	S Not applicable	Freshwater	0.04 mg/l	
		Intermittent	0.4 mg/l	Releases
		Marine water	0.004 mg/l	
		Sediment	0.32 mg/kg	Freshwater
		Sediment	0.032 mg/kg	Marine water
		Soil	0.028 mg/kg	
		STP	7 mg/l	Sewage Treatment Plant
2-pyrrolidone (CAS 616-45-5)	Not applicable	Freshwater	0.5 mg/l	
		Intermittent	0.5 mg/l	Releases
		Marine water	0.05 mg/l	
		Sediment	0.4205 mg/kg	Freshwater
		Soil	0.0612 mg/kg	
		STP	10 mg/l	Sewage Treatment Plant
oosure guidelines Exposure	limits have not been e	stablished for this	product.	

8.2. Exposure controls	
Appropriate engineering controls	Use in a well ventilated area.
Individual protection measures,	such as personal protective equipment
General information	Use personal protective equipment to minimize exposure to skin and eye.
Eye/face protection	Not available.
Skin protection	
- Hand protection	Not available.
- Other	Not available.
<b>Respiratory protection</b>	Not available.
Thermal hazards	Not available.
Hygiene measures	Handle in accordance with good industrial hygiene and safety practice.
Environmental exposure controls	Not available.

### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physic	al and chemical properties
Appearance	
Physical state	Liquid.
Form	Not available.
Color	Cyan
Odor	Not available.
Odor threshold	Not available.
рН	8.5 - 9.5
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	> 212.0 °F (> 100.0 °C) Pensky-Martens Closed Cup US EPA Method 1020
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	3.2 - 3.3 cP
Explosive properties	Not available.
Oxidizing properties	Not available.
9.2. Other information	
VOC	< 291 g/L

# **SECTION 10: Stability and reactivity**

10.1. Reactivity	Not available.
10.2. Chemical stability	Stable under recommended storage conditions.
10.3. Possibility of hazardous reactions	Will not occur.
10.4. Conditions to avoid	Not available.
10.5. Incompatible materials	Incompatible with strong bases and oxidizing agents.

10.6. Hazardous	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon
decomposition products	dioxide and/or low molecular weight hydrocarbons.

# **SECTION 11: Toxicological information**

SECTION 11: Toxicologica	al information	
General information	Not available.	
Information on likely routes of e	xposure	
Inhalation	Under normal conditions of inf	ended use, this material is not expected to be an inhalation hazard.
Skin contact	Contact with skin may result in	n mild irritation.
Eye contact	Contact with eyes may result	n mild irritation.
Ingestion	Health injuries are not known	or expected under normal use.
Symptoms	Not available.	
11.1. Information on toxicologica	al effects	
Acute toxicity	Based on available data, the o	lassification criteria are not met.
Components	Species	Test Results
2-pyrrolidone (CAS 616-45-5)		
Acute		
Oral		
LD50	Rat	> 5000 mg/kg
Skin corrosion/irritation	Non irritant in rabbit (OECD 4	04) Based on available data, the classification criteria are not met.
Serious eye damage/eye irritation	Not classified as an irritant ac criteria are not met.	cording to, OECD 405. Based on available data, the classification
Respiratory sensitization	Based on available data, the o	lassification criteria are not met.
Skin sensitization	Based on available data, the o	lassification criteria are not met.
Germ cell mutagenicity	Based on available data, the o	lassification criteria are not met.
Carcinogenicity	Based on available data, the o	lassification criteria are not met.
Reproductive toxicity	Based on available data, the o	lassification criteria are not met.
Specific target organ toxicity - single exposure	Based on available data, the o	lassification criteria are not met.
Specific target organ toxicity - repeated exposure	Based on available data, the o	lassification criteria are not met.
Aspiration hazard	Based on available data, the o	lassification criteria are not met.
Mixture versus substance information	Not available.	
Other information		available for this specific formulation I health effects and Section 4 for first aid measures.

# **SECTION 12: Ecological information**

12.1. Toxicity	This product is highly soluble in water.				
Components		Species	Test Results		
2-pyrrolidone (CAS 616-45-5)					
Aquatic					
Crustacea	EC50	Water flea (Daphnia pulex)	13.21 mg/l, 48 hours		
12.2. Persistence and degradability	Not available				
12.3. Bioaccumulative potential	Not available				
Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone		-0.85			
Bioconcentration factor (BCF)	Not available				
12.4. Mobility in soil	Not available				
12.5. Results of PBT and vPvB assessment	Not a PBT or	vPvB substance or mixture.			
12.6. Other adverse effects	Not available				

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Residual wasteNot available.Contaminated packagingNot available.EU waste codeNot available.Disposal methods/informationDo not allow this material to drain into sewers/water supplies.<br/>Dispose of waste material according to Local, State, Federal, and Provincial Environmental<br/>Regulations.HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling<br/>of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

### **SECTION 14: Transport information**

#### DOT

Not regulated as dangerous goods.

#### ΙΑΤΑ

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

#### ADR

Not regulated as dangerous goods.

Further information

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

#### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I

Not listed

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

#### Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA Not listed.

#### Authorizations

Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization

#### Not listed.

#### **Restrictions on use**

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not regulated.

### Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

#### Other regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

Other information	This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830. Classification according to Regulation (EC) No 1272/2008 as amended.
	Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).
National regulations	Not available.
15.2. Chemical safety assessment	See attached SUMI or GEIS document, if applicable.
SECTION 16: Other inform	ation
References	Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).
	Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.
	Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.
Full text of any H-statements not written out in full under	
Sections 2 to 15	H317 May cause an allergic skin reaction.
	H318 Causes serious eye damage.
	H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects.
Revision information	None.
Training information	Follow training instructions when handling this material.
Disclaimer	This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs. This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

### **Explanation of abbreviations**

	American Conference of Covernmental Industrial University
ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds

# Safe Use of Mixture Information (SUMI)

# Water Based Ink: WB01 \*English\*

#### Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

, , , , , , , , , , , , , , , , , , ,	3, where upplicable, completes an extended product 3D3.
Operational conditions	
Maximum duration	Up to 8 hours per day
Frequency of exposure	< 240 days per year
Process conditions	Covers use at ambient temperatures. Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides guidelines to ensure acceptable air quality in the workspace. Avoid direct contact. Regular cleaning of equipment and work area. Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions
	followed.
Risk management measures	
Conditions and measures	Wear safety glasses with side shields (or goggles), if splashing is possible.
related to Personal Protection	
	Wear appropriate chemical resistent gloves: see section 8 of the SDS.
Equipment, hygiene and	Wear appropriate chemical resistent clothing.
health evaluation	In case of inadequate ventilation wear respiratory protection.
	Eye wash fountain and emergency showers are recommended.
	Avoid breathing mist/vapours.
	Avoid contact with skin, eyes and clothing.
	Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.
Good practice advice	
Use personal protective equipme	ent as required.
Wash hands before breaks and a	after work.
Keep good industrial hygiene and	d safety practice.
Use only with adequate ventilati	
Do no eat, drink or smoke when	
Wash contaminated clothing be	
Store at room temperature.	
Environmental measures	
	in intercourse/unitercourselies
Do not allow this material to dra	
-	ding to Local, State, Federal and Provincial Environmental Regulations.
	ith appropriately licenced waste contractor.
Use descriptors	
IS-Use at industrial sites	
PW-Widespread use by profession	onal workers
SU7-Printing and reproduction n	nedia
PC18-Inks and Toners	
PROC1-Chemical production or r	refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
PROC2-Chemical production or r	refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
condition PROC8a-Transfer of substance o	tion in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment r mixture (charging and discharging) at non-dedicated facilities r mixture (charging and discharging) at dedicated facilities
ERC5-Use at industrial site leading	
	io inclusion into/onto article (indoor)
Additional information on prod	
	s on the label, the classification of the mixture is provided.
Most of the water based inks are	
	is based on the individuel ingredients and their concentration within the mixture.
	ne classification are stated in Section 3 of the SDS.
	nts on which the exposure assessment is based, are listed in section 8 of the SDS.
	zing ingredients that may cause allergic reaction to certain people.
Section 2 of the SDS states these	
I	WB01 English.pdf



# SAFETY DATA SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

SECTION 1. Identificatio	n of the substance/mixture and of the company/undertaking
Important information	*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. ***
1.1. Product identifier	
glossary_trade_name	C4908 Series
Identification number	-
Registration number	-
Synonyms	None.
Issue date	22-Dec-2018
Version number	02
Revision date	28-May-2019
Supersedes date	22-Dec-2018
1.2. Relevant identified uses of	f the substance or mixture and uses advised against
Identified uses	Inkjet printing
Uses advised against	None known.
1.3. Details of the supplier of the	ne safety data sheet
	HP Inc. UK Limited
	Cain Road, Amen Corner
	Bracknell, Berkshire RG12 1HN
	United Kingdom
Telephone	44 (0) 879 013 0790
HP Inc. health effects line	
(Toll-free within the US)	1-800-457-4209
(Direct)	1-760-710-0048
HP Inc. Customer Care Line	
(Toll-free within the US)	1-800-474-6836
(Direct)	1-208-323-2551
Email:	hpcustomer.inquiries@hp.com
1.4 Emergency telephone number	0207771 5307

# **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

#### 2.2. Label elements

### Label according to Regulation (EC) No. 1272/2008 as amended

Contains:	1-(2-hydroxyethyl)-2-pyrrolidone, 2-pyrrolidone, Aliphatic diol, Magenta pigment, Water
Hazard pictograms	None.
Signal word	None.
Hazard statements	None
Precautionary statements	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.
Supplemental label information	Contains 1,2-Benzisothiazolin-3-one and 2-Methyl-2H-isothiazol-3-one. May produce an allergic reaction.

Complete toxicity data are not available for this specific formulation. Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions. None of the components present in this formulation at concentrations equal to or greater than 0.1% are listed by EU, MAK, IARC, NTP or OSHA.

# **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

General	information
Contonan	mormation

Seneral information Chemical name		%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
				-		
Water		70-80	7732-18-5 231-791-2	-	-	
Classification:	-					
1-(2-hydroxyethyl)-2-pyrrol	lidone	< 10	3445-11-2 222-359-4	01-2119977089-21-XXXX	-	
Classification:	-					
2-pyrrolidone		<7.5	616-45-5 210-483-1	01-2119475471-37-XXXX	-	
Classification:	Eye Irrit. 2;	H319				
Aliphatic diol		< 5	Proprietary	01-2119449814-31-XXXX	-	
Classification:	-					
Magenta pigment		< 5	Proprietary	-	-	
Classification:	-					
Crodafos 03a		<1	39464-69-2	-	-	
Classification:	-					
omposition comments	This i	nk supply co	ontains an aqueous i	nk formulation.		
SECTION 4: First aid m	easures					
eneral information	Wash	affected are	eas thoroughly with r	nild soap and water.		
1. Description of first aid m						
Inhalation			• • •	get medical attention.		
Skin contact		Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.				
Eye contact		Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.				
Ingestion	If inge	estion of a la	rge amount does oc	cur, seek medical attention.		
<ol> <li>Most important symptom nd effects, both acute and elayed</li> </ol>	<b>is</b> Not a	vailable.				
3. Indication of any nmediate medical attention nd special treatment needed		vailable.				
SECTION 5: Firefighting	g measu	res				
eneral fire hazards	Not a	vailable.				

General fire hazards	Not available.
5.1. Extinguishing media Suitable extinguishing media	Dry chemical, CO2, water spray or regular foam.
Unsuitable extinguishing media	None known.
5.2. Special hazards arising from the substance or mixture	Not available.

5.3. Advice for firefighters Special protective	Not available.					
equipment for firefighters Special fire fighting	Not available.					
procedures						
Specific methods	None established.					
<b>SECTION 6: Accidental rel</b>	ease measures					
6.1. Personal precautions, protec						
For non-emergency personnel	Wear appropriate personal protective equipment.					
For emergency responders	Not available.					
6.2. Environmental precautions	Do not let product enter drains. D					
6.3. Methods and material for containment and cleaning up	Dike the spilled material, where the or diatomaceous earth, commerce					
6.4. Reference to other sections	Not available.					
SECTION 7: Handling and	storage					
7.1. Precautions for safe handling	Avoid contact with skin, eyes and	I clothing.				
7.2. Conditions for safe storage, including any incompatibilities	Keep out of the reach of children.	Keep out of the reach of children. Keep away from excessive heat or cold.				
7.3. Specific end use(s)	Not available.					
SECTION 8: Exposure con	trols/personal protection					
8.1. Control parameters						
Occupational exposure limits	No exposure limits noted for ingre	edient(s).				
Biological limit values	No biological exposure limits note	ed for the ingredie	nt(s).			
Recommended monitoring procedures	Not available.					
Derived no effect levels (DNELs)						
Components	Туре	Route	Value	Form		
2-pyrrolidone (CAS 616-45-5)	Consumers	Dermal Dermal Inhalation Oral	6 mg/kg bw/d 167 mg/kg bw/d 17.1 mg/m3 5.2 mg/kg bw/d	Systemic long term Systemic acute short term Systemic long term Systemic long term		
	Workers	Oral Dermal Dermal	33.3 mg/kg bw/d 277 mg/kg bw/d 10 mg/kg bw/d	Systemic acute short term Systemic acute short term Systemic long term		
		Oral Dermal	33.3 mg/kg bw/d 277 mg/kg bw/d	Systemic acute short term Systemic acute short term		
	ns (PNECs)	Oral Dermal Dermal Inhalation	33.3 mg/kg bw/d 277 mg/kg bw/d 10 mg/kg bw/d 57.8 mg/m3	Systemic acute short term Systemic acute short term Systemic long term Systemic long term		
Components	ns (PNECs) Type	Oral Dermal Dermal Inhalation <b>Route</b>	33.3 mg/kg bw/d 277 mg/kg bw/d 10 mg/kg bw/d 57.8 mg/m3 Value	Systemic acute short term Systemic acute short term Systemic long term		
	ns (PNECs)	Oral Dermal Dermal Inhalation Route Freshwater Intermittent	33.3 mg/kg bw/d 277 mg/kg bw/d 10 mg/kg bw/d 57.8 mg/m3 <b>Value</b> 0.5 mg/l 0.5 mg/l	Systemic acute short term Systemic acute short term Systemic long term Systemic long term		
Components	ns (PNECs) Type	Oral Dermal Dermal Inhalation Route Freshwater Intermittent Marine water Sediment	33.3 mg/kg bw/d 277 mg/kg bw/d 10 mg/kg bw/d 57.8 mg/m3 <b>Value</b> 0.5 mg/l 0.5 mg/l 0.05 mg/l 0.4205 mg/kg	Systemic acute short term Systemic acute short term Systemic long term Systemic long term Form		
Components	ns (PNECs) Type	Oral Dermal Dermal Inhalation Route Freshwater Intermittent Marine water	33.3 mg/kg bw/d 277 mg/kg bw/d 10 mg/kg bw/d 57.8 mg/m3 <b>Value</b> 0.5 mg/l 0.5 mg/l 0.05 mg/l	Systemic acute short term Systemic acute short term Systemic long term Systemic long term Form Releases		
Components 2-pyrrolidone (CAS 616-45-5)	ns (PNECs) Type	Oral Dermal Dermal Inhalation Route Freshwater Intermittent Marine water Sediment Soil STP	33.3 mg/kg bw/d 277 mg/kg bw/d 10 mg/kg bw/d 57.8 mg/m3 <b>Value</b> 0.5 mg/l 0.5 mg/l 0.05 mg/l 0.4205 mg/kg 0.0612 mg/kg 10 mg/l	Systemic acute short term Systemic acute short term Systemic long term Systemic long term Form Releases Freshwater		
Components 2-pyrrolidone (CAS 616-45-5) Exposure guidelines	ns (PNECs) Type Not applicable	Oral Dermal Dermal Inhalation Route Freshwater Intermittent Marine water Sediment Soil STP	33.3 mg/kg bw/d 277 mg/kg bw/d 10 mg/kg bw/d 57.8 mg/m3 <b>Value</b> 0.5 mg/l 0.5 mg/l 0.05 mg/l 0.4205 mg/kg 0.0612 mg/kg 10 mg/l	Systemic acute short term Systemic acute short term Systemic long term Systemic long term Form Releases Freshwater		
Components 2-pyrrolidone (CAS 616-45-5) Exposure guidelines 8.2. Exposure controls Appropriate engineering	ns (PNECs) Type Not applicable	Oral Dermal Dermal Inhalation Route Freshwater Intermittent Marine water Sediment Soil STP	33.3 mg/kg bw/d 277 mg/kg bw/d 10 mg/kg bw/d 57.8 mg/m3 <b>Value</b> 0.5 mg/l 0.5 mg/l 0.05 mg/l 0.4205 mg/kg 0.0612 mg/kg 10 mg/l	Systemic acute short term Systemic acute short term Systemic long term Systemic long term Form Releases Freshwater		
Components 2-pyrrolidone (CAS 616-45-5) Exposure guidelines 8.2. Exposure controls Appropriate engineering controls	ns (PNECs) Type Not applicable Exposure limits have not been es Use in a well ventilated area. such as personal protective equ	Oral Dermal Dermal Inhalation Route Freshwater Intermittent Marine water Sediment Soil STP stablished for this p	33.3 mg/kg bw/d 277 mg/kg bw/d 10 mg/kg bw/d 57.8 mg/m3 <b>Value</b> 0.5 mg/l 0.05 mg/l 0.4205 mg/kg 0.0612 mg/kg 10 mg/l product.	Systemic acute short term Systemic acute short term Systemic long term Systemic long term <b>Form</b> Releases Freshwater Sewage Treatment Plant		
Components 2-pyrrolidone (CAS 616-45-5) Exposure guidelines 8.2. Exposure controls Appropriate engineering controls Individual protection measures, s General information Eye/face protection	ns (PNECs) Type Not applicable Exposure limits have not been es Use in a well ventilated area.	Oral Dermal Dermal Inhalation Route Freshwater Intermittent Marine water Sediment Soil STP stablished for this p	33.3 mg/kg bw/d 277 mg/kg bw/d 10 mg/kg bw/d 57.8 mg/m3 <b>Value</b> 0.5 mg/l 0.05 mg/l 0.4205 mg/kg 0.0612 mg/kg 10 mg/l product.	Systemic acute short term Systemic acute short term Systemic long term Systemic long term <b>Form</b> Releases Freshwater Sewage Treatment Plant		
2-pyrrolidone (CAS 616-45-5) Exposure guidelines 8.2. Exposure controls Appropriate engineering controls Individual protection measures, s General information	ns (PNECs) Type Not applicable Exposure limits have not been es Use in a well ventilated area. such as personal protective equipme	Oral Dermal Dermal Inhalation Route Freshwater Intermittent Marine water Sediment Soil STP stablished for this p	33.3 mg/kg bw/d 277 mg/kg bw/d 10 mg/kg bw/d 57.8 mg/m3 <b>Value</b> 0.5 mg/l 0.05 mg/l 0.4205 mg/kg 0.0612 mg/kg 10 mg/l product.	Systemic acute short term Systemic acute short term Systemic long term Systemic long term Form Releases Freshwater Sewage Treatment Plant		

Material name: C4908 Series

12093 Version #: 02 Revision date: 28-May-2019 Issue date: 22-Dec-2018

<b>Respiratory protection</b>	Not available.
Thermal hazards	Not available.
Hygiene measures	Handle in accordance with good industrial hygiene and safety practice.
Environmental exposure controls	Not available.

# **SECTION 9: Physical and chemical properties**

	hh
9.1. Information on basic physic	al and chemical properties
Appearance	
Physical state	Liquid.
Form	Not available.
Color	Magenta
Odor	Not available.
Odor threshold	Not available.
рН	8.5 - 9.5
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	> 212.0 °F (> 100.0 °C) Pensky-Martens Closed Cup US EPA Method 1020
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	3.2 - 3.3 cP
Explosive properties	Not available.
Oxidizing properties	Not available.
9.2. Other information	
VOC	< 297 g/L
SECTION 10: Stability and	1 reactivity

### **SECTION 10: Stability and reactivity**

•
Not available.
Stable under recommended storage conditions.
Will not occur.
Not available.
Incompatible with strong bases and oxidizing agents.
Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

# **SECTION 11: Toxicological information**

General information	Not available.
Information on likely routes of ex	<b>kposure</b>
Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
Skin contact	Contact with skin may result in mild irritation.
Eye contact	Contact with eyes may result in mild irritation.
Ingestion	Health injuries are not known or expected under normal use.

Material name: C4908 Series

#### Symptoms

Not available.

11.1. Information on toxicological effects

	Based on available data	, the classification criteria are not met.
--	-------------------------	--

Acute toxicity	Based on available data, the classification criteria are not met.			
Components	Species Test Results			
2-pyrrolidone (CAS 616-45-5)				
Acute				
Oral				
LD50	Rat	> 5000 mg/kg		
Skin corrosion/irritation	Based on available data, t	the classification criteria are not met.		
Serious eye damage/eye irritation	Based on available data, t	the classification criteria are not met.		
Respiratory sensitization	Based on available data, t	the classification criteria are not met.		
Skin sensitization	Based on available data, the classification criteria are not met.			
Germ cell mutagenicity	Based on available data, f	Based on available data, the classification criteria are not met.		
Carcinogenicity	Based on available data, t	Based on available data, the classification criteria are not met.		
Reproductive toxicity	Based on available data, the classification criteria are not met.			
Specific target organ toxicity - single exposure	Based on available data, t	the classification criteria are not met.		
Specific target organ toxicity - repeated exposure	Based on available data, t	the classification criteria are not met.		
Aspiration hazard	Based on available data, t	the classification criteria are not met.		
Mixture versus substance information	Not available.			
Other information	Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures.			

## SECTION 12: Ecological information

12.1. Toxicity	This product i	s highly soluble in water.	
Components	Species		Test Results
2-pyrrolidone (CAS 616-45-5)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia pulex)	13.21 mg/l, 48 hours
12.2. Persistence and degradability	Not available.		
12.3. Bioaccumulative potential	Not available.		
Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone Aliphatic diol		-0.85 -0.106	
Bioconcentration factor (BCF)	Not available.		
12.4. Mobility in soil	Not available.		
12.5. Results of PBT and vPvB assessment	Not a PBT or	Not a PBT or vPvB substance or mixture.	
12.6. Other adverse effects	Not available.		

# **SECTION 13: Disposal considerations**

13.1. Waste treatment methods	
Residual waste	Not available.
Contaminated packaging	Not available.
EU waste code	Not available.
Disposal methods/information	Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.
	HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

### **SECTION 14: Transport information**

#### DOT

Not regulated as dangerous goods.

### ΙΑΤΑ

Not regulated as dangerous goods.

# IMDG

Not regulated as dangerous goods.

# ADR

Not regulated as dangerous goods.

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulations

assessment

Lo regulations	
Regulation (EC) No. 1005/2 Not listed.	2009 on substances that deplete the ozone layer, Annex I
	2009 on substances that deplete the ozone layer, Annex II
	004 On persistent organic pollutants, Annex I as amended
	012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended
	012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended
	012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended
	012 concerning the export and import of dangerous chemicals, Annex V as amended
	006 Annex II Pollutant Release and Transfer Registry
	2006, REACH Article 59(1) Candidate List as currently published by ECHA
Authorizations	
	011 Annex XIV Substances Subject to Authorization
Restrictions on use	
Regulation (EC) No. 1907/2	2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended
Not listed. Directive 2004/37/EC: on tl work	he protection of workers from the risks related to exposure to carcinogens and mutagens at
Not regulated.	
Other EU regulations	
Directive 2012/18/EU on m	ajor accident hazards involving dangerous substances, as amended
Not listed.	
Other regulations	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.
Other information	This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830. Classification according to Regulation (EC) No 1272/2008 as amended. Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).
National regulations	Not available.
15.2. Chemical safety	See attached SUMI or GEIS document, if applicable.

### **SECTION 16: Other information**

SECTION 16: Other inform	mation
References	Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).
	Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.
	Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.
Full text of any H-statements not written out in full under Sections 2 to 15	H319 Causes serious eye irritation.
Revision information	<ol> <li>Product and Company Identification: Alternate Trade Names SECTION 1: Identification of the substance/mixture and of the company/undertaking: Important information</li> </ol>
Training information	Follow training instructions when handling this material.
Disclaimer	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.
	This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.
Explanation of abbreviations	
ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit

Superfund Amendments and Reauthorization Act of 1986

Toxicity Characteristics Leaching Procedure

Short-Term Exposure Limit

Toxic Substances Control Act

Volatile Organic Compounds

Threshold Limit Value

SARA

STEL

TCLP TLV

TSCA

voc

# Safe Use of Mixture Information (SUMI)

# Water Based Ink: WB01 \*English\*

#### Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

, , , , , , , , , , , , , , , , , , ,	3, where upplicable, completes an extended product 3D3.
Operational conditions	
Maximum duration	Up to 8 hours per day
Frequency of exposure	< 240 days per year
Process conditions	Covers use at ambient temperatures. Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides guidelines to ensure acceptable air quality in the workspace. Avoid direct contact. Regular cleaning of equipment and work area. Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions
	followed.
Risk management measures	
Conditions and measures	Wear safety glasses with side shields (or goggles), if splashing is possible.
related to Personal Protection	
	Wear appropriate chemical resistent gloves: see section 8 of the SDS.
Equipment, hygiene and	Wear appropriate chemical resistent clothing.
health evaluation	In case of inadequate ventilation wear respiratory protection.
	Eye wash fountain and emergency showers are recommended.
	Avoid breathing mist/vapours.
	Avoid contact with skin, eyes and clothing.
	Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.
Good practice advice	
Use personal protective equipme	ent as required.
Wash hands before breaks and a	after work.
Keep good industrial hygiene and	d safety practice.
Use only with adequate ventilati	
Do no eat, drink or smoke when	
Wash contaminated clothing be	
Store at room temperature.	
Environmental measures	
	in intercourse/unitercourselies
Do not allow this material to dra	
-	ding to Local, State, Federal and Provincial Environmental Regulations.
	ith appropriately licenced waste contractor.
Use descriptors	
IS-Use at industrial sites	
PW-Widespread use by profession	onal workers
SU7-Printing and reproduction n	nedia
PC18-Inks and Toners	
PROC1-Chemical production or r	refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
PROC2-Chemical production or r	refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
condition PROC8a-Transfer of substance o	tion in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment r mixture (charging and discharging) at non-dedicated facilities r mixture (charging and discharging) at dedicated facilities
ERC5-Use at industrial site leading	
	io inclusion into/onto article (indoor)
Additional information on prod	
	s on the label, the classification of the mixture is provided.
Most of the water based inks are	
	is based on the individuel ingredients and their concentration within the mixture.
	ne classification are stated in Section 3 of the SDS.
	nts on which the exposure assessment is based, are listed in section 8 of the SDS.
	zing ingredients that may cause allergic reaction to certain people.
Section 2 of the SDS states these	
I	WB01 English.pdf



# SAFETY DATA SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

Important information	*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action
	being taken by HP. ***
1.1. Product identifier	
glossary_trade_name	C4909 Series
Identification number	-
Registration number	-
Synonyms	None.
Issue date	29-Sep-2018
Version number	02
Revision date	21-Jun-2019
Supersedes date	29-Sep-2018
1.2. Relevant identified uses of	f the substance or mixture and uses advised against
Identified uses	Inkjet printing
Uses advised against	None known.
1.3. Details of the supplier of the	ne safety data sheet
	HP Inc. UK Limited
	Cain Road, Amen Corner
	Bracknell, Berkshire RG12 1HN
	United Kingdom
Telephone	44 (0) 879 013 0790
HP Inc. health effects line	
(Toll-free within the US)	1-800-457-4209
(Direct)	1-760-710-0048
HP Inc. Customer Care Line	
(Toll-free within the US)	1-800-474-6836
(Direct)	1-208-323-2551
Email:	hpcustomer.inquiries@hp.com
1.4 Emergency telephone number	0207771 5307

## **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

#### 2.2. Label elements

### Label according to Regulation (EC) No. 1272/2008 as amended

Easer according to riogalation	
Contains:	1-(2-hydroxyethyl)-2-pyrrolidone, 1,2-Benzisothiazolin-3-one, 2,4,7,9-Tetramethyl-5-decyne-4,7-diol, 2-methyl-2h-isothiazol-3-one, 2-pyrrolidone, Aliphatic diol, Water, Yellow pigment
Hazard pictograms	None.
Signal word	None.
Hazard statements	None
Precautionary statements	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.

#### Supplemental label information

2.3. Other hazards

Contains 1,2-Benzisothiazolin-3-one, 2-Methyl-2H-isothiazol-3-one, and 2,4,7,9-tetramethyl-5-decyn-4,7-diol. May produce an allergic reaction.

Complete toxicity data are not available for this specific formulation. Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions. None of the components present in this formulation at concentrations equal to or greater than 0.1% are listed by EU, MAK, IARC, NTP or OSHA.

### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Chemical name		%	CAS-No. / EC No.	<b>REACH Registration No.</b>	Index No.	Notes
Water		70-80	7732-18-5 231-791-2	-	-	
Classification:	-					
1-(2-hydroxyethyl)-2-pyr	rolidone	< 10	3445-11-2 222-359-4	01-2119977089-21-XXXX	-	
Classification:	-					
2-pyrrolidone		< 7.5	616-45-5 210-483-1	01-2119475471-37-XXXX	-	
Classification:	Eye Irrit. 2;H3	319				
Aliphatic diol		< 5	Proprietary -	01-2119449814-31-XXXX	-	
Classification:	-					
Yellow pigment		< 5	Proprietary -	-	-	
Classification:	-					
2,4,7,9-Tetramethyl-5-de	ecyne-4,7-diol	<1	126-86-3 204-809-1	01-2119954390-39-XXXX	-	
Classification:	Skin Sens. 1;	H317, Ey	e Dam. 1;H318, Aqua	atic Chronic 3;H412		
Crodafos 03a		<1	39464-69-2	-	-	
Classification:	-					
1,2-Benzisothiazolin-3-c	ne	<0.1	2634-33-5 220-120-9	-	613-088-00-6	
Classification:	Acute Tox. 4; Acute 1;H400		in Irrit. 2;H315, Skin S	Sens. 1;H317, Eye Dam. 1;H3	18, Aquatic	
2-methyl-2h-isothiazol-3	-one	<0.1	2682-20-4 220-239-6	-	-	
Classification:	Acute Tox. 3; Acute Tox. 2;	H301, Ac H330, Aq	ute Tox. 3;H311, Skii uatic Chronic 1;H410	n Corr. 1B;H314, Skin Sens. 1	A;H317,	

### **SECTION 4: First aid measures**

General informationWash affected areas thoroughly with mild soap and water.4.1. Description of first aid measuresInhalationMove to fresh air. If symptoms persist, get medical attention.Skin contactWash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.Eye contactDo not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.IngestionIf ingestion of a large amount does occur, seek medical attention.

Material name: C4909 Series

4.2. Most important symptoms and effects, both acute and delayed	Not available.
4.3. Indication of any	Not available.
immediate medical attention	
and special treatment needed	

# **SECTION 5: Firefighting measures**

General fire hazards	Not available.
5.1. Extinguishing media	
Suitable extinguishing media	Dry chemical, CO2, water spray or regular foam.
Unsuitable extinguishing media	None known.
5.2. Special hazards arising from the substance or mixture	Not available.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Not available.
Special fire fighting procedures	Not available.
Specific methods	None established.

# **SECTION 6: Accidental release measures**

6.1. Personal precautions, protect	ctive equipment and emergency procedures
For non-emergency personnel	Wear appropriate personal protective equipment.
For emergency responders	Not available.
6.2. Environmental precautions	Do not let product enter drains. Do not flush into surface water or sanitary sewer system.
6.3. Methods and material for containment and cleaning up	Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.
6.4. Reference to other sections	Not available.
6.4. Reference to other	Not available.

### **SECTION 7: Handling and storage**

7.1. Precautions for safe handling	Avoid contact with skin, eyes and clothing.
7.2. Conditions for safe storage, including any incompatibilities	Keep out of the reach of children. Keep away from excessive heat or cold.
7.3. Specific end use(s)	Not available.

# **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters

Occupational exposure limits No exposure limits noted for ingredient(s).

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Recommended monitoring** Not available. procedures

Derived no effect levels (DNELs)

Components	Туре	Route	Value	Form
2,4,7,9-Tetramethyl-5-decyne-4,7-diol (CAS 126-86-3)	Consumers	Inhalation	1.29 mg/m3	Systemic short term
		Inhalation	0.43 mg/m3	Systemic long term
	Workers	Inhalation	5.28 mg/m3	Systemic short term
		Inhalation	1.76 mg/m3	Systemic long term
2-pyrrolidone (CAS 616-45-5)	Consumers	Dermal	6 mg/kg bw/d	Systemic long term
		Dermal	167 mg/kg bw/d	Systemic acute short term
		Inhalation	17.1 mg/m3	Systemic long term
		Oral	5.2 mg/kg bw/d	Systemic long term
		Oral	33.3 mg/kg bw/d	Systemic acute short term
	Workers	Dermal	277 mg/kg bw/d	Systemic acute short term
		Dermal	10 mg/kg bw/d	Systemic long term

Components		Туре	Route	Value	Form
			Inhalation	57.8 mg/m3	Systemic long term
Predicted no effect concentrati	ons (PNECs)				
Components		Туре	Route	Value	Form
2,4,7,9-Tetramethyl-5-decyno 126-86-3)	e-4,7-diol (CAS	Not applicable	Freshwater	0.04 mg/l	
			Intermittent	0.4 mg/l	Releases
			Marine water	0.004 mg/l	
			Sediment	0.32 mg/kg	Freshwater
			Sediment	0.032 mg/kg	Marine water
			Soil	0.028 mg/kg	
			STP	7 mg/l	Sewage Treatment Plant
2-pyrrolidone (CAS 616-45-5	)	Not applicable	Freshwater	0.5 mg/l	
			Intermittent	0.5 mg/l	Releases
			Marine water	5	
			Sediment	0.4205 mg/kg	Freshwater
			Soil	0.0612 mg/kg	
			STP	10 mg/l	Sewage Treatment Plant
Exposure guidelines	Exposure lim	iits have not been es	tablished for this	product.	
3.2. Exposure controls					
Appropriate engineering controls	Use in a well	ventilated area.			
ndividual protection measures	, such as perso	onal protective equ	ipment		
General information	Use persona	I protective equipme	nt to minimize exp	posure to skin and	eye.
Eye/face protection	Not available	).			
Skin protection					
- Hand protection	Not available	).			
- Other	Not available	<b>)</b> .			
<b>Respiratory protection</b>	Not available	).			
Thermal hazards	Not available	<b>)</b> .			
Hygiene measures	Handle in ac	cordance with good	industrial hygiene	and safety practic	e.
Environmental exposure controls	Not available	ð.			

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Appearance
------------

Appearance	
Physical state	Liquid.
Form	Not available.
Color	Yellow
Odor	Not available.
Odor threshold	Not available.
рН	8.5 - 9.5
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	> 212.0 °F (> 100.0 °C) Pensky-Martens Closed Cup US EPA Method 1020
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.

Solubility(ies)		
Solubility (water)	Not available.	
Partition coefficient (n-octanol/water)	Not available.	
Auto-ignition temperature	Not available.	
Decomposition temperature	Not available.	
Viscosity	3.2 - 3.3 cP	
Explosive properties	Not available.	
Oxidizing properties	Not available.	
9.2. Other information		
VOC	< 297 g/L	

10.1. Reactivity	Not available.
10.2. Chemical stability	Stable under recommended storage conditions.
10.3. Possibility of hazardous reactions	Will not occur.
10.4. Conditions to avoid	Not available.
10.5. Incompatible materials	Incompatible with strong bases and oxidizing agents.
10.6. Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

# **SECTION 11: Toxicological information**

**General information** 

Not available.

Information on likely routes of exposure			
Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.		
Skin contact	Contact with skin may result in mild irritation.		
Eye contact	Contact with eyes may result in mild irritation.		
Ingestion	Health injuries are not known or expected under normal use.		
Symptoms	Not available.		

### 11.1. Information on toxicological effects

Acute toxicity	Based on available dat	a, the classification criteria are not met.	
Components	Species	Test Results	
2-pyrrolidone (CAS 616-45-5)			
Acute			
Oral			
LD50	Rat	> 5000 mg/kg	
Skin corrosion/irritation	Non irritant in rabbit (OECD 404) Based on available data, the classification criteria are not met.		
Serious eye damage/eye irritation	Not classified as an irri criteria are not met.	tant according to, OECD 405. Based on available data, the classification	
Respiratory sensitization	Based on available data, the classification criteria are not met.		
Skin sensitization	Based on available data, the classification criteria are not met.		
Germ cell mutagenicity	Based on available data, the classification criteria are not met.		
Carcinogenicity	Based on available data, the classification criteria are not met.		
Reproductive toxicity	Based on available data, the classification criteria are not met.		
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.		
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.		
Aspiration hazard	Based on available data, the classification criteria are not met.		
Mixture versus substance information	Not available.		
Other information		omplete toxicity data are not available for this specific formulation efer to Section 2 for potential health effects and Section 4 for first aid measures.	

12.1. Toxicity	This produc	t is highly soluble in water.	
Components		Species	Test Results
2-pyrrolidone (CAS 616-45-5)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia pulex)	13.21 mg/l, 48 hours
12.2. Persistence and degradability	Not availabl	e.	
12.3. Bioaccumulative potentia	Not availabl	e.	
Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone Aliphatic diol		-0.85 -0.106	
Bioconcentration factor (BCF)	Not availabl	е.	
12.4. Mobility in soil	Not availabl	e.	
12.5. Results of PBT and vPvB assessment	Not a PBT c	or vPvB substance or mixture.	
12.6. Other adverse effects	Not availabl	e.	
SECTION 13: Disposal co	onsideratio	ns	
13.1. Waste treatment methods			
Residual waste	Not availabl	e.	
Contaminated packaging	Not availabl	е.	
EU waste code	Not availabl	е.	
Disposal methods/information	Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.		
	of HP origin		ing program enables simple, convenient recycling more information and to determine if this service w.hp.com/recycle.
SECTION 14: Transport i	nformation		
DOT			
Not regulated as dangerous	goods.		
ΙΑΤΑ			
Not regulated as dangerous	goods.		
IMDG	aaada		
Not regulated as dangerous ADR	yoous.		
Not regulated as dangerous	aoods.		
Further information	-	erous good under DOT, IATA, ADR, II	MDG, or RID.
SECTION 15: Regulatory	informatio	n	
• •		ations/legislation specific for the su	ubstance or mixture
EU regulations	U I		
	009 on substa	inces that deplete the ozone layer,	Annex I
Not listed. <b>Regulation (EC) No. 1005/2</b> Not listed	009 on substa	nces that deplete the ozone layer,	Annex II

Not listed. **Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended** Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

• • •	12 concerning the export and import of dangerous chemicals, Annex V as amended
	06 Annex II Pollutant Release and Transfer Registry
Not listed. Regulation (EC) No. 1907/20 Not listed.	006, REACH Article 59(1) Candidate List as currently published by ECHA
Authorizations	
Regulation (EC) No. 143/20 Not listed.	11 Annex XIV Substances Subject to Authorization
Restrictions on use	
Not listed. Directive 2004/37/EC: on the	006, REACH Annex XVII Substances subject to restriction on marketing and use as amended e protection of workers from the risks related to exposure to carcinogens and mutagens at
work Not regulated.	
Other EU regulations	
•	ijor accident hazards involving dangerous substances, as amended
Other regulations	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.
Other information	This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830. Classification according to Regulation (EC) No 1272/2008 as amended. Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).
National regulations	Not available.
15.2. Chemical safety assessment	See attached SUMI or GEIS document, if applicable.
SECTION 16: Other inform	nation
References	Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals
	Agency (REACH).
	Agency (REACH).
Information on evaluation method leading to the classification of mixture	Agency (REACH). Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006. Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of
method leading to the classification of mixture Full text of any H-statements	Agency (REACH). Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006. Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP). The classification for health and environmental hazards is derived by a combination of calculation
method leading to the classification of mixture	Agency (REACH). Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006. Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP). The classification for health and environmental hazards is derived by a combination of calculation
method leading to the classification of mixture Full text of any H-statements not written out in full under	Agency (REACH). Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006. Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP). The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available. H301 Toxic if swallowed. H302 Harmful if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.

Disclaimer

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs. This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

### Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds

# Safe Use of Mixture Information (SUMI)

# Water Based Ink: WB01 \*English\*

#### Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

, , , , , , , , , , , , , , , , , , ,	3), where uppicable, completes an extended product 3D3.
Operational conditions	
Maximum duration	Up to 8 hours per day
Frequency of exposure	< 240 days per year
Process conditions	Covers use at ambient temperatures. Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides guidelines to ensure acceptable air quality in the workspace. Avoid direct contact. Regular cleaning of equipment and work area. Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions
	followed.
Risk management measures	
Conditions and measures	Wear safety glasses with side shields (or goggles), if splashing is possible.
related to Personal Protection	
	Wear appropriate chemical resistent gloves: see section 8 of the SDS.
Equipment, hygiene and	Wear appropriate chemical resistent clothing.
health evaluation	In case of inadequate ventilation wear respiratory protection.
	Eye wash fountain and emergency showers are recommended.
	Avoid breathing mist/vapours.
	Avoid contact with skin, eyes and clothing.
	Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.
Good practice advice	
Use personal protective equipme	ent as required.
Wash hands before breaks and a	after work.
Keep good industrial hygiene and	d safety practice.
Use only with adequate ventilati	
Do no eat, drink or smoke when	
Wash contaminated clothing be	
Store at room temperature.	
Environmental measures	
	is into source/unitor supplies
Do not allow this material to dra	
-	ding to Local, State, Federal and Provincial Environmental Regulations.
	ith appropriately licenced waste contractor.
Use descriptors	
IS-Use at industrial sites	
PW-Widespread use by profession	onal workers
SU7-Printing and reproduction n	nedia
PC18-Inks and Toners	
PROC1-Chemical production or r	refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
PROC2-Chemical production or r	refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
condition PROC8a-Transfer of substance o	ation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment or mixture (charging and discharging) at non-dedicated facilities or mixture (charging and discharging) at dedicated facilities
ERC5-Use at industrial site leading	
	to inclusion into/onto article (indoor)
Additional information on prod	
	s on the label, the classification of the mixture is provided.
Most of the water based inks are	
	is based on the individuel ingredients and their concentration within the mixture.
	ne classification are stated in Section 3 of the SDS.
Relevant limit values of ingredier	nts on which the exposure assessment is based, are listed in section 8 of the SDS.
The product may contain sensitiz	zing ingredients that may cause allergic reaction to certain people.
Section 2 of the SDS states these	ingredients where applicable.
	WB01 English.pdf