

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Important information	*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. ***
1.1. Product identifier	
Trade name or designation of the mixture	C8773 Series
Registration number	-
Synonyms	None.
Issue date	29-May-2015
Version number	06
Revision date	17-May-2019
Supersedes date	27-Sep-2018
1.2. Relevant identified uses of	the substance or mixture and uses advised against
Identified uses	Inkjet printing
Uses advised against	None known.
1.3. Details of the supplier of the	e safety data sheet
	HP Inc. UK Limited
	Cain Road, Amen Corner
	Bracknell, Berkshire RG12 1HN
	United Kingdom
Telephone	44 (0) 879 013 0790
HP Inc. health effects line	
(Toll-free within the US)	1-800-457-4209
(Direct)	1-760-710-0048
HP Inc. Customer Care	
Line	
(Toll-free within the US)	1-800-474-6836
(Direct)	1-208-323-2551
Email:	hpcustomer.inquiries@hp.com
1.4 Emergency telephone number	0207771 5307

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains:	2-pyrrolidone, C11-C15 secondary ethoxylated alcohols, Ethyl alkyldiol, Tetraethylene glycol, Water, Yellow colorant
Hazard pictograms	None.
Signal word	None.
Hazard statements	None
Precautionary statements	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.
Supplemental label information	Contains 1,2-Benzisothiazolin-3-one. May produce an allergic reaction.

Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions. Complete toxicity data are not available for this specific formulation.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Water	70-80	7732-18-5		-	
		231-791-2			
Classification: -					
2-pyrrolidone	<7.5	616-45-5	01-2119475471-37-XXXX	-	
		210-483-1			
Classification: Eye	e Irrit. 2;H319				
Ethyl alkyldiol	<7.5	Proprietary	01-2119486799-10-XXXX	-	
Classification: -		-			
Tetraethylene glycol	<7.5	112-60-7	01-2119971572-32-XXXX	-	
		203-989-9			
Classification: -					
Yellow colorant	<5	Proprietary	-	-	
Classification: -		-			
C11-C15 secondary ethoxyla alcohols	ted <2.5	68131-40-8 -	-	-	
	ute Tox. 4;H302, Ac ronic 2;H411	cute Tox. 4;H312, Skii	n Irrit. 2;H315, Eye Dam. 1;H31	8, Aquatic	

Composition comments This ink supply contains an aqueous ink formulation.

SECTION 4: First aid measures

General information	Not available.
4.1. Description of first aid meas	sures
Inhalation	Remove to fresh air. If symptoms persist, get medical attention.
Skin contact	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.
Ingestion	If ingestion of a large amount does occur, seek medical attention.
4.2. Most important symptoms and effects, both acute and delayed	Not available.
4.3. Indication of any immediate medical attention and special treatment needed	Not available.

SECTION 5: Firefighting measures

General fire hazards	Not available.
5.1. Extinguishing media Suitable extinguishing media	Dry chemical, CO2, water spray or regular foam.
Unsuitable extinguishing media	None known.
5.2. Special hazards arising from the substance or mixture	Not available.

5.3. Advice for firefighters	Not available.				
Special protective equipment for firefighters	NUL avallable.				
Special fire fighting procedures	Not available.				
Specific methods	None established.				
SECTION 6: Accidental re	lease measures				
6.1. Personal precautions, protec	ctive equipment and emergency	procedures			
For non-emergency personnel	Wear appropriate personal prote	ctive equipment.			
For emergency responders	Not available.				
6.2. Environmental precautions	Do not let product enter drains. Do not flush into surface water or sanitary sewer system.				
6.3. Methods and material for containment and cleaning up	Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.				
6.4. Reference to other sections	Not available.				
SECTION 7: Handling and	storage				
7.1. Precautions for safe handling	Avoid contact with skin, eyes and	d clothing.			
7.2. Conditions for safe storage, including any incompatibilities	Keep out of the reach of children	ı. Keep away from	excessive heat or o	old.	
7.3. Specific end use(s)	Not available.				
SECTION 8: Exposure cor	ntrols/personal protection				
8.1. Control parameters					
Occupational exposure limits	No exposure limits noted for ingr	edient(s).			
Biological limit values	No biological exposure limits not	ed for the ingredie	ent(s).		
Recommended monitoring procedures	Not available.				
Derived no effect levels (DNELs)				_	
Components	Туре	Route	Value	Form	
2-pyrrolidone (CAS 616-45-5)	Consumers	Dermal Dermal Inhalation Oral Oral	6 mg/kg bw/d 167 mg/kg bw/d 17.1 mg/m3 5.2 mg/kg bw/d 33.3 mg/kg bw/d	Systemic long term Systemic acute short term Systemic long term Systemic long term Systemic acute short term	
	Workers	Dermal Dermal Inhalation	277 mg/kg bw/d 10 mg/kg bw/d 57.8 mg/m3	Systemic acute short term Systemic long term Systemic long term	
Predicted no effect concentration		Route	Valua	Form	
Components	Type Not applicable	Freshwater	Value	FOIII	
2-pyrrolidone (CAS 616-45-5)	Not applicable	Intermittent Marine water	0.5 mg/l 0.5 mg/l 0.05 mg/l	Releases	
		Sediment Soil	0.4205 mg/kg 0.0612 mg/kg	Freshwater	
		STP	10 mg/l	Sewage Treatment Plant	
Exposure guidelines	None established.				
8.2. Exposure controls					
Appropriate engineering controls	Use in a well ventilated area.				
Individual protection measures, General information	such as personal protective equ Use personal protective equipme	-	posure to skin and e	eye.	
Eye/face protection	Not available.				
Skin protection					
- Hand protection					
	Not available. Not available.				

Material name: C8773 Series

8938 Version #: 06 Revision date: 17-May-2019 Issue date: 29-May-2015

Respiratory protection	Not available.
Thermal hazards	Not available.
Hygiene measures	Handle in accordance with good industrial hygiene and safety practice.
Environmental exposure controls	Not available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physic	al and chemical properties
Appearance	
Physical state	Not available.
Form	Liquid.
Color	Yellow
Odor	Not available.
Odor threshold	Not available.
рН	6.9 - 7.6
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not determined
Flash point	> 200.0 °F (> 93.3 °C) Pensky-Martens Closed Cup
Evaporation rate	Not determined
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not determined
Flammability limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Solubility(ies)	
Solubility (water)	Soluble in water
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Explosive properties	Not available.
Oxidizing properties	Not determined
9.2. Other information	
VOC	< 78 g/l
SECTION 10: Stability and	t roactivity

SECTION 10: Stability and reactivity

•	•
10.1. Reactivity	Not available.
10.2. Chemical stability	Stable under recommended storage conditions.
10.3. Possibility of hazardous reactions	Will not occur.
10.4. Conditions to avoid	Not available.
10.5. Incompatible materials	Incompatible with strong bases and oxidizing agents.
10.6. Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

SECTION 11: Toxicological information

General information	Not available.
Information on likely routes of	exposure
Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
Skin contact	Contact with skin may result in mild irritation.
Eye contact	Contact with eyes may result in mild irritation.
Ingestion	Health injuries are not known or expected under normal use.

Material name: C8773 Series

Symptoms

Not available.

Acute toxicity	Based on a	available data, the classification criteria	are not met.	
Components	Species		Test Results	
2-pyrrolidone (CAS 616-45-5)	•			
Acute				
Oral				
LD50	Rat		> 5000 mg/kg	
Skin corrosion/irritation	Based on available data, the classification criteria are not met. Non irritant in rabbit (OECD 404)			
Serious eye damage/eye irritation		available data, the classification criteria led as an irritant according to, OECD 40		
Respiratory sensitization	Based on a	available data, the classification criteria	are not met.	
Skin sensitization	Based on a	available data, the classification criteria	are not met.	
Germ cell mutagenicity	Based on a	available data, the classification criteria	are not met.	
Carcinogenicity	Based on a	available data, the classification criteria	are not met.	
Reproductive toxicity	Based on a	available data, the classification criteria	are not met.	
Specific target organ toxicity - single exposure	Based on a	available data, the classification criteria	are not met.	
Specific target organ toxicity - repeated exposure	Based on a	available data, the classification criteria	are not met.	
Aspiration hazard	Based on a	available data, the classification criteria	are not met.	
Mixture versus substance information	Not availab	ole.		
Other information		oxicity data are not available for this sp	ecific formulation	
SECTION 12: Ecological 12.1. Toxicity	informatio		Section 4 for first aid measures.	
12.1. Toxicity	Static acute Static acute Static acute LC50/96h/r EC50/48h/r	n e toxicity (trout), survival (100 mg/L) = 1 e toxicity (trout), survival (10 mg/L) = 10 rainbow trout => 100 mg/I daphnia => 100mg/I, OECD 202	Section 4 for first aid measures.	
12.1. Toxicity Aquatic toxicity	Static acute Static acute Static acute LC50/96h/r EC50/48h/r	n e toxicity (trout), survival (100 mg/L) = 1 e toxicity (trout), survival (10 mg/L) = 10 rainbow trout => 100 mg/I daphnia => 100mg/I , OECD 202 algae => 100 mg/I , OECD 201	Section 4 for first aid measures. 00% 0%	
12.1. Toxicity Aquatic toxicity Components	Static acute Static acute Static acute LC50/96h/r EC50/48h/r	n e toxicity (trout), survival (100 mg/L) = 1 e toxicity (trout), survival (10 mg/L) = 10 rainbow trout => 100 mg/I daphnia => 100mg/I, OECD 202	Section 4 for first aid measures.	
12.1. Toxicity Aquatic toxicity Components 2-pyrrolidone (CAS 616-45-5)	Static acute Static acute Static acute LC50/96h/r EC50/48h/r	n e toxicity (trout), survival (100 mg/L) = 1 e toxicity (trout), survival (10 mg/L) = 10 rainbow trout => 100 mg/I daphnia => 100mg/I , OECD 202 algae => 100 mg/I , OECD 201	Section 4 for first aid measures. 00% 0%	
12.1. Toxicity Aquatic toxicity	Static acute Static acute Static acute LC50/96h/r EC50/48h/r	n e toxicity (trout), survival (100 mg/L) = 1 e toxicity (trout), survival (10 mg/L) = 10 rainbow trout => 100 mg/I daphnia => 100mg/I , OECD 202 algae => 100 mg/I , OECD 201 Species	Section 4 for first aid measures. 00% 0% Test Results	
12.1. Toxicity Aquatic toxicity Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea	informatio Static acute Static acute LC50/96h/r EC50/48h/r EC50/72h/r	n e toxicity (trout), survival (100 mg/L) = 1 e toxicity (trout), survival (10 mg/L) = 10 rainbow trout => 100 mg/I daphnia => 100mg/I , OECD 202 algae => 100 mg/I , OECD 201	Section 4 for first aid measures. 00% 0%	
12.1. Toxicity Aquatic toxicity Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea Ethyl alkyldiol (CAS Proprietary)	informatio Static acute Static acute LC50/96h/r EC50/48h/r EC50/72h/r	n e toxicity (trout), survival (100 mg/L) = 1 e toxicity (trout), survival (10 mg/L) = 10 rainbow trout => 100 mg/I daphnia => 100mg/I , OECD 202 algae => 100 mg/I , OECD 201 Species	Section 4 for first aid measures. 00% 0% Test Results	
12.1. Toxicity Aquatic toxicity Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea	informatio Static acute Static acute LC50/96h/r EC50/48h/ EC50/72h/	n e toxicity (trout), survival (100 mg/L) = 1 e toxicity (trout), survival (10 mg/L) = 10 rainbow trout => 100 mg/I daphnia => 100mg/I, OECD 202 algae => 100 mg/I, OECD 201 Species Water flea (Daphnia pulex)	Section 4 for first aid measures. 00% 0% Test Results 13.21 mg/l, 48 hours	
12.1. Toxicity Aquatic toxicity Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea Ethyl alkyldiol (CAS Proprietary) Aquatic Crustacea	informatio Static acute Static acute LC50/96h/r EC50/48h/r EC50/72h/r EC50	n e toxicity (trout), survival (100 mg/L) = 1 e toxicity (trout), survival (10 mg/L) = 10 rainbow trout => 100 mg/I daphnia => 100mg/I , OECD 202 algae => 100 mg/I , OECD 201 Species	Section 4 for first aid measures. 00% Test Results 13.21 mg/l, 48 hours 102, 48 Hours	
12.1. Toxicity Aquatic toxicity Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea Ethyl alkyldiol (CAS Proprietary) Aquatic Crustacea Fish 12.2. Persistence and	informatio Static acute Static acute LC50/96h/r EC50/48h/ EC50/72h/	n e toxicity (trout), survival (100 mg/L) = 1 e toxicity (trout), survival (10 mg/L) = 10 rainbow trout => 100 mg/I daphnia => 100 mg/I, OECD 202 algae => 100 mg/I, OECD 201 Species Water flea (Daphnia pulex) Daphnia Fish	Section 4 for first aid measures. 00% 0% Test Results 13.21 mg/l, 48 hours	
12.1. Toxicity Aquatic toxicity Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea Ethyl alkyldiol (CAS Proprietary) Aquatic Crustacea Fish 12.2. Persistence and degradability	informatio Static acute Static acute LC50/96h/r EC50/48h/r EC50/72h/r EC50 EC50 LC50 Not availat	n e toxicity (trout), survival (100 mg/L) = 1 e toxicity (trout), survival (10 mg/L) = 10 rainbow trout => 100 mg/l daphnia => 100 mg/l , OECD 202 algae => 100 mg/l , OECD 201 Species Water flea (Daphnia pulex) Daphnia Fish	Section 4 for first aid measures. 00% Test Results 13.21 mg/l, 48 hours 102, 48 Hours	
12.1. Toxicity Aquatic toxicity Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea Ethyl alkyldiol (CAS Proprietary) Aquatic Crustacea Fish 12.2. Persistence and	informatio Static acute Static acute LC50/96h/r EC50/48h/r EC50/72h/r EC50 EC50 LC50 Not availat	n e toxicity (trout), survival (100 mg/L) = 1 e toxicity (trout), survival (10 mg/L) = 10 rainbow trout => 100 mg/l daphnia => 100 mg/l , OECD 202 algae => 100 mg/l , OECD 201 Species Water flea (Daphnia pulex) Daphnia Fish	Section 4 for first aid measures. 00% Test Results 13.21 mg/l, 48 hours 102, 48 Hours	
12.1. Toxicity Aquatic toxicity Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea Ethyl alkyldiol (CAS Proprietary) Aquatic Crustacea Fish 12.2. Persistence and degradability 12.3. Bioaccumulative potential Partition coefficient	informatio Static acute Static acute LC50/96h/r EC50/48h/r EC50/72h/r EC50 EC50 LC50 Not availat	n e toxicity (trout), survival (100 mg/L) = 1 e toxicity (trout), survival (10 mg/L) = 10 rainbow trout => 100 mg/l daphnia => 100 mg/l , OECD 202 algae => 100 mg/l , OECD 201 Species Water flea (Daphnia pulex) Daphnia Fish	Section 4 for first aid measures. 00% Test Results 13.21 mg/l, 48 hours 102, 48 Hours	
12.1. Toxicity Aquatic toxicity Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea Ethyl alkyldiol (CAS Proprietary) Aquatic Crustacea Fish 12.2. Persistence and degradability 12.3. Bioaccumulative potential Partition coefficient n-octanol/water (log Kow)	informatio Static acute Static acute LC50/96h/r EC50/48h/r EC50/72h/r EC50 EC50 LC50 Not availat	n e toxicity (trout), survival (100 mg/L) = 1 e toxicity (trout), survival (10 mg/L) = 10 rainbow trout => 100 mg/l daphnia => 100 mg/l, OECD 202 algae => 100 mg/l, OECD 201 Species Water flea (Daphnia pulex) Daphnia Fish ole. -0.85	Section 4 for first aid measures. 00% Test Results 13.21 mg/l, 48 hours 102, 48 Hours	
12.1. Toxicity Aquatic toxicity Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea Ethyl alkyldiol (CAS Proprietary) Aquatic Crustacea Fish 12.2. Persistence and degradability 12.3. Bioaccumulative potential Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone	informatio Static acute Static acute LC50/96h/r EC50/48h/r EC50/72h/r EC50 EC50 LC50 Not availat	n e toxicity (trout), survival (100 mg/L) = 1 e toxicity (trout), survival (10 mg/L) = 10 rainbow trout => 100 mg/l daphnia => 100 mg/l, OECD 202 algae => 100 mg/l, OECD 201 Species Water flea (Daphnia pulex) Daphnia Fish ole. -0.85 ole.	Section 4 for first aid measures. 00% Test Results 13.21 mg/l, 48 hours 102, 48 Hours	
12.1. Toxicity Aquatic toxicity Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea Ethyl alkyldiol (CAS Proprietary) Aquatic Crustacea Fish 12.2. Persistence and degradability 12.3. Bioaccumulative potential Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone Bioconcentration factor (BCF)	informatio Static acute Static acute LC50/96h/r EC50/48h/r EC50/72h/r EC50 LC50 Not availat Not availat Not availat	n e toxicity (trout), survival (100 mg/L) = 1 e toxicity (trout), survival (10 mg/L) = 10 rainbow trout => 100 mg/l daphnia => 100 mg/l, OECD 202 algae => 100 mg/l, OECD 201 Species Water flea (Daphnia pulex) Daphnia Fish ole. -0.85 ole.	Section 4 for first aid measures. 00% Test Results 13.21 mg/l, 48 hours 102, 48 Hours	

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste

Not available.

Contaminated packaging EU waste code Disposal methods/information

Not available. Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

SECTION 14: Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I

Not available.

Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II Not listed.

- Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

- Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry Not listed.
- Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA Not listed.

Authorizations

Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization Not listed

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not regulated.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

Other information	This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830. Classification according to Regulation (EC) No 1272/2008 as amended.
	Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).
National regulations	Not available.
15.2. Chemical safety assessment	See attached SUMI or GEIS document, if applicable.
SECTION 16: Other inform	nation
References	Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).
	Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.
	Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.
Full text of any H-statements not written out in full under	
Sections 2 to 15	 H302 Harmful if swallowed. H312 Harmful in contact with skin. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects.
Revision information	SECTION 1: Identification of the substance/mixture and of the company/undertaking: Important information
Training information	Follow training instructions when handling this material.
Disclaimer	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.
	This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Explanation of abbreviations

	American Conference of Covernmental Industrial University
ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds

Safe Use of Mixture Information (SUMI)

Water Based Ink: WB01 *English*

Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

, , ,	3, where upplicable, completes an extended product 3D3.
Operational conditions	
Maximum duration	Up to 8 hours per day
Frequency of exposure	< 240 days per year
Process conditions	Covers use at ambient temperatures. Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides guidelines to ensure acceptable air quality in the workspace. Avoid direct contact. Regular cleaning of equipment and work area. Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions
	followed.
Risk management measures	
Conditions and measures	Wear safety glasses with side shields (or goggles), if splashing is possible.
related to Personal Protection	
	Wear appropriate chemical resistent gloves: see section 8 of the SDS.
Equipment, hygiene and	Wear appropriate chemical resistent clothing.
health evaluation	In case of inadequate ventilation wear respiratory protection.
	Eye wash fountain and emergency showers are recommended.
	Avoid breathing mist/vapours.
	Avoid contact with skin, eyes and clothing.
	Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.
Good practice advice	
Use personal protective equipme	ent as required.
Wash hands before breaks and a	after work.
Keep good industrial hygiene and	d safety practice.
Use only with adequate ventilati	
Do no eat, drink or smoke when	
Wash contaminated clothing bef	
Store at room temperature.	
Environmental measures	
	in intercourse/unitercourselies
Do not allow this material to dra	
-	ding to Local, State, Federal and Provincial Environmental Regulations.
	ith appropriately licenced waste contractor.
Use descriptors	
IS-Use at industrial sites	
PW-Widespread use by profession	
SU7-Printing and reproduction m	nedia
PC18-Inks and Toners	
PROC1-Chemical production or r	refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
PROC2-Chemical production or r	refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
condition PROC8a-Transfer of substance o	tion in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment r mixture (charging and discharging) at non-dedicated facilities r mixture (charging and discharging) at dedicated facilities
ERC5-Use at industrial site leading	
	io inclusion into/onto article (indoor)
Additional information on prod	
	s on the label, the classification of the mixture is provided.
Most of the water based inks are	
	is based on the individuel ingredients and their concentration within the mixture.
	ne classification are stated in Section 3 of the SDS.
	nts on which the exposure assessment is based, are listed in section 8 of the SDS.
	zing ingredients that may cause allergic reaction to certain people.
Section 2 of the SDS states these	
	WB01 English.pdf