

# SAFETY DATA SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

F9J88Series

of the mixture

Registration number

Synonyms None.

Issue date 11-Jun-2016

Version number 03

Revision date 19-Jan-2019 Supersedes date 03-Jan-2019

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified usesInkjet printingUses advised againstNone known.

1.3. Details of the supplier of the safety data sheet

HP Inc. UK Limited
Cain Road, Amen Corner
Bracknell, Berkshire RG12 1HN

United Kingdom

**Telephone** 44 (0) 879 013 0790

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048

**HP Inc. Customer Care** 

Line

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

1.4 Emergency telephone

number

0207771 5307

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

### 2.2. Label elements

## Label according to Regulation (EC) No. 1272/2008 as amended

Contains: 1,2-Benzisothiazolin-3-one, 2-methyl-2h-isothiazol-3-one, 2-pyrrolidone, ethoxylated

2,4,7,9-tetramethyl-5-decyn-4,7-diol, Water

Hazard pictograms None.
Signal word None.

**Hazard statements** The mixture does not meet the criteria for classification.

**Precautionary statements** 

Prevention Not available.

Response Not available.

Storage Not available.

Disposal Not available.

Supplemental label information Contains 1,2-Benzisothiazolin-3-one and 2-Methyl-2H-isothiazol-3-one. May produce an allergic

reaction

2.3. Other hazards Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and

ingestion are not expected to be significant routes of exposure for this product under normal use

conditions. Complete toxicity data are not available for this specific formulation.

Material name: F9J88Series sps uk

12322 Version #: 03 Revision date: 19-Jan-2019 Issue date: 11-Jun-2016

# **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

**General information** 

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
 Water	50-60	7732-18-5			
		231-791-2			
Classification:	-				
2-pyrrolidone	<7.5	616-45-5	01-2119475471-37-XXXX	-	
		210-483-1			
Classification:	Eye Irrit. 2;H319				
ethoxylated	<2.5	9014-85-1	01-2119954393-33-XXXX	-	
2,4,7,9-tetramethyl-5-de	ecyn-4,7-diol	500-022-5			
Classification:	Eye Dam. 1;H318, Aq	uatic Chronic 3;H412			
1,2-Benzisothiazolin-3-c	one <0.1	2634-33-5	-	613-088-00-6	
		220-120-9			
Classification:	Acute Tox. 4;H302, SI Acute 1;H400	kin Irrit. 2;H315, Skin	Sens. 1;H317, Eye Dam. 1;H3	18, Aquatic	
2-methyl-2h-isothiazol-3	3-one <0.1	2682-20-4	-	-	
		220-239-6			
Classification:	Acute Tox. 3;H301, Ac Tox. 2;H330, STOT S		n Corr. 1B;H314, Skin Sens. 1 ute 1;H400	;H317, Acute	

# **SECTION 4: First aid measures**

**Composition comments** 

General information Not available.

4.1. Description of first aid measures

**Inhalation** Move to fresh air. If symptoms persist, get medical attention.

**Skin contact** Wash affected areas thoroughly with mild soap and water. If irritation persists get medical

This ink supply contains an aqueous ink formulation.

attention.

**Eye contact** Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

**Ingestion** If ingestion of a large amount does occur, seek medical attention.

4.2. Most important symptoms and effects, both acute and

delayed

Not available.

4.3. Indication of any immediate medical attention and special treatment needed

Not available.

## **SECTION 5: Firefighting measures**

General fire hazards Not available.

5.1. Extinguishing media

Suitable extinguishing media

CO2, water, dry chemical, or foam

Unsuitable extinguishing

media

None known.

5.2. Special hazards arising from the substance or mixture

Not available.

5.3. Advice for firefighters

Special protective equipment for firefighters

Not available.

Special fire fighting

procedures

Not available.

**Specific methods** Wear self contained breathing apparatus for fire fighting if necessary.

Material name: F9J88Series sps uk

### **SECTION 6: Accidental release measures**

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Wear appropriate personal protective equipment.

Not available. For emergency responders

Do not let product enter drains. Do not flush into surface water or sanitary sewer system. 6.2. Environmental precautions

6.3. Methods and material for containment and cleaning up Not available.

6.4. Reference to other

Not available.

sections

# **SECTION 7: Handling and storage**

7.1. Precautions for safe

handling

Avoid contact with skin, eyes and clothing.

7.2. Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep away from excessive heat or cold.

Route

Dermal

Dermal

Value

6 mg/kg bw/d

167 mg/kg bw/d

**Form** 

Systemic long term

Systemic acute short term

7.3. Specific end use(s) Not available.

# **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters

Components

Occupational exposure limits No exposure limits noted for ingredient(s).

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Type** 

Consumers

Recommended monitoring

Not available.

procedures

Derived no effect levels (DNELs)

2-pyrrolidone (CAS 616-45-5)

		Inhalation	17.1 mg/m3	Systemic long term
		Oral	5.2 mg/kg bw/d	Systemic long term
		Oral	33.3 mg/kg bw/d	Systemic acute short ter
	Workers	Dermal	277 mg/kg bw/d	Systemic acute short ter
		Dermal	10 mg/kg bw/d	Systemic long term
		Inhalation	57.8 mg/m3	Systemic long term
ethoxylated	Consumers	Dermal	0.75 mg/kg	Systemic short term
2,4,7,9-tetramethyl-5-decyn-4,7-diol (CAS 9014-85-1)				•
		Dermal	0.25 mg/kg	Systemic long term
		Inhalation	1.29 mg/m3	Systemic short term
		Inhalation	0.43 mg/m3	Systemic long term
		Oral	0.25 mg/g	Systemic long term
		Oral	0.75 mg/kg	Systemic short term
	Workers	Dermal	1.5 mg/kg	Systemic short term
		Dermal	0.5 mg/kg	Systemic long term
		Inhalation	5.28 mg/m3	Systemic short term
		Inhalation	1.76 mg/m3	Systemic long term
dicted no effect concentrations (PNECs)		Inhalation	1.76 mg/m3	Systemic long term
dicted no effect concentrations (PNECs) Components	Туре	Inhalation  Route	1.76 mg/m3 Value	Systemic long term  Form
•	Type  Not applicable		·	
Components		Route	Value	
Components		Route Freshwater	Value 0.5 mg/l	Form
Components		Route Freshwater Intermittent	<b>Value</b> 0.5 mg/l 0.5 mg/l	Form
Components		Route Freshwater Intermittent Marine water	Value  0.5 mg/l  0.5 mg/l  0.05 mg/l	Form Releases
Components		Route Freshwater Intermittent Marine water Sediment	Value  0.5 mg/l  0.5 mg/l  0.05 mg/l  0.4205 mg/kg	Form  Releases  Freshwater
Components		Route Freshwater Intermittent Marine water Sediment Soil	Value  0.5 mg/l  0.5 mg/l  0.05 mg/l  0.4205 mg/kg  0.0612 mg/kg	Form  Releases  Freshwater
Components  2-pyrrolidone (CAS 616-45-5)  ethoxylated 2,4,7,9-tetramethyl-5-decyn-4,7-diol (CAS	Not applicable	Route Freshwater Intermittent Marine water Sediment Soil STP	Value  0.5 mg/l  0.5 mg/l  0.05 mg/l  0.4205 mg/kg  0.0612 mg/kg  10 mg/l	Form  Releases  Freshwater
Components  2-pyrrolidone (CAS 616-45-5)  ethoxylated 2,4,7,9-tetramethyl-5-decyn-4,7-diol (CAS	Not applicable	Route  Freshwater Intermittent Marine water Sediment Soil STP Freshwater	Value  0.5 mg/l 0.5 mg/l 0.05 mg/l 0.4205 mg/kg 0.0612 mg/kg 10 mg/l 0.04 mg/l	Form  Releases  Freshwater  Sewage Treatment Plan

**Form** Components **Type** Route Value Marine water Sediment 0.032 mg/kg Soil 0.028 mg/kg STP Sewage Treatment Plant 7 mg/l

**Exposure guidelines** Exposure limits have not been established for this product.

8.2. Exposure controls

Appropriate engineering Use in a well ventilated area.

controls

Individual protection measures, such as personal protective equipment

**General information** Use personal protective equipment to minimize exposure to skin and eye.

Eye/face protection Not available.

Skin protection

Not available. - Hand protection - Other Not available. Not available. Respiratory protection Thermal hazards Not available.

Handle in accordance with good industrial hygiene and safety practice. Hygiene measures

**Environmental exposure** Not available.

controls

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

**Appearance** 

**Physical state** Liquid. **Form** Not available. Color Clear.

Odor Not available. Not available. **Odor threshold** 8.8 - 9.1pН Melting point/freezing point Not available. Not available. Initial boiling point and boiling

range

> 230.0 °F (> 110.0 °C) Flash point

**Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

Flammability limit - upper

(%)

Not available.

Not available. Vapor pressure Vapor density Not available.

Solubility(ies)

Not available. Solubility (water) Partition coefficient Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available. 3.2 - 3.3 cP Viscosity Not available. **Explosive properties** Not available. Oxidizing properties

9.2. Other information

1 - 1.1 Specific gravity < 445 g/L VOC

Material name: F9J88Series SDS UK

12322 Version #: 03 Revision date: 19-Jan-2019 Issue date: 11-Jun-2016

**SECTION 10: Stability and reactivity** 

10.1. Reactivity Not available.

10.2. Chemical stability Stable under recommended storage conditions.

10.3. Possibility of hazardous

reactions

Will not occur.

Not available 10.4. Conditions to avoid 10.5. Incompatible materials Not available

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon 10.6. Hazardous decomposition products

dioxide and/or low molecular weight hydrocarbons.

# **SECTION 11: Toxicological information**

**General information** Not available. Information on likely routes of exposure

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Contact with skin may result in mild irritation. Skin contact Eye contact Contact with eyes may result in mild irritation.

Health injuries are not known or expected under normal use. Ingestion

Not available Symptoms

11.1. Information on toxicological effects

Based on available data, the classification criteria are not met. Acute toxicity

Components **Species Test Results** 

2-pyrrolidone (CAS 616-45-5)

Acute

Oral

LD50 Rat > 5000 mg/kg

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/eye

irritation

Based on available data, the classification criteria are not met.

Respiratory sensitization

Not classified as an irritant according to, OECD 405. Based on available data, the classification criteria are not met.

Skin sensitization

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Germ cell mutagenicity Carcinogenicity

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Reproductive toxicity Specific target organ toxicity -

Based on available data, the classification criteria are not met.

single exposure

Specific target organ toxicity -

Based on available data, the classification criteria are not met.

repeated exposure **Aspiration hazard** 

Based on available data, the classification criteria are not met.

Mixture versus substance

information

Not available

Other information

Complete toxicity data are not available for this specific formulation

# **SECTION 12: Ecological information**

### 12.1. Toxicity

**Test Results** Components **Species** 

2-pyrrolidone (CAS 616-45-5)

Aquatic

Crustacea EC50 Water flea (Daphnia pulex) 13.21 mg/l, 48 hours

12.2. Persistence and

degradability

Not available.

12.3. Bioaccumulative potential Not available

Partition coefficient n-octanol/water (log Kow)

> -0.852-pyrrolidone

**Bioconcentration factor (BCF)** Not available.

Material name: F9J88Series SDS UK 12.4. Mobility in soil Not available.

12.5. Results of PBT

and vPvB assessment Not a PBT or vPvB substance or mixture.

Not available. 12.6. Other adverse effects

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Residual waste Not available. Contaminated packaging Not available. EU waste code Not available.

Disposal methods/information Do not allow this material to drain into sewers/water supplies. Dispose of waste material according

to Local, State, Federal, and Provincial Environmental Regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

# **SECTION 14: Transport information**

#### DOT

Not regulated as dangerous goods.

#### **IATA**

Not regulated as dangerous goods.

#### **IMDG**

Not regulated as dangerous goods.

#### **ADR**

Not regulated as dangerous goods.

**Further information** Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU regulations**

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I

Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA

Not listed.

## **Authorizations**

Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization

Not listed.

## Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not regulated.

Material name: F9J88Series SDS UK

### Other EU regulations

### Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

Other information

This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830. Classification according to Regulation (EC) No 1272/2008 as amended. Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and

amendments).

**National regulations** 

Not available.

15.2. Chemical safety

assessment

See attached SUMI or GEIS document, if applicable.

## **SECTION 16: Other information**

References

Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).

Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.

Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any H-statements not written out in full under Sections 2 to 15

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Revision information

None

**Training information** 

Follow training instructions when handling this material.

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Material name: F9J88Series SDS UK

# **Explanation of abbreviations**

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

**REC** Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

**TLV** Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: F9J88Series sps uk

# Safe Use of Mixture Information (SUMI)

#### Water Based Ink: WB01 \*English\*

#### Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

Operational conditions	
Maximum duration	Up to 8 hours per day
Frequency of exposure	< 240 days per year
Process conditions	Covers use at ambient temperatures.
	Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides
	guidelines to ensure acceptable air quality in the workspace.
	Avoid direct contact.
	Regular cleaning of equipment and work area.
	Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions
	followed.
Risk management measures	
Conditions and measures	Wear safety glasses with side shields (or goggles), if splashing is possible.

related to Personal Protection Equipment, hygiene and health evaluation

Wear appropriate chemical resistent gloves: see section 8 of the SDS.

Wear appropriate chemical resistent clothing.

In case of inadequate ventilation wear respiratory protection.

Eye wash fountain and emergency showers are recommended.

Avoid breathing mist/vapours.

Avoid contact with skin, eyes and clothing.

Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.









## Good practice advice

Use personal protective equipment as required.

Wash hands before breaks and after work.

Keep good industrial hygiene and safety practice.

Use only with adequate ventilation.

Do no eat, drink or smoke when using this product.

Wash contaminated clothing before reuse.

Store at room temperature.





## **Environmental measures**

Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal and Provincial Environmental Regulations.

Ensure collection and disposal with appropriately licenced waste contractor.

# Use descriptors

IS-Use at industrial sites

PW-Widespread use by professional workers

SU7-Printing and reproduction media

PC18-Inks and Toners

PROC1-Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2-Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC3- Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition

PROC8a-Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC8b-Transfer of substance or mixture (charging and discharging) at dedicated facilities

ERC5-Use at industrial site leading to inclusion into/onto article

ERC8c-Widespread use leading to inclusion into/onto article (indoor)

### Additional information on product composition

In section 2 of the SDS as well as on the label, the classification of the mixture is provided.

Most of the water based inks are "not classified".

The classification of the mixture is based on the individuel ingredients and their concentration within the mixture.

All ingredients contributing to the classification are stated in Section 3 of the SDS.

Relevant limit values of ingredients on which the exposure assessment is based, are listed in section 8 of the SDS.

The product may contain sensitizing ingredients that may cause allergic reaction to certain people.

Section 2 of the SDS states these ingredients where applicable.