

# SAFETY DATA SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

ML-D4550A, ML-D4550B, MLT-D309L

Registration number

**Synonyms** None

20-December-2017 Issue date

Version number 01 **Revision date** Supersedes date

1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** This product is a toner mixture that is used in printing systems.

Uses advised against Do not use with non compatible printer.

1.3. Details of the supplier of the safety data sheet

HP Inc UK Limited Supplier

Address Cain Rd., Amen Corner, Pt 2nd Floor (Bldg BRA03)

Bracknell, United Kingdom RG12 1HN

44 (0) 879 013 0790 **Telephone** 

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209

(Direct) 1-760-710-0048 HP Inc. Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

E-mail hpcustomer.inquiries@hp.com

1.4. Emergency telephone

number

Poison Information Centre 0207771 5307

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

## Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

Exposure to powder or dusts may be irritating to eyes, nose and throat. Prolonged exposure may **Hazard summary** 

cause chronic effects. Not classified for health hazards. However, occupational exposure to the

mixture or substance(s) may cause adverse health effects.

#### 2.2. Label elements

# Label according to Regulation (EC) No. 1272/2008 as amended

**Hazard pictograms** None. Signal word None

The mixture does not meet the criteria for classification. **Hazard statements** 

**Precautionary statements** 

Prevention Not assigned. Not assigned. Response Not assigned. Storage Disposal Not assigned.

Supplemental label information None.

Not a PBT or vPvB substance or mixture. 2.3. Other hazards

# **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

940877 Version #: 01 Revision date: - Issue date: 20-December-2017

**General information** 

**Chemical name** CAS-No. / EC No. REACH Registration No. **Notes** Index No.

18395-30-7 0.3 - 1Isobutyltrimethoxysilane

242-272-5

Classification: Flam. Lig. 3;H226, Skin Irrit. 2;H315, STOT SE 3;H336

#### List of abbreviations and symbols that may be used above

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### **SECTION 4: First aid measures**

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists. Eye contact Do not rub eyes. Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur. Dusts may irritate the respiratory tract, skin and eyes. 4.2. Most important symptoms

and effects, both acute and

delayed

4.3. Indication of any Treat symptomatically.

immediate medical attention and special treatment needed

# **SECTION 5: Firefighting measures**

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

media

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective

equipment for firefighters

Move containers from fire area if you can do so without risk.

Special fire fighting procedures

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

# **SECTION 6: Accidental release measures**

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during

personnel

clean-up

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the

SDS.

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up Avoid the generation of dusts during clean-up. Use explosion proof electric equipment. Collect dust using a vacuum cleaner equipped with HEPA filter. The product is immiscible with water and will spread on the water surface. Stop the flow of material, if this is without risk. Sweep up or vacuum up spillage and collect in suitable container for disposal.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

# **SECTION 7: Handling and storage**

7.1. Precautions for safe

handling

Minimise dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Avoid prolonged exposure. Practice good housekeeping.

7.2. Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see section 10 of the SDS).

7.3. Specific end use(s)

This product is a toner mixture that is used in printing systems.

ML-D4550A, ML-D4550B, MLT-D309L

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### Occupational exposure limits

UK. EH40 Workplace Exposure Limits (WELs)	UK.	<b>EH40</b>	Workplace	<b>Exposure</b>	Limits	(WELs)
---	-----	-------------	-----------	-----------------	--------	--------

Components	Type	Value	Form
Carbon black (CAS 1333-86-4)	STEL	7 mg/m3	
,	TWA	3.5 mg/m3	
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	STEL	6 mg/m3	Fume.
,	TWA	2 mg/m3	Fume.
Silica (CAS 7631-86-9)	TWA	6 mg/m3	Inhalable dust.
		2.4 mg/m3	Respirable dust.
Titanium dioxide (CAS 13463-67-7)	TWA	4 mg/m3	Respirable.
·		10 mg/m3	Inhalable
Product	Туре	Value	Form
Dust	TWA	4 mg/m3	Respirable dust.
		10 mg/m3	Inhalable dust.

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures

Follow standard monitoring procedures.

Derived no effect levels

Not available.

(DNELs)

Not available.

Predicted no effect

concentrations (PNECs)

Provide adequate ventilation.

Control banding approach

None known.

8.2. Exposure controls

**Exposure guidelines** 

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the OEL (occupational exposure limit), suitable respiratory protection must be worn. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits.

## Individual protection measures, such as personal protective equipment

General information Personal protection equipment should be chosen according to the CEN standards and in

discussion with the supplier of the personal protective equipment.

Eye/face protection Risk of contact: Wear safety glasses with side shields (or goggles).

Skin protection

- Hand protection Risk of contact: Wear appropriate chemical resistant gloves.

- Other Risk of contact: Wear suitable protective clothing.

Respiratory protection In case of inadequate ventilation or risk of inhalation of dust, use suitable respiratory equipment

with particle filter.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Always observe good personal hygiene measures, such as washing after handling the material Hygiene measures

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

**Environmental exposure** 

controls

Environmental manager must be informed of all major releases.

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

**Appearance** 

Solid. Physical state **Form** Fine powder. Colour Black.

ML-D4550A, ML-D4550B, MLT-D309L

Odour Odourless.

**Odour threshold** No data available. Not applicable. Melting point/freezing point No data available. Initial boiling point and boiling

range

Not applicable.

No data available. Flash point Not applicable. **Evaporation rate** No data available. Flammability (solid, gas)

Upper/lower flammability or explosive limits

Explosive limit - lower (%)

temperature

No data available.

Explosive limit - upper (%)

temperature

No data available.

Not applicable. Vapour pressure Vapour density Not available. Relative density No data available. Solubility(ies) Insoluble in water. Partition coefficient No data available.

(n-octanol/water)

**Auto-ignition temperature** Not applicable. > 200 °C (> 392 °F) **Decomposition temperature** Not applicable. Viscosity **Explosive properties** No data available. Oxidising properties No data available.

9.2. Other information

**Density** 1.20 g/ml (20°C/68°F)

Partially soluble in toluene, chloroform and tetrahydrofuran Solubility (other)

# **SECTION 10: Stability and reactivity**

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Avoid temperatures exceeding the decomposition temperature. Contact with incompatible

materials.

10.5. Incompatible materials Strong oxidising agents.

Carbon dioxide. Carbon monoxide. 10.6. Hazardous

decomposition products

# **SECTION 11: Toxicological information**

**General information** Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation Dust may irritate respiratory system. Prolonged inhalation may be harmful.

Skin contact Dust or powder may irritate the skin.

Dust may irritate the eyes. Eye contact

May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of Ingestion

occupational exposure.

Dusts may irritate the respiratory tract, skin and eyes. **Symptoms** 

## 11.1. Information on toxicological effects

### **Acute toxicity**

**Test Results Product Species** 

ML-D4550A, ML-D4550B, MLT-D309L (CAS Mixture)

**Acute** 

Oral

**ATE** Rat > 5000 mg/kg

ML-D4550A, ML-D4550B, MLT-D309L 940877 Version #: 01 Revision date: -Issue date: 20-December-2017 Skin corrosion/irritation

Serious eye damage/eye

irritation

Skin. Not irritating, tested on rabbit. (OECD 404) Eyes. Not irritating, tested on rabbit. (OECD 405)

Respiratory sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Ames test: Negative. Germ cell mutagenicity

Carcinogenicity

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organisations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation.

Reproductive toxicity

Specific target organ toxicity single exposure

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

**Aspiration hazard** Mixture versus substance

information

Based on available data, the classification criteria are not met.

No information available.

Other information

In 1996, the IARC revaluated carbon black as a GROUP 2B carcinogen (possible human carcinogen). This evaluation is given to carbon black for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the developer of lung tumors in rat receiving chronic inhalation exposures to free carbon black at level that induce particle overload of the lung. Studies performed in animal models other than rats have not demonstrated an association between carbon black and lung tumors. Moreover, a two-year cancer bioassay using a typical toner preparation containing carbon black demonstrated no association between toner exposure and tumor development in rats.

In a study in rats (H.Muhle) by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the concentration(16mg/m3) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4mg/m3) exposure group. But no pulmonary changes was reported in the lowest (1mg/m3) exposure group, the most relevant level to potential human exposures.

# **SECTION 12: Ecological information**

12.1. Toxicity

Based on available data, the classification criteria are not met for hazardous to the aquatic

environment.

12.2. Persistence and

degradability

No data is available on the degradability of any ingredients in the mixture.

12.3. Bioaccumulative potential

Partition coefficient

No data available. Not available

n-octanol/water (log Kow)

Bioconcentration factor (BCF) Not available 12.4. Mobility in soil No data available.

12.5. Results of PBT

and vPvB assessment Not a PBT or vPvB substance or mixture.

12.6. Other adverse effects No data available.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Residual waste

EU waste code

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

Disposal methods/information

The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely

dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal,

state, and local regulations.

Dispose in accordance with all applicable regulations. Special precautions

ML-D4550A, ML-D4550B, MLT-D309L

SDS UK 940877 Version #: 01 Revision date: -Issue date: 20-December-2017

# **SECTION 14: Transport information**

#### **ADR**

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

**ADN** 

14.1. - 14.6.: Not regulated as dangerous goods.

**IATA** 

14.1. - 14.6.: Not regulated as dangerous goods.

**IMDG** 

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Not applicable.

Code

# **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

#### **Authorisations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended Not listed.

#### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

# Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as

amended. The product is classified and labelled in accordance with Regulation (EC) 1272/2008

(CLP Regulation) as amended.

Follow national regulation for work with chemical agents. **National regulations** 

15.2. Chemical safety

No Chemical Safety Assessment has been carried out.

assessment

### **SECTION 16: Other information**

### List of abbreviations

PBT: Persistent, bioaccumulative and toxic. vPvB: Very Persistent and very Bioaccumulative.

STEL: Short-Term Exposure Limit.

ML-D4550A, ML-D4550B, MLT-D309L

TWA: Time Weighted Average Value.

LD50: Lethal Dose, 50%.

LC50: Lethal Concentration, 50%.

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland

Waterways.

ADR: European Agreement Concerning the International Carriage of Dangerous Goods by Road.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

IATA: International Air Transport Association.

IMDG Code: International Maritime Dangerous Goods Code.

MARPOL: International Convention for the Prevention of Pollution from Ships.

ECHA CHEM

IARC Monographs. Overall Evaluation of Carcinogenicity

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

Full text of any H-statements not written out in full under Sections 2 to 15

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

Training information Further information Follow training instructions when handling this material.

None known.

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Disclaimer

References

ML-D4550A, ML-D4550B, MLT-D309L

940877 Version #: 01 Revision date: - Issue date: 20-December-2017 7 / 7