

# SAFETY DATA SHEET

# **SECTION 1:** Identification of the substance/mixture and of the company/undertaking

Important information	*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. ***	
1.1. Product identifier		
Trade name or designation of the mixture	HP Color LaserJet W2000A-X-XC Black Print Cartridge	
Registration number	-	
Synonyms	None.	
Issue date	25-Apr-2019	
Version number	04	
Revision date	22-Dec-2020	
Supersedes date	01-Jul-2020	
1.2. Relevant identified uses of t	he substance or mixture and uses advised against	
Identified uses	This product is a black toner preparation that is used in HP Color LaserJet Enterprise M750n, M750dn, M750xh series printers.	
Uses advised against	None known.	
1.3. Details of the supplier of the	safety data sheet	
	HP Inc UK Ltd, Regulatory Enquiries, Earley West	
	300 Thames Valley Park Drive, Reading, RG6 1PT	
Telephone	+44 20 7660 0596 (Consumer)	
	+44 20 7660 0403 (Commercial)	
HP Inc. health effects line		
(Toll-free within the US)	1-800-457-4209	
(Direct)	1-760-710-0048	
HP Inc. Customer Care Line		
(Toll-free within the US)	1-800-474-6836	
(Direct)	1-208-323-2551	
Email:	hpcustomer.inquiries@hp.com	
1.4 Emergency telephone number	0207771 5307	
CECTION On Upgrande idea		

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification as hazardous according to Regulation (EC) 1272/2008.

#### 2.2. Label elements

#### Label according to Regulation (EC) No. 1272/2008 as amended

Contains:	Amorphous silica, Black Pigment, Styrene acrylate copolymer, Wax
Hazard pictograms	None.
Signal word	None.
Hazard statements	The mixture does not meet the criteria for classification.
Precautionary statements	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.
Supplemental label information	None.

This preparation contains no component classified as Persistent, Bioaccumulative, and Toxic (PBT) or very Persistent and very Bioaccumulative (vPvB) as defined under Regulation (EC) 1907/2006.

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

### **General information**

Chemical name	%	CAS-No. / EC No.	<b>REACH Registration No.</b>	Index No.	Notes
Styrene acrylate copolymer	<85	Trade Secret	-	-	
Classification: -		-			
Black Pigment	<10	Proprietary	01-2119384822-32-XXXX	-	
Classification: -		-			
Wax	<10	Trade Secret	-	-	
Classification: -		-			
Amorphous silica	<3	7631-86-9 231-545-4	01-2119379499-16-xxxx	-	
Classification: -					

### **SECTION 4: First aid measures**

General information Not available.

4.1. Description of first aid meas	sures
Inhalation	Move person to fresh air immediately. If irritation persists, consult a physician.
Skin contact	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician.
Ingestion	Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician.
4.2. Most important symptoms and effects, both acute and delayed	Not available.
4.3. Indication of any immediate medical attention and special treatment needed	Not available.

#### **SECTION 5: Firefighting measures**

General fire hazards	Not available.
5.1. Extinguishing media	
Suitable extinguishing media	CO2, water, or dry chemical
Unsuitable extinguishing media	None known.
5.2. Special hazards arising from the substance or mixture	Like most organic material in powder form, toner can form explosive dust-air mixtures when finely dispersed in air.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Not available.
Special fire fighting procedures	If fire occurs in the printer, treat as an electrical fire.
Specific methods	None established.

### **SECTION 6: Accidental release measures**

6.1. Personal precautions, prote	ctive equipment and emergency procedures
For non-emergency personnel	Minimize dust generation and accumulation.
For emergency responders	Not available.
6.2. Environmental precautions	Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.
6.3. Methods and material for containment and cleaning up	Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with federal, state, and local regulations.
6.4. Reference to other sections	Not available.
SECTION 7: Handling and	storage
7.1. Precautions for safe handling	Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.

handling	adequate ventilation. Keep away from excessive heat, sparks, and open flames.
7.2. Conditions for safe	Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store
storage, including any	away from strong oxidizers.
incompatibilities	

7.3. Specific end use(s)

Not available.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

Hygiene measures

### **Occupational exposure limits**

UK. EH40 Workplace Expos Components	Туре		Value	
Black Pigment	STEL		7 mg/m3	
	TWA		3.5 mg/m3	
iological limit values	No biological exposure limits not	ed for the ingredie	nt(s).	
lecommended monitoring rocedures	Not available.			
erived no effect levels (DNELs	3)			
Components	Туре	Route	Value	Form
Black Pigment	Consumers	Inhalation	1.75 mg/m3	Local long term
		Inhalation	0.06 mg/m3	Systemic long term
	Workers	Inhalation	2 mg/m3	Local long term
		Inhalation	1 mg/m3	Systemic long term
redicted no effect concentration	ons (PNECs)			
	. ,			
Components	Туре	Route	Value	Form
Components Black Pigment	Type Not applicable	Route Freshwater Marine water	Value 5 mg/l 5 mg/l	Form
·		Freshwater Marine water 3 mg/m3 (Respira 3)/%SiO2, ACGIH atembare partikel),	5 mg/l 5 mg/l ble Particulate) A (TWA/TLV): 10 3 mg/m3 (Alveol	morphous silica: USA OS mg/m3 TRGS 900
Black Pigment	Not applicable , 5 mg/m3 (Respirable Fraction), (TWA/PEL): 20 mppcf 80 (mg/m (Luftgrenzwert) - 10 mg/m3 (Eina	Freshwater Marine water 3 mg/m3 (Respira 3)/%SiO2, ACGIH atembare partikel),	5 mg/l 5 mg/l ble Particulate) A (TWA/TLV): 10 3 mg/m3 (Alveol	morphous silica: USA OS mg/m3 TRGS 900
Black Pigment	Not applicable , 5 mg/m3 (Respirable Fraction), (TWA/PEL): 20 mppcf 80 (mg/m (Luftgrenzwert) - 10 mg/m3 (Eina	Freshwater Marine water 3 mg/m3 (Respira 3)/%SiO2, ACGIH atembare partikel),	5 mg/l 5 mg/l ble Particulate) A (TWA/TLV): 10 3 mg/m3 (Alveol	morphous silica: USA OS mg/m3 TRGS 900
Black Pigment Exposure guidelines 2. Exposure controls Appropriate engineering ontrols	Not applicable , 5 mg/m3 (Respirable Fraction), (TWA/PEL): 20 mppcf 80 (mg/m (Luftgrenzwert) - 10 mg/m3 (Eina 10 mg/m3 (Respirable Dust), 5 m	Freshwater Marine water 3 mg/m3 (Respira n3)/%SiO2, ACGIH atembare partikel), ng/m3 (Inhalable D	5 mg/l 5 mg/l ble Particulate) A (TWA/TLV): 10 3 mg/m3 (Alveol	morphous silica: USA OS mg/m3 TRGS 900
Black Pigment Exposure guidelines 2. Exposure controls Appropriate engineering ontrols	Not applicable , 5 mg/m3 (Respirable Fraction), (TWA/PEL): 20 mppcf 80 (mg/m (Luftgrenzwert) - 10 mg/m3 (Eina 10 mg/m3 (Respirable Dust), 5 n Use in a well ventilated area.	Freshwater Marine water 3 mg/m3 (Respira 13)/%SiO2, ACGIH atembare partikel), ng/m3 (Inhalable D	5 mg/l 5 mg/l ble Particulate) A (TWA/TLV): 10 3 mg/m3 (Alveol pust)	morphous silica: USA OS mg/m3 TRGS 900 engängige fraktion) UK Wi
Black Pigment xposure guidelines 2. Exposure controls ppropriate engineering ontrols individual protection measures	Not applicable , 5 mg/m3 (Respirable Fraction), (TWA/PEL): 20 mppcf 80 (mg/m (Luftgrenzwert) - 10 mg/m3 (Eina 10 mg/m3 (Respirable Dust), 5 m Use in a well ventilated area. , such as personal protective equ	Freshwater Marine water 3 mg/m3 (Respira 13)/%SiO2, ACGIH atembare partikel), ng/m3 (Inhalable D	5 mg/l 5 mg/l ble Particulate) A (TWA/TLV): 10 3 mg/m3 (Alveol pust)	morphous silica: USA OS mg/m3 TRGS 900 engängige fraktion) UK Wi
Black Pigment xposure guidelines 2. Exposure controls ppropriate engineering ontrols individual protection measures General information	Not applicable , 5 mg/m3 (Respirable Fraction), (TWA/PEL): 20 mppcf 80 (mg/m (Luftgrenzwert) - 10 mg/m3 (Eina 10 mg/m3 (Respirable Dust), 5 m Use in a well ventilated area. , such as personal protective equ No personal respiratory protective	Freshwater Marine water 3 mg/m3 (Respira 13)/%SiO2, ACGIH atembare partikel), ng/m3 (Inhalable D	5 mg/l 5 mg/l ble Particulate) A (TWA/TLV): 10 3 mg/m3 (Alveol pust)	morphous silica: USA OS mg/m3 TRGS 900 engängige fraktion) UK Wi
Black Pigment xposure guidelines 2. Exposure controls ppropriate engineering ontrols ndividual protection measures General information Eye/face protection	Not applicable , 5 mg/m3 (Respirable Fraction), (TWA/PEL): 20 mppcf 80 (mg/m (Luftgrenzwert) - 10 mg/m3 (Eina 10 mg/m3 (Respirable Dust), 5 m Use in a well ventilated area. , such as personal protective equ No personal respiratory protective	Freshwater Marine water 3 mg/m3 (Respira 13)/%SiO2, ACGIH atembare partikel), ng/m3 (Inhalable D	5 mg/l 5 mg/l ble Particulate) A (TWA/TLV): 10 3 mg/m3 (Alveol pust)	morphous silica: USA OS mg/m3 TRGS 900 engängige fraktion) UK Wi
Black Pigment Exposure guidelines 2. Exposure controls appropriate engineering ontrols individual protection measures General information Eye/face protection Skin protection	Not applicable , 5 mg/m3 (Respirable Fraction), (TWA/PEL): 20 mppcf 80 (mg/m (Luftgrenzwert) - 10 mg/m3 (Eina 10 mg/m3 (Respirable Dust), 5 m Use in a well ventilated area. <b>, such as personal protective equ</b> No personal respiratory protectiv Not available.	Freshwater Marine water 3 mg/m3 (Respira 13)/%SiO2, ACGIH atembare partikel), ng/m3 (Inhalable D	5 mg/l 5 mg/l ble Particulate) A (TWA/TLV): 10 3 mg/m3 (Alveol pust)	morphous silica: USA OS mg/m3 TRGS 900 engängige fraktion) UK Wi
Black Pigment Exposure guidelines 2. Exposure controls appropriate engineering ontrols dividual protection measures General information Eye/face protection Skin protection - Hand protection	Not applicable , 5 mg/m3 (Respirable Fraction), (TWA/PEL): 20 mppcf 80 (mg/m (Luftgrenzwert) - 10 mg/m3 (Eina 10 mg/m3 (Respirable Dust), 5 m Use in a well ventilated area. Use in a well ventilated area. <b>, such as personal protective equ</b> No personal respiratory protective Not available. Not available.	Freshwater Marine water 3 mg/m3 (Respira 13)/%SiO2, ACGIH atembare partikel), ng/m3 (Inhalable D	5 mg/l 5 mg/l ble Particulate) A (TWA/TLV): 10 3 mg/m3 (Alveol pust)	morphous silica: USA OS mg/m3 TRGS 900 engängige fraktion) UK Wi

Not available.

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physic	al and chemical properties
Appearance	Fine powder
Physical state	Solid.
Form	solid
Color	Black.
Odor	Slight plastic odor
Odor threshold	Not available.
рН	Not applicable
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not applicable
Flash point	Not applicable
Evaporation rate	Not applicable
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not flammable
Flammability limit - upper (%)	Not available.
Vapor pressure	Not applicable
Vapor density	Not applicable
Solubility(ies)	
Solubility (water)	Negligible in water. Partially soluble in toluene and xylene.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not applicable
Decomposition temperature	> 392 °F (> 200 °C)
Viscosity	Not applicable
Explosive properties	Not available.
Oxidizing properties	No information available.
9.2. Other information	
Softening point	176 - 266 °F (80 - 130 °C)
Specific gravity	1 - 1.2
VOC	Not applicable

# **SECTION 10: Stability and reactivity**

10.1. Reactivity	Not available.
10.2. Chemical stability	Stable under normal storage conditions.
10.3. Possibility of hazardous reactions	Will not occur.
10.4. Conditions to avoid	Imaging Drum: Exposure to light
10.5. Incompatible materials	Strong oxidizers
10.6. Hazardous decomposition products	Carbon monoxide and carbon dioxide.

# **SECTION 11: Toxicological information**

### General information

# Not available.

#### Information on likely routes of exposure

information on likely rou	
Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
Skin contact	Contact with skin may result in mild irritation.
Eye contact	Contact with eyes may result in mild irritation.
Ingestion	Ingestion is not a likely route of exposure.
Symptoms	Not available.

Material name: W2000A-X-XC

### 11.1. Information on toxicological effects

Acute toxicity	Based on available data, the	classification criteria are not met.
Product	Species	Test Results
W2000A-X-XC		
Acute		
LD50		> 2000 mg/kg
Components	Species	Test Results
Black Pigment		
<u>Acute</u>		
Oral		
LD50	Rat	> 10000 mg/kg
Skin corrosion/irritation	Based on available data, the	classification criteria are not met.
Serious eye damage/eye irritation	Based on available data, the	classification criteria are not met.
Respiratory sensitization	Based on available data, the	classification criteria are not met.
Skin sensitization	Based on available data, the	classification criteria are not met.
Germ cell mutagenicity		nutagenic potential (Ames Test: Salmonella typhimurium) classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.	
	2B) and by the State of Califorer organizations indicate that ex bound within a product matrix bound form in this preparation	a carcinogen by the IARC (possibly carcinogenic to humans, Group ornia under Proposition 65. In their evaluations of carbon black, bot xposure to carbon black, per se, does not occur when it remains x, specifically, rubber, ink, or paint. Carbon black is present only in a on. None of the other ingredients in this preparation are classified as CGIH, EU, IARC, MAK, NTP or OSHA.
IARC Monographs. Overall	Evaluation of Carcinogenicity	y
Amorphous silica (CAS 7	631-86-9)	3 Not classifiable as to carcinogenicity to humans.
Reproductive toxicity	Based on available data, the	classification criteria are not met.
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.	
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.	
Aspiration hazard	Based on available data, the	classification criteria are not met.
Mixture versus substance information	Not available.	
Other information	Complete toxicity data are no Refer to Section 2 for potenti	ot available for this specific formulation ial health effects and Section 4 for first aid measures.

# **SECTION 12: Ecological information**

12.1. Toxicity	LC50: > 100 mg/l, Fish, 96.00 Hours		
Product		Species	Test Results
W2000A-X-XC			
Aquatic			
Algae	ErC50	Algae	> 100 mg/l, 72 Hours
Crustacea	EC50	Crustacea	> 100 mg/l, 48 Hours
Fish	LC50	Fish	> 100 mg/l, 96 Hours
12.2. Persistence and degradability	Not availat	ble.	
12.3. Bioaccumulative potential	Not availat	ble.	
Partition coefficient n-octanol/water (log Kow)	Not availat	ble.	
Bioconcentration factor (BCF)	Not availat	ble.	
12.4. Mobility in soil	Not availat	ble.	
12.5. Results of PBT and vPvB assessment	Not a PBT	or vPvB substance or mixture.	
12.6. Other adverse effects	Not availat	ble.	

# **SECTION 13: Disposal considerations**

13.1. Waste treatment methods		
Residual waste	Not available.	
Contaminated packaging	Not available.	
EU waste code	Not available.	
Disposal methods/information	Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.	
	HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.	

# **SECTION 14: Transport information**

Further information	Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

# **SECTION 15: Regulatory information**

SECTION 15. Regulatory	information
15.1. Safety, health and environ	mental regulations/legislation specific for the substance or mixture
EU regulations	
Regulation (EC) No. 1005/20 Not listed.	009 on substances that deplete the ozone layer, Annex I and II, as amended
	04 On persistent organic pollutants, Annex I as amended
	I2 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended
	2 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended
	2 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended
Regulation (EU) No. 649/201	2 concerning the export and import of dangerous chemicals, Annex V as amended
•	06 Annex II Pollutant Release and Transfer Registry, as amended
Not listed.	006, REACH Article 59(10) Candidate List as currently published by ECHA
Not listed.	Not, REACH Afficie 59(10) Candidate List as currently published by ECHA
Authorizations	
	006, REACH Annex XIV Substances subject to authorization, as amended
Restrictions on use	
	006, REACH Annex XVII Substances subject to restriction on marketing and use as amended
Not listed.	No, READITAINER AVITOUDStances subject to restriction on marketing and use as amended
	e protection of workers from the risks related to exposure to carcinogens and mutagens at
Not listed.	
Other EU regulations	
Directive 2012/18/EU on ma	jor accident hazards involving dangerous substances, as amended
Not listed.	
Other regulations	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.
Other information	This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830. Classification according to Regulation (EC) No 1272/2008 as amended.
National regulations	Not available.
15.2. Chemical safety assessment	See attached SUMI or GEIS document, if applicable.

# SECTION 16: Other information

SECTION 16: Other inforr	mation		
References	Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).		
	Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.		
	Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).		
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.		
Full text of any H-statements not written out in full under Sections 2 to 15	None.		
Revision information	None.		
Training information	Follow training instructions when handling this material.		
Disclaimer	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.		
	This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.		
Explanation of abbreviations			
ACGIH	American Conference of Governmental Industrial Hygienists		
CAS	Chemical Abstracts Service		
CERCLA	Comprehensive Environmental Response Compensation and Liability Act		
CFR	Code of Federal Regulations		
COC	Cleveland Open Cup		
DOT	Department of Transportation		
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)		
IARC	International Agency for Research on Cancer		
NIOSH	National Institute for Occupational Safety and Health		
NTP	National Toxicology Program		
OSHA	Occupational Safety and Health Administration		
PEL	Permissible Exposure Limit		
RCRA	Resource Conservation and Recovery Act		
REC	Recommended		
REL	Recommended Exposure Limit		
SARA	Superfund Amendments and Reauthorization Act of 1986		
STEL	Short-Term Exposure Limit		
TCLP	Toxicity Characteristics Leaching Procedure		

TLVThreshold Limit ValueTSCAToxic Substances Control Act

VOC Volatile Organic Compounds